

		gender			ethnicity				riskgroup			
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
Serostatus	HIV w/ symptoms	62.9%	62.6%	65.8%	66.5%	65.5%	58.2%	13.1%	62.0%	65.7%	67.6%	62.3%
	HIV no symptoms	36.6%	36.9%	34.2%	33.5%	32.2%	41.8%	86.9%	37.3%	34.3%	32.4%	37.7%
	HIV negative	0.5%	0.5%	0.0%	0.0%	2.2%	0.0%	0.0%	0.7%	0.0%	0.0%	0.0%
stage	HIV asymp	22.7%	22.5%	23.8%	18.6%	20.6%	28.7%	65.9%	23.4%	15.8%	18.6%	28.3%
	HIV symp	16.7%	14.7%	33.5%	8.9%	30.2%	23.0%	5.5%	13.3%	17.7%	23.0%	35.8%
	AIDS asymp	14.1%	14.5%	10.4%	14.9%	12.4%	13.1%	20.9%	14.2%	18.5%	13.8%	9.5%
riskgrp	AIDS symp	46.5%	48.2%	32.3%	57.6%	36.9%	35.2%	7.6%	49.2%	48.0%	44.5%	26.4%
	MSM	72.0%	80.8%	0.0%	80.4%	51.5%	71.2%	81.6%	100.0%	0.0%	0.0%	0.0%
	MSMIDU	8.7%	9.7%	0.0%	9.0%	9.7%	7.2%	6.5%	0.0%	100.0%	0.0%	0.0%
age (mean)	IDU	10.3%	7.2%	35.9%	7.2%	21.3%	8.1%	3.1%	0.0%	0.0%	100.0%	0.0%
	Hetero	9.0%	2.3%	64.1%	3.3%	17.5%	13.4%	8.8%	0.0%	0.0%	0.0%	100.0%
		44.0	44.1	40.3	46.0	41.6	41.0	40.4	44.7	42.5	40.7	40.6
agegroup	13-19	0.8%	0.9%	0.0%	0.0%	0.0%	3.3%	0.0%	1.1%	0.0%	0.0%	0.0%
	25-54	88.1%	86.9%	98.0%	85.9%	97.9%	85.5%	77.2%	86.1%	87.6%	95.6%	96.2%
	55+	11.1%	12.2%	2.0%	14.1%	2.1%	11.2%	22.8%	12.8%	12.4%	4.4%	3.8%
Gender	male	88.7%	99.5%	0.0%	95.1%	75.8%	86.6%	88.1%	100.0%	94.4%	62.5%	22.8%
	female	10.5%	0.0%	97.1%	4.9%	21.7%	12.4%	11.9%	0.0%	0.0%	37.5%	73.6%
	transgender (MTF)	0.5%	0.5%	0.0%	0.0%	1.1%	1.0%	0.0%	0.0%	5.6%	0.0%	0.0%
	transgender (FTM)	0.3%	0.0%	2.9%	0.0%	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	3.5%
Ethnicity	African American (Black)	20.7%	17.7%	45.5%	0.0%	97.8%	0.0%	0.0%	14.5%	23.7%	43.7%	41.5%
	Other non-Hispanic Black	0.5%	0.5%	0.0%	0.0%	2.2%	0.0%	0.0%	0.7%	0.0%	0.0%	0.0%
	Latino/Hispanic	24.7%	24.3%	28.4%	0.0%	0.0%	100.0%	0.0%	24.5%	20.6%	19.4%	37.1%
	Asian Pacific Islander (API)	1.1%	1.1%	1.0%	0.0%	0.0%	0.0%	43.5%	1.1%	1.8%	0.0%	1.2%
	Native American	0.9%	0.9%	0.5%	0.0%	0.0%	0.0%	34.7%	1.1%	0.0%	0.5%	0.0%
	White/Caucasion (non-Hispanic)	51.6%	55.0%	23.4%	100.0%	0.0%	0.0%	0.0%	57.6%	53.9%	36.1%	19.0%
	Mixed Race	0.4%	0.4%	0.2%	0.0%	0.0%	0.0%	17.4%	0.6%	0.0%	0.2%	0.0%
	Other	0.1%	0.0%	1.0%	0.0%	0.0%	0.0%	4.4%	0.0%	0.0%	0.0%	1.2%
Sexual Orientation	Heterosexual/Straight	18.1%	11.8%	70.4%	9.8%	36.9%	19.9%	10.9%	1.7%	8.6%	91.1%	74.6%
	Homosexual/Gay male	67.9%	76.1%	0.0%	86.6%	35.6%	57.8%	55.4%	86.6%	64.1%	0.0%	0.0%
	Homosexual/Lesbian	2.1%	0.0%	19.9%	0.2%	4.8%	3.9%	1.0%	0.0%	0.0%	5.3%	17.8%
	Bisexual	10.1%	10.6%	6.4%	3.0%	18.1%	17.6%	16.3%	9.8%	27.2%	3.6%	3.5%
	Other	1.7%	1.5%	3.4%	0.3%	4.5%	0.8%	16.3%	1.9%	0.0%	0.0%	4.0%
Highest level of education	Grade school or less	9.9%	9.7%	11.1%	10.1%	2.6%	16.4%	0.0%	10.9%	3.5%	8.8%	8.6%
	Some high school	18.5%	17.3%	28.2%	9.2%	27.1%	30.5%	16.3%	14.7%	27.4%	23.2%	35.4%
	Graduated high school/GED/trade school	21.2%	19.7%	33.7%	22.2%	25.7%	16.6%	8.6%	13.4%	40.1%	50.7%	32.5%
	Some college/2 year college degree	31.2%	32.9%	17.4%	35.2%	31.1%	22.3%	38.1%	36.9%	25.5%	12.8%	12.1%
	Completed 4 year college	12.0%	12.5%	8.0%	16.7%	4.5%	7.9%	20.7%	14.4%	3.5%	4.5%	9.6%
	Graduate level or professional study	7.2%	7.9%	1.5%	6.5%	9.0%	6.2%	16.3%	9.7%	0.0%	0.0%	1.8%

		gender		ethnicity				riskgroup				
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
Where do you currently live?	apt/house own	5.2%	4.9%	7.0%	4.5%	4.1%	7.9%	0.0%	5.0%	6.7%	4.5%	5.8%
	apt/house rent	55.3%	55.9%	50.5%	63.3%	42.9%	51.5%	32.7%	60.4%	43.3%	27.8%	57.3%
	parent's/relative's apt/house	3.1%	3.3%	1.2%	3.3%	4.5%	0.0%	16.3%	4.1%	0.0%	1.2%	0.0%
	living/crashing w/ someone not paying rent	3.0%	3.2%	1.2%	4.3%	0.0%	3.1%	0.0%	3.3%	0.0%	6.0%	0.0%
	single room occupancy	1.7%	1.9%	0.2%	3.1%	0.4%	0.0%	1.0%	2.2%	0.0%	0.2%	1.0%
	supportive/assis. living facility	10.8%	11.7%	2.9%	10.4%	8.5%	14.6%	0.0%	12.9%	12.3%	1.5%	3.2%
	group home/residence	11.9%	10.6%	22.9%	5.2%	28.2%	11.5%	17.4%	6.0%	21.7%	37.6%	20.7%
	half-way/transitional housing	1.1%	1.2%	0.0%	0.0%	0.4%	2.5%	16.3%	0.6%	2.9%	2.2%	2.4%
	homeless (street/car)	0.9%	0.8%	1.2%	0.2%	2.5%	0.9%	0.0%	0.0%	0.0%	7.6%	1.0%
	homeless shelter	1.5%	1.3%	3.0%	0.2%	2.0%	3.9%	0.0%	1.1%	0.0%	5.4%	2.3%
	hospice/nursing facility	1.8%	1.5%	4.4%	0.6%	2.3%	4.1%	0.0%	1.1%	6.3%	4.6%	0.0%
	other	3.7%	3.5%	5.6%	4.8%	4.2%	0.0%	16.3%	3.4%	6.7%	1.2%	6.3%
Living situation..	safe	92.0%	91.9%	92.1%	95.2%	88.7%	87.9%	89.1%	93.1%	90.0%	85.7%	91.4%
	clean	90.2%	89.9%	92.8%	91.1%	90.6%	87.3%	95.6%	90.3%	92.0%	87.6%	91.6%
	stable	85.1%	85.0%	86.5%	84.3%	83.0%	87.4%	100.0%	84.9%	87.8%	80.8%	89.8%
Live w/	no one	31.9%	33.1%	21.7%	36.5%	31.0%	25.1%	10.9%	34.4%	32.2%	22.2%	22.2%
	other adults	65.2%	66.1%	58.2%	63.5%	64.6%	67.4%	84.7%	64.7%	68.7%	74.0%	55.8%
	children	6.2%	1.6%	43.0%	1.7%	14.5%	9.1%	4.4%	1.3%	0.0%	14.8%	40.5%
Time in half-way/ transitional housing	never	82.9%	82.8%	83.6%	90.7%	68.3%	80.6%	66.3%	90.1%	59.0%	54.2%	80.5%
	less than a month	2.1%	2.4%	0.0%	0.6%	3.1%	3.1%	16.3%	0.6%	11.9%	6.7%	0.0%
	1-3 months	1.0%	0.7%	4.0%	0.0%	2.3%	2.0%	1.0%	0.0%	0.0%	5.0%	5.7%
	4 months to 1 yr.	8.8%	9.2%	5.6%	4.3%	22.9%	5.2%	16.3%	4.3%	22.8%	30.5%	6.7%
	more than 1 yr.	5.2%	5.0%	6.8%	4.5%	3.4%	9.0%	0.0%	5.1%	6.3%	3.7%	7.1%
Time in drug or psychiatric treatment facility	never	78.1%	78.9%	71.2%	85.9%	56.2%	81.7%	65.3%	84.7%	67.6%	47.8%	69.2%
	less than a month	6.8%	6.2%	11.9%	7.0%	9.5%	2.9%	17.4%	5.6%	2.9%	12.5%	13.5%
	1-3 months	3.9%	3.7%	5.7%	1.6%	7.6%	5.7%	1.0%	2.4%	15.3%	2.7%	6.1%
	4 months to 1 yr.	6.8%	7.4%	2.3%	4.4%	18.0%	3.1%	0.0%	3.7%	7.9%	30.7%	4.3%
	more than 1 yr.	4.4%	3.9%	8.9%	1.0%	8.7%	6.6%	16.3%	3.6%	6.3%	6.3%	6.9%
Time homeless (on the streets/in car)	never	82.2%	83.5%	70.8%	82.5%	75.3%	88.8%	65.3%	86.3%	78.7%	54.2%	79.9%
	less than a month	5.7%	6.3%	0.2%	6.2%	8.1%	3.0%	1.0%	5.7%	5.6%	7.6%	2.9%
	1-3 months	4.2%	3.7%	8.4%	3.9%	2.4%	5.0%	17.4%	3.8%	3.4%	7.9%	4.3%
	4 months to 1 yr.	5.9%	5.6%	8.4%	6.5%	10.1%	0.0%	16.3%	3.4%	9.4%	18.5%	9.4%
	more than 1 yr.	2.1%	0.9%	12.2%	1.0%	4.0%	3.2%	0.0%	0.7%	2.9%	11.7%	3.4%

			gender		ethnicity				riskgroup			
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
homeless shelter	never	90.9%	90.9%	90.3%	92.7%	85.1%	92.7%	83.7%	92.0%	89.7%	84.3%	90.3%
	less than a month	4.8%	5.1%	3.0%	7.3%	2.1%	2.4%	0.0%	4.4%	7.1%	7.4%	2.9%
	1-3 months	0.3%	0.2%	1.5%	0.0%	1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	3.9%
	4 months to 1 yr.	2.7%	2.9%	1.5%	0.0%	7.4%	3.2%	16.3%	2.9%	0.0%	4.3%	1.8%
	more than 1 yr.	1.2%	0.9%	3.8%	0.0%	3.9%	1.7%	0.0%	0.7%	3.1%	3.9%	1.1%
Time in a jail or correctional facility	never	83.4%	85.3%	66.9%	85.9%	69.2%	90.3%	82.6%	92.4%	67.5%	48.7%	65.5%
	less than a month	4.5%	3.7%	11.0%	6.0%	2.2%	3.6%	0.0%	2.2%	6.7%	8.2%	16.5%
	1-3 months	2.8%	2.1%	9.0%	0.8%	9.6%	1.5%	0.0%	1.3%	3.4%	6.9%	9.9%
	4 months to 1 yr.	4.6%	4.4%	6.0%	4.3%	8.2%	0.9%	16.3%	2.8%	2.6%	20.1%	3.4%
	more than 1 yr.	4.7%	4.5%	7.1%	3.0%	10.7%	3.7%	1.0%	1.3%	19.8%	16.0%	4.7%
Time in other living situation	never	85.4%	85.5%	85.0%	89.5%	85.8%	76.2%	89.9%	88.6%	64.8%	96.7%	76.0%
	less than a month	1.9%	1.9%	2.2%	0.0%	1.4%	6.7%	0.0%	1.7%	0.0%	0.0%	6.5%
	1-3 months	0.3%	0.0%	2.8%	0.0%	0.0%	1.3%	0.0%	0.0%	0.0%	0.0%	3.2%
	4 months to 1 yr.	1.7%	2.0%	0.0%	0.9%	6.7%	0.0%	0.0%	0.0%	16.0%	0.0%	1.4%
	more than 1 yr.	10.6%	10.6%	10.0%	9.7%	6.2%	15.8%	10.1%	9.7%	19.2%	3.3%	12.8%
homeless		19.8%	18.8%	28.0%	18.6%	27.6%	14.1%	34.7%	15.4%	28.0%	44.1%	19.4%
transit		28.5%	27.5%	37.3%	18.6%	52.7%	27.8%	34.7%	19.3%	50.3%	64.2%	40.8%
Current work situation	Employed full-time	11.5%	11.6%	11.2%	9.8%	4.5%	22.1%	0.0%	11.5%	8.6%	13.0%	12.4%
	Employed part-time	6.8%	7.3%	3.0%	8.8%	8.0%	2.4%	0.0%	6.4%	12.3%	6.0%	5.4%
	Not working - but looking	16.2%	16.7%	12.2%	10.4%	19.2%	22.8%	48.9%	17.0%	9.3%	15.6%	17.4%
	Not working - student/homemaker	7.5%	6.2%	18.3%	1.4%	15.5%	13.9%	5.5%	5.2%	8.9%	13.6%	17.7%
	Not working - not looking	23.0%	22.2%	29.7%	26.7%	26.8%	12.2%	22.8%	22.0%	27.2%	29.0%	20.1%
	Retired	11.3%	12.3%	3.3%	12.9%	10.0%	8.0%	22.8%	14.3%	5.2%	2.2%	4.1%
	Other	23.5%	23.7%	22.2%	30.0%	16.0%	18.6%	0.0%	23.5%	28.4%	20.6%	22.8%
Individual yearly income estimate	\$0 - \$8600	42.5%	39.0%	71.7%	30.1%	65.9%	49.7%	44.6%	36.2%	48.6%	67.5%	58.9%
	\$8601 to \$11600	32.7%	34.9%	14.5%	43.4%	19.5%	21.8%	16.3%	33.4%	39.9%	30.3%	22.2%
	\$11601 to \$16500	10.8%	11.7%	3.4%	9.3%	11.4%	12.4%	22.8%	13.4%	4.6%	2.2%	5.9%
	\$16501 to \$23200	8.7%	9.5%	1.9%	16.0%	0.0%	0.9%	0.0%	11.4%	3.5%	0.0%	2.4%
	\$23201 to \$26000	2.2%	2.2%	1.9%	0.0%	0.0%	7.6%	16.3%	2.8%	0.0%	0.0%	2.4%
	\$26001 to \$35000	1.0%	0.9%	1.9%	0.6%	2.4%	0.9%	0.0%	0.7%	3.5%	0.0%	2.4%
Greater than \$35001	2.1%	1.8%	4.6%	0.6%	0.8%	6.7%	0.0%	2.2%	0.0%	0.0%	5.8%	

			gender		ethnicity				riskgroup			
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
Rec'vd following benefits	food stamps	12.4%	11.4%	21.3%	7.1%	20.0%	15.0%	37.1%	9.3%	19.3%	18.0%	25.3%
	long term disability	25.3%	26.6%	14.6%	29.3%	26.7%	17.6%	6.5%	27.4%	26.9%	18.2%	14.6%
	short term disability	2.5%	2.2%	5.1%	4.0%	2.0%	0.0%	0.0%	2.3%	3.8%	3.6%	1.9%
	Supplemental Security Income (SSI)	30.5%	30.5%	30.9%	30.7%	35.8%	25.8%	26.2%	27.8%	50.4%	30.4%	32.9%
	Public Health Service, Bureau of Indian Affairs (BIA)	1.6%	1.8%	0.0%	3.1%	0.0%	0.0%	0.0%	2.3%	0.0%	0.0%	0.0%
	SDI	14.7%	14.7%	14.6%	19.6%	12.5%	5.6%	17.4%	16.5%	3.6%	13.7%	11.4%
	SSDI	32.1%	33.1%	24.3%	46.4%	21.9%	12.2%	10.9%	35.5%	29.0%	13.6%	29.0%
	VA Benefits	5.6%	6.3%	0.0%	9.4%	2.2%	1.0%	0.0%	6.8%	0.0%	6.5%	0.0%
	CHAMPUS	0.2%	0.0%	1.5%	0.0%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%
	Worker's Comp	1.0%	0.9%	2.3%	0.0%	1.2%	3.3%	0.0%	1.1%	0.0%	2.4%	0.0%
	Annuity/Life insurance payments	0.4%	0.0%	3.8%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%	2.4%	1.8%
	Retirement	4.7%	5.0%	1.5%	3.1%	7.7%	4.2%	16.3%	5.9%	0.0%	2.3%	1.9%
	Rent Supplement	8.6%	8.8%	7.0%	7.3%	5.4%	15.1%	0.0%	9.6%	3.5%	3.8%	11.1%
	subsidized hsing	21.3%	21.8%	17.1%	25.1%	20.6%	14.9%	7.5%	20.1%	40.2%	16.0%	18.8%
	General Assistance	9.0%	7.7%	19.6%	6.3%	15.4%	8.4%	17.4%	5.9%	19.7%	16.1%	15.5%
	Emergency Financial Assist.	0.8%	0.7%	2.3%	1.1%	1.2%	0.0%	0.0%	0.0%	7.0%	2.4%	0.0%
	WIC	0.5%	0.1%	3.6%	0.2%	1.2%	0.5%	0.0%	0.0%	0.0%	3.6%	1.5%
	TANF/CalWorks	1.5%	0.1%	12.7%	0.8%	3.5%	1.4%	0.0%	0.0%	0.0%	4.8%	11.4%
Not eligible for benefits		4.2%	3.3%	12.2%	3.9%	4.2%	5.3%	0.0%	3.7%	0.0%	4.7%	12.2%
Type of insurance	Private insurance through work	6.1%	5.9%	7.3%	4.1%	8.1%	9.1%	0.0%	6.6%	3.5%	2.5%	8.5%
	COBRA or OBRA (insur through last employer)	2.2%	2.5%	0.0%	3.3%	2.4%	0.0%	0.0%	3.1%	0.0%	0.0%	0.0%
	Private insurance not through work	6.8%	6.2%	12.1%	8.2%	4.9%	5.9%	4.4%	6.4%	7.0%	6.4%	10.8%
	Medicare	28.8%	30.0%	18.6%	35.5%	32.3%	12.1%	28.3%	33.1%	19.1%	11.3%	22.0%
	Medicaid/MediCal	56.1%	56.8%	50.7%	62.6%	55.0%	45.2%	49.0%	53.8%	74.3%	59.4%	52.4%
Have insurance		79.6%	79.4%	80.8%	84.8%	78.9%	70.6%	66.3%	78.6%	82.9%	80.7%	82.6%
Have private insurance		11.8%	11.1%	17.8%	11.3%	12.0%	13.5%	4.4%	12.5%	6.7%	5.7%	18.3%
Length of HIV	Less than 1 year	8.6%	8.5%	8.8%	11.0%	4.0%	6.5%	16.3%	8.4%	2.6%	15.4%	7.9%
	1 to 3 years	10.8%	10.3%	14.7%	7.5%	13.1%	17.0%	0.0%	10.8%	6.0%	11.9%	13.5%
	3 to 8 years	24.6%	23.7%	32.5%	18.7%	30.0%	29.7%	54.4%	21.2%	33.9%	31.6%	35.1%
	More than 8 years	56.0%	57.5%	44.0%	62.7%	52.9%	46.8%	29.3%	59.5%	57.5%	41.1%	43.5%
Most likely way infected w/ HIV	Having sex with a man	64.7%	64.8%	63.4%	75.8%	46.8%	57.0%	58.8%	76.1%	35.1%	13.9%	60.4%
	Having sex with a woman	10.3%	10.7%	7.0%	7.9%	11.1%	13.8%	16.3%	9.6%	0.0%	8.2%	28.3%
	Sharing needles	9.8%	9.5%	12.0%	7.2%	15.0%	11.1%	6.5%	0.0%	42.0%	59.0%	0.0%
	Blood products/Transfusion	1.9%	1.8%	2.9%	3.1%	1.5%	0.0%	0.0%	2.2%	0.0%	0.0%	3.5%
	Other	5.6%	5.1%	9.6%	2.0%	11.2%	8.9%	1.0%	3.5%	11.6%	15.1%	6.1%

		gender		ethnicity				riskgroup				
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
AIDS diagnosis		61.6%	63.8%	43.5%	72.7%	51.8%	49.9%	29.3%	64.4%	67.6%	59.0%	36.2%
Length of AIDS	Less than 3 years	19.3%	18.4%	31.6%	15.5%	27.4%	22.8%	38.9%	15.1%	19.3%	49.3%	31.7%
	3 to 6 years	27.1%	27.7%	20.1%	34.5%	4.8%	24.0%	9.9%	28.8%	35.6%	5.2%	23.9%
	6 to 12 years	41.3%	41.1%	43.8%	35.6%	58.3%	44.2%	51.2%	42.6%	34.5%	41.3%	33.7%
	More than 12 years	12.2%	12.8%	4.4%	14.4%	9.5%	9.0%	0.0%	13.4%	10.6%	4.2%	10.6%
t-cells ever below	500	75.2%	77.0%	60.5%	82.0%	61.1%	74.0%	60.9%	77.8%	80.0%	66.0%	59.6%
	350	67.7%	68.7%	59.5%	74.0%	51.6%	71.2%	40.2%	69.1%	67.3%	66.0%	58.8%
	200	53.8%	55.9%	36.8%	61.4%	40.7%	49.1%	43.5%	56.6%	59.8%	44.7%	36.3%
t-cells now below	350	38.9%	40.3%	26.7%	50.4%	26.9%	26.3%	3.1%	40.0%	39.1%	42.6%	24.2%
	200	24.5%	24.9%	21.0%	29.8%	18.6%	19.2%	7.5%	24.1%	30.9%	24.2%	21.3%
t-cell ever rose above	30000	54.6%	56.1%	42.2%	66.2%	42.6%	37.8%	61.9%	58.1%	59.1%	37.9%	41.6%
	10000	60.6%	61.2%	55.8%	72.6%	51.9%	42.4%	45.6%	63.6%	63.7%	42.3%	55.3%
t-cells currently above	10000	34.1%	33.8%	36.7%	45.9%	23.1%	19.6%	11.9%	36.0%	23.9%	26.3%	38.5%
Physical health now ...	Poor	10.1%	10.0%	11.7%	10.8%	10.3%	9.2%	4.4%	10.2%	7.9%	13.6%	7.9%
	Fair	36.0%	35.9%	37.5%	36.6%	36.7%	37.8%	2.1%	35.8%	35.5%	37.7%	36.6%
	Good	37.9%	38.3%	34.9%	38.0%	32.3%	38.7%	77.2%	37.9%	38.0%	32.7%	43.9%
	Excellent	15.9%	15.9%	15.8%	14.6%	20.7%	14.3%	16.3%	16.1%	18.6%	16.0%	11.6%
Compare physical health	Much worse	6.8%	6.8%	7.0%	8.3%	3.0%	7.7%	0.0%	7.3%	3.4%	9.1%	3.5%
	A little worse	13.6%	13.3%	15.9%	11.9%	18.9%	13.3%	5.5%	10.4%	19.0%	33.0%	11.3%
	About the same	21.1%	21.7%	16.3%	19.9%	31.3%	15.0%	16.3%	19.6%	26.5%	32.5%	14.3%
	A little better	18.2%	18.0%	20.3%	22.2%	12.9%	13.8%	23.8%	20.4%	4.5%	7.5%	26.7%
	Much better	40.3%	40.3%	40.4%	37.7%	33.9%	50.2%	54.4%	42.3%	46.6%	17.9%	44.2%
Emotional health now ...	Poor	8.9%	8.7%	10.8%	11.3%	7.8%	5.4%	4.4%	9.7%	3.4%	11.1%	5.7%
	Fair	40.5%	40.2%	43.4%	40.2%	39.4%	41.2%	51.0%	41.3%	31.8%	39.6%	44.2%
	Good	31.5%	31.5%	31.4%	35.1%	30.3%	25.1%	28.3%	28.7%	49.5%	32.4%	35.1%
	Excellent	19.1%	19.6%	14.5%	13.4%	22.5%	28.3%	16.3%	20.3%	15.4%	17.0%	15.0%
Compare emotional health	Much worse	10.2%	11.0%	4.1%	17.3%	0.0%	5.4%	0.0%	12.1%	6.3%	9.2%	0.0%
	A little worse	11.3%	10.6%	17.8%	7.0%	14.6%	18.6%	1.0%	11.7%	6.0%	10.7%	14.0%
	About the same	28.4%	30.2%	13.5%	31.5%	31.2%	20.3%	20.7%	30.4%	17.3%	33.6%	16.7%
	A little better	19.5%	18.9%	24.6%	18.2%	17.6%	23.8%	17.4%	17.4%	27.9%	19.8%	27.9%
	Much better	30.6%	29.5%	39.9%	26.0%	36.5%	31.9%	60.9%	28.3%	42.6%	26.6%	41.5%

			gender		ethnicity			riskgroup				
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
Never seen a dr. since seroconversion		2.0%	1.9%	2.6%	0.2%	5.0%	3.1%	0.0%	1.7%	0.0%	5.4%	1.8%
Time w/o medical care	12 months or longer	21.9%	20.3%	35.0%	23.5%	23.0%	17.9%	18.4%	17.1%	34.0%	34.4%	34.7%
	6 months or longer	27.3%	25.4%	43.1%	23.4%	28.5%	31.9%	51.0%	23.5%	36.2%	38.8%	36.7%
Go back to see doctor?	yes	60.6%	60.9%	58.9%	59.9%	62.1%	57.6%	86.1%	57.1%	74.9%	69.1%	59.7%
Return b/c	I got sicker	47.6%	49.6%	36.4%	44.9%	40.0%	55.1%	98.0%	52.3%	46.3%	40.5%	33.1%
	Change in my income	18.6%	19.5%	12.5%	11.1%	11.9%	32.3%	66.0%	22.7%	14.4%	10.6%	9.4%
	Change in my insurance	15.1%	14.5%	18.9%	11.8%	9.4%	20.6%	66.0%	15.6%	19.9%	9.4%	13.7%
	Heard about new doctor	16.3%	15.7%	19.7%	14.4%	16.6%	17.7%	34.0%	14.7%	24.6%	17.2%	14.2%
	Change in doctor's attitude	9.7%	11.2%	0.4%	4.0%	6.0%	20.2%	34.0%	11.2%	9.7%	9.0%	2.5%
	Change in drugs or treatment available	20.6%	21.8%	12.8%	12.2%	23.2%	30.2%	34.0%	21.5%	19.2%	20.4%	16.9%
	I had stable housing	35.2%	35.7%	32.0%	30.7%	31.5%	43.1%	66.0%	38.4%	23.6%	31.2%	34.7%
	Other reasons	37.3%	39.9%	20.0%	46.5%	21.3%	35.6%	48.5%	38.4%	47.3%	39.9%	18.2%
In last yr, been diagnosed w/...	Hepatitis A or B	15.4%	14.3%	24.1%	21.0%	12.2%	7.0%	3.1%	11.9%	14.2%	41.9%	15.0%
	Hepatitis C	12.9%	11.9%	22.0%	15.7%	10.5%	10.2%	3.1%	5.1%	30.9%	55.9%	10.0%
	Syphilis	3.8%	3.6%	5.0%	0.6%	6.9%	8.4%	1.0%	3.5%	8.2%	1.6%	4.3%
	Herpes (genital)	6.1%	5.2%	13.7%	5.2%	6.9%	6.2%	17.4%	4.5%	5.3%	10.6%	14.7%
	Gonorrhea	1.2%	1.0%	3.1%	0.2%	1.9%	1.1%	17.4%	0.6%	5.6%	1.6%	1.9%
	Chlamydia	2.8%	1.8%	11.4%	0.6%	3.5%	4.1%	32.6%	2.2%	0.0%	3.7%	9.8%
	Genital warts	5.7%	5.4%	7.7%	3.4%	3.5%	11.3%	17.4%	6.7%	0.0%	4.3%	4.4%
	Yeast infection	4.4%	0.0%	40.2%	1.4%	7.9%	8.1%	1.0%	0.0%	0.0%	10.8%	36.9%
Taking the following...	Antiretrovirals and/or protease inhibitor	65.4%	67.8%	45.3%	68.4%	46.0%	75.5%	65.3%	70.1%	58.2%	58.7%	41.9%
	Antibiotics	29.9%	31.0%	21.0%	32.4%	27.0%	26.1%	41.2%	28.1%	50.6%	31.2%	22.3%
	Antifungals	19.6%	20.4%	15.8%	29.5%	5.6%	18.5%	21.4%	21.4%	23.1%	16.3%	13.7%
	Steroids	9.6%	10.7%	4.2%	15.0%	9.8%	0.0%	5.8%	8.1%	17.6%	11.1%	8.8%
	Antidepressants	38.4%	37.6%	41.7%	47.6%	29.7%	33.5%	29.9%	33.5%	56.0%	47.9%	34.8%
	Herbal and/or other supplements	30.3%	35.1%	8.3%	46.3%	8.2%	29.4%	22.8%	38.0%	22.5%	18.6%	17.7%
Skipped medications	never/have not skipped	50.6%	51.3%	44.7%	52.3%	45.5%	52.8%	30.8%	53.6%	41.0%	46.4%	42.0%
	once or twice a month	23.3%	23.3%	22.8%	23.4%	18.8%	24.6%	56.5%	23.2%	25.7%	25.0%	19.7%
	once or twice a week	8.7%	8.6%	9.6%	6.8%	10.5%	11.4%	0.0%	10.5%	0.0%	0.0%	14.1%
	more than twice a week	7.8%	8.7%	1.2%	11.1%	6.7%	3.1%	0.0%	9.1%	8.9%	5.4%	0.0%
	stopped taking medicine	9.6%	8.0%	21.7%	6.4%	18.5%	8.1%	12.7%	3.6%	24.5%	23.2%	24.2%

			gender		ethnicity				riskgroup			
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
Skipped b/c...	Side effects	28.3%	27.4%	34.8%	26.5%	36.0%	23.3%	36.2%	25.0%	57.7%	20.4%	30.6%
	Schedule	15.1%	15.2%	14.1%	5.1%	29.7%	16.7%	30.7%	12.8%	30.3%	14.0%	17.2%
	Didn't want others to see	12.6%	11.8%	18.7%	13.7%	16.8%	7.7%	0.0%	12.4%	16.6%	5.0%	18.1%
	Didn't understand directions	2.5%	1.8%	7.8%	0.0%	4.8%	4.5%	1.6%	1.8%	3.6%	3.6%	4.8%
	Did not work	5.0%	4.9%	5.3%	0.5%	13.7%	4.5%	0.0%	4.0%	7.3%	9.3%	4.6%
	Affordability	8.5%	8.5%	8.7%	6.0%	8.9%	12.7%	3.3%	7.2%	3.6%	24.3%	4.9%
	Forgot	41.5%	41.5%	41.8%	46.9%	34.0%	37.6%	60.5%	44.4%	35.1%	35.4%	35.5%
	Ran out	18.4%	19.1%	13.2%	27.9%	11.1%	10.7%	3.3%	17.6%	16.0%	32.5%	11.4%
	Coordinate with food	16.3%	16.4%	15.9%	16.5%	16.1%	17.6%	1.6%	16.2%	17.6%	17.1%	15.3%
	Didn't want to take	22.5%	21.2%	31.9%	21.7%	25.8%	19.9%	32.9%	20.8%	21.2%	22.6%	34.6%
	Homeless	10.1%	10.8%	4.5%	11.1%	18.1%	1.7%	0.0%	5.9%	16.6%	33.8%	4.7%
	Felt no longer needed	5.7%	5.9%	3.9%	7.1%	8.8%	0.9%	0.0%	7.0%	4.6%	3.9%	0.0%
	MD's advice	14.2%	14.4%	12.5%	13.8%	20.7%	9.0%	10.3%	16.4%	10.8%	1.7%	16.7%
Receive MH counseling		67.4%	66.4%	75.4%	69.7%	71.0%	57.6%	83.7%	64.2%	82.4%	68.7%	76.3%
	Inpatient (in hospital at least overnight)	22.6%	22.2%	25.2%	25.7%	23.2%	17.7%	7.5%	23.6%	22.8%	19.7%	17.8%
	Individual counseling/therapy	73.6%	74.1%	69.9%	84.4%	74.2%	52.3%	76.2%	73.6%	71.7%	81.4%	67.7%
	Group counseling/therapy	56.0%	55.4%	60.0%	61.9%	56.5%	46.2%	39.1%	56.5%	65.9%	52.7%	45.2%
	Medication for pyschological/behavior problems	57.0%	57.5%	53.4%	66.5%	57.2%	40.8%	39.1%	55.2%	65.5%	77.1%	40.1%
In last two yrs, diagnosed w/...	Anxiety	46.3%	47.4%	36.8%	50.4%	48.3%	33.2%	74.9%	47.2%	49.3%	46.9%	34.1%
	Bipolar Disorder	14.8%	14.9%	14.4%	16.5%	26.3%	1.5%	16.3%	13.8%	18.7%	21.9%	9.7%
	Dementia	6.3%	6.6%	4.4%	5.8%	6.5%	7.9%	0.0%	5.3%	9.4%	14.0%	2.0%
	Depression	60.8%	60.3%	64.5%	64.8%	64.6%	47.9%	72.8%	59.0%	74.0%	67.1%	54.9%
	Other	9.6%	9.8%	8.1%	8.2%	19.0%	6.3%	1.4%	9.6%	8.7%	14.3%	5.9%
# of Partners	None	35.5%	36.6%	26.8%	48.4%	21.6%	22.2%	17.4%	37.7%	26.1%	26.6%	37.1%
	monogamous	34.8%	32.7%	53.2%	27.1%	50.9%	41.0%	1.0%	33.2%	19.5%	48.4%	46.9%
	2-4	16.5%	16.6%	15.8%	10.3%	18.1%	24.9%	48.9%	14.6%	32.6%	22.2%	11.2%
	5 or more	13.1%	14.2%	4.3%	14.2%	9.4%	12.0%	32.6%	14.6%	21.8%	2.8%	4.8%
Type of relationship	monogamous	36.1%	34.9%	47.5%	25.9%	49.2%	50.4%	2.2%	35.1%	24.7%	47.1%	44.5%
	open relationship	9.4%	9.2%	11.3%	8.9%	10.9%	10.2%	0.0%	7.3%	20.5%	13.9%	10.8%
	in relationship but have multiple partners	3.2%	3.2%	2.9%	1.4%	4.1%	6.4%	0.0%	2.8%	7.0%	1.3%	4.1%
	single relationship with multiple partners	17.5%	18.1%	11.8%	17.7%	10.3%	16.4%	85.3%	19.8%	16.2%	10.5%	7.5%
	no sexual relationship in past year	33.8%	34.6%	26.5%	46.1%	25.5%	16.6%	12.5%	35.0%	31.6%	27.2%	33.2%
Sexual behavior...	high risk	13.5%	13.9%	9.7%	9.5%	9.8%	22.2%	35.3%	12.6%	19.8%	16.1%	11.9%
	moderate risk	6.2%	5.4%	14.1%	5.3%	13.6%	2.4%	0.0%	4.6%	3.5%	19.9%	8.3%
	low risk	23.4%	24.0%	18.4%	17.1%	30.7%	30.1%	17.6%	23.6%	23.7%	33.5%	9.3%
	no risk	24.8%	25.1%	21.3%	22.8%	21.5%	30.4%	35.3%	24.8%	23.2%	22.8%	28.0%
	am not sexually active	32.1%	31.6%	36.6%	45.2%	24.4%	15.0%	11.8%	34.4%	29.8%	7.7%	42.6%

			gender		ethnicity				riskgroup			
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
Use condom w/ regular partner	never	7.3%	6.7%	12.1%	7.8%	7.9%	6.2%	1.1%	7.5%	0.0%	11.9%	6.9%
	rarely	2.6%	2.6%	3.1%	0.6%	5.4%	3.0%	17.6%	2.1%	3.6%	4.1%	5.1%
	some of the time	4.4%	4.1%	6.2%	5.4%	5.9%	1.0%	0.0%	3.2%	4.1%	15.0%	2.7%
	most of the time	9.0%	9.6%	3.4%	7.5%	10.6%	11.8%	0.0%	10.6%	7.3%	0.0%	7.1%
	every time	37.5%	36.5%	46.3%	27.5%	43.7%	54.3%	35.3%	35.2%	39.1%	51.6%	40.3%
Use condom w/ casual partner	never	1.8%	1.8%	2.0%	0.3%	0.5%	7.3%	0.0%	1.2%	7.4%	1.9%	1.7%
	rarely	0.9%	0.6%	4.5%	0.3%	3.7%	0.0%	0.0%	0.8%	0.0%	1.9%	3.0%
	some of the time	5.6%	5.9%	2.9%	8.4%	2.3%	0.0%	18.8%	5.8%	11.8%	0.4%	3.0%
	most of the time	11.5%	12.0%	5.8%	12.4%	11.1%	11.4%	0.0%	12.4%	18.8%	0.0%	6.8%
	every time	28.2%	27.8%	33.4%	21.3%	28.6%	42.5%	52.9%	27.6%	27.2%	41.6%	20.8%
Brings up condom use ?	nobody	12.2%	12.2%	12.8%	20.4%	1.1%	10.4%	0.0%	14.5%	5.4%	5.5%	10.0%
	you bring up using a condom	71.3%	73.1%	57.8%	66.2%	84.6%	67.6%	75.8%	69.8%	80.8%	70.1%	75.3%
	my regular partner	9.4%	7.0%	27.7%	7.0%	12.8%	11.0%	0.0%	7.6%	4.8%	19.7%	14.7%
	my casual partner	7.1%	7.8%	1.7%	6.4%	1.5%	11.0%	24.2%	8.1%	9.0%	4.7%	0.0%
Sources of info - talk w/ experts	not important at all	10.8%	11.5%	5.6%	13.4%	4.4%	12.2%	0.0%	13.0%	6.0%	6.1%	3.7%
	not very important	3.7%	3.7%	3.5%	6.1%	2.2%	0.5%	0.0%	2.9%	6.7%	8.5%	1.4%
	somewhat important	23.4%	23.0%	26.6%	22.8%	27.9%	21.0%	22.8%	22.6%	26.1%	21.1%	30.2%
	very important	62.0%	61.8%	64.3%	57.8%	65.4%	66.3%	77.2%	61.5%	61.1%	64.2%	64.7%
Sources of info - peer group sessions	not important at all	10.7%	11.4%	4.8%	13.4%	4.9%	11.1%	0.0%	13.1%	6.0%	0.0%	8.6%
	not very important	11.3%	12.0%	4.8%	15.2%	5.1%	9.6%	0.0%	11.3%	9.4%	17.0%	6.0%
	somewhat important	18.2%	17.9%	20.5%	21.1%	18.0%	13.6%	6.5%	17.0%	16.8%	22.5%	24.0%
	very important	59.9%	58.6%	69.9%	50.3%	72.0%	65.7%	93.5%	58.6%	67.9%	60.5%	61.3%
Sources of info - tv, radio, ads	not important at all	9.0%	8.9%	9.7%	11.3%	5.9%	7.8%	0.0%	8.6%	9.4%	10.2%	10.6%
	not very important	19.2%	19.9%	13.4%	21.1%	20.3%	14.6%	16.3%	18.5%	15.7%	28.4%	17.3%
	somewhat important	31.5%	31.8%	29.0%	34.1%	26.7%	30.2%	32.7%	34.4%	27.6%	20.0%	26.1%
	very important	40.3%	39.4%	47.9%	33.4%	47.0%	47.4%	51.0%	38.5%	47.3%	41.5%	46.0%
Sources of info - dr/med provider	not important at all	2.7%	2.6%	3.4%	3.8%	1.9%	1.3%	0.0%	2.3%	6.0%	0.0%	5.6%
	not very important	1.4%	1.4%	1.2%	2.7%	0.0%	0.0%	0.0%	0.0%	6.7%	6.0%	1.6%
	somewhat important	6.4%	6.3%	7.6%	5.2%	5.7%	7.8%	22.8%	5.3%	11.9%	8.3%	7.7%
	very important	89.5%	89.7%	87.8%	88.3%	92.4%	90.9%	77.2%	92.4%	75.3%	85.7%	85.1%
Sources of info - friends	not important at all	4.7%	4.0%	10.0%	4.7%	4.9%	4.9%	0.0%	3.4%	9.4%	2.3%	13.2%
	not very important	6.0%	6.1%	5.2%	5.3%	10.0%	4.6%	0.0%	4.7%	6.3%	15.6%	4.9%
	somewhat important	24.8%	24.9%	23.7%	21.3%	24.0%	29.3%	56.5%	25.4%	26.9%	22.3%	21.0%
	very important	64.5%	65.0%	61.1%	68.8%	61.1%	61.1%	43.5%	66.6%	57.4%	59.8%	60.9%

			gender		ethnicity				riskgroup			
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
Sources of info - from experts	not important at all	5.0%	4.7%	7.2%	3.8%	3.7%	9.1%	0.0%	4.4%	8.9%	2.4%	8.8%
	not very important	7.2%	7.7%	2.7%	12.3%	2.3%	0.0%	16.3%	8.0%	6.7%	6.1%	1.8%
	somewhat important	12.9%	12.1%	19.7%	9.1%	17.7%	15.5%	23.8%	11.1%	14.9%	17.3%	20.4%
	very important	74.9%	75.5%	70.4%	74.9%	76.4%	75.4%	59.8%	76.5%	69.4%	74.2%	69.0%
Sources of info - internet, on-line	not important at all	24.1%	24.1%	23.7%	27.7%	17.7%	23.1%	16.3%	24.7%	11.9%	31.0%	23.9%
	not very important	11.3%	10.4%	18.5%	8.2%	13.4%	15.0%	17.4%	8.9%	19.4%	19.9%	12.5%
	somewhat important	19.0%	18.4%	23.8%	16.4%	23.2%	18.6%	39.1%	18.1%	28.8%	10.5%	25.9%
	very important	45.6%	47.1%	34.0%	47.6%	45.7%	43.3%	27.2%	48.3%	40.0%	38.5%	37.7%
Sources of info - other	not important at all	52.2%	52.9%	47.9%	61.2%	30.3%	54.8%	100.0%	56.7%	42.3%	43.2%	48.9%
	not very important	7.8%	7.4%	10.1%	8.7%	15.1%	0.0%	0.0%	2.0%	19.0%	25.3%	6.0%
	somewhat important	8.5%	8.1%	10.9%	2.5%	22.3%	6.5%	0.0%	8.2%	11.9%	0.0%	16.9%
	very important	31.5%	31.6%	31.1%	27.6%	32.3%	38.7%	0.0%	33.1%	26.8%	31.5%	28.3%
Feel that....	getting too much info and services	6.8%	6.9%	6.0%	1.3%	7.5%	21.9%	0.0%	5.8%	3.5%	19.4%	5.0%
	have enough info and services	50.5%	51.7%	39.8%	55.0%	36.1%	52.5%	39.0%	56.6%	35.1%	19.9%	44.0%
	need more info and services	42.7%	41.4%	54.2%	43.7%	56.4%	25.6%	61.0%	37.6%	61.3%	60.7%	51.0%
Used Alcohol	not used in last year	40.1%	38.4%	55.8%	28.0%	53.1%	53.6%	54.5%	36.3%	44.6%	55.8%	50.3%
	used in the past 6 months	20.0%	20.6%	15.0%	21.1%	19.4%	19.5%	6.8%	21.2%	23.5%	10.5%	17.5%
	used less than once a month	8.9%	9.3%	4.9%	12.0%	6.9%	4.7%	0.0%	9.7%	3.5%	12.4%	2.6%
	used at least once a month	12.7%	13.2%	8.8%	14.4%	6.9%	15.1%	4.6%	13.8%	13.1%	5.6%	12.3%
	used once a week or more	18.2%	18.5%	15.5%	24.5%	13.7%	7.2%	34.1%	19.0%	15.4%	15.8%	17.4%
Used Marijuana or hash	not used in last year	66.2%	65.5%	73.3%	58.4%	68.8%	80.0%	75.1%	65.1%	56.4%	77.5%	72.2%
	used in the past 6 months	15.6%	16.2%	10.2%	18.6%	16.8%	9.5%	2.2%	15.8%	28.5%	7.5%	10.2%
	used less than once a month	3.0%	3.3%	0.0%	4.6%	2.7%	0.0%	0.0%	2.9%	3.5%	4.9%	1.2%
	used at least once a month	3.1%	2.6%	7.4%	0.7%	4.6%	7.3%	0.0%	2.8%	2.7%	3.7%	5.8%
	used once a week or more	12.0%	12.4%	9.0%	17.6%	7.2%	3.2%	22.8%	13.4%	8.9%	6.4%	10.6%
Used Crack / cocaine	not used in last year	87.7%	88.5%	80.9%	89.8%	83.3%	89.2%	64.8%	93.7%	60.8%	77.4%	75.1%
	used in the past 6 months	5.5%	5.1%	9.3%	3.3%	8.5%	6.5%	18.2%	3.5%	14.2%	10.0%	9.0%
	used less than once a month	1.6%	1.8%	0.0%	2.1%	1.6%	0.6%	0.0%	0.0%	9.6%	5.1%	2.8%
	used at least once a month	0.5%	0.1%	3.2%	0.3%	0.0%	1.2%	0.0%	0.0%	0.0%	1.6%	3.7%
	used once a week or more	4.7%	4.5%	6.5%	4.5%	6.6%	2.5%	17.1%	2.8%	15.4%	5.8%	9.4%
Used Heroin	not used in last year	95.3%	95.0%	98.5%	94.3%	94.3%	98.3%	98.7%	97.7%	79.7%	89.7%	97.1%
	used in the past 6 months	1.6%	1.6%	1.5%	1.4%	3.2%	0.6%	1.3%	0.0%	10.0%	5.9%	1.7%
	used once a week or more	3.1%	3.4%	0.0%	4.3%	2.5%	1.1%	0.0%	2.3%	10.3%	4.4%	1.2%
Used Crystal meth or methamphetamines	not used in last year	80.1%	79.6%	84.3%	70.5%	95.5%	89.5%	49.3%	80.5%	64.6%	78.9%	93.7%
	used in the past 6 months	5.3%	5.0%	7.7%	5.0%	0.0%	8.4%	30.1%	4.9%	9.2%	5.4%	4.2%
	used at least once a month	5.0%	5.4%	1.3%	9.6%	0.0%	0.0%	0.0%	6.7%	0.0%	1.2%	0.0%
	used once a week or more	9.7%	10.0%	6.7%	14.9%	4.5%	2.1%	20.6%	7.9%	26.3%	14.5%	2.1%

			gender		ethnicity				riskgroup			
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
Used Speedball	not used in last year	95.3%	95.0%	98.4%	94.0%	98.9%	94.4%	100.0%	96.7%	76.9%	98.4%	98.3%
	used in the past 6 months	1.7%	1.9%	0.0%	1.1%	1.1%	3.8%	0.0%	1.1%	9.6%	0.0%	1.7%
	used less than once a month	0.3%	0.3%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	3.5%	0.0%	0.0%
	used at least once a month	0.2%	0.0%	1.6%	0.0%	0.0%	0.7%	0.0%	0.0%	0.0%	1.6%	0.0%
	used once a week or more	2.5%	2.8%	0.0%	4.3%	0.0%	1.1%	0.0%	2.2%	10.0%	0.0%	0.0%
Used GHB - Gamma Hydroxybutyrate	not used in last year	95.9%	95.5%	100.0%	94.0%	100.0%	96.2%	100.0%	97.8%	72.6%	100.0%	98.3%
	used in the past 6 months	0.7%	0.8%	0.0%	1.1%	0.0%	0.5%	0.0%	0.0%	7.2%	0.0%	1.7%
	used less than once a month	0.3%	0.3%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	3.6%	0.0%	0.0%
	used at least once a month	0.3%	0.3%	0.0%	0.0%	0.0%	1.1%	0.0%	0.0%	3.1%	0.0%	0.0%
	used once a week or more	2.8%	3.1%	0.0%	4.3%	0.0%	2.2%	0.0%	2.2%	13.5%	0.0%	0.0%
Used Poppers	not used in last year	85.8%	84.2%	100.0%	85.2%	96.6%	81.3%	48.8%	83.5%	75.8%	100.0%	98.3%
	used in the past 6 months	7.2%	8.0%	0.0%	6.8%	0.0%	13.4%	17.1%	9.2%	3.7%	0.0%	1.7%
	used less than once a month	0.5%	0.6%	0.0%	0.6%	1.1%	0.0%	0.0%	0.0%	6.6%	0.0%	0.0%
	used at least once a month	1.1%	1.2%	0.0%	0.0%	0.0%	1.1%	34.1%	1.1%	3.2%	0.0%	0.0%
	used once a week or more	5.4%	6.0%	0.0%	7.4%	2.3%	4.3%	0.0%	6.2%	10.7%	0.0%	0.0%
Used Ecstasy	not used in last year	95.9%	95.7%	97.5%	94.1%	98.9%	98.4%	82.9%	97.2%	79.7%	97.6%	98.3%
	used in the past 6 months	1.4%	1.5%	0.0%	1.1%	1.1%	0.5%	17.1%	0.6%	10.0%	0.0%	1.7%
	used at least once a month	0.1%	0.0%	1.3%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%
	used once a week or more	2.6%	2.8%	1.3%	4.5%	0.0%	1.1%	0.0%	2.2%	10.3%	1.2%	0.0%
Used Pills not perscribed by	not used in last year	93.1%	93.2%	92.1%	89.5%	95.6%	98.3%	100.0%	94.7%	74.9%	96.1%	93.7%
	used in the past 6 months	1.5%	1.1%	4.7%	2.0%	0.0%	1.7%	0.0%	0.0%	10.8%	2.6%	4.1%
	used less than once a month	0.3%	0.3%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	3.8%	0.0%	0.0%
	used at least once a month	0.8%	0.8%	0.0%	0.0%	3.6%	0.0%	0.0%	0.7%	2.9%	0.0%	0.0%
	used once a week or more	4.3%	4.5%	3.2%	7.9%	0.8%	0.0%	0.0%	4.6%	7.5%	1.3%	2.2%
Injected sub history	18.9%	17.2%	32.9%	16.9%	30.5%	14.4%	9.6%	0.0%	100.0%	93.2%	0.0%	
# of times shared needles in last year	0	87.5%	87.4%	87.9%	86.9%	89.5%	86.0%	96.0%	94.0%	69.3%	76.8%	98.0%
	1	4.1%	4.4%	1.9%	6.7%	0.0%	2.3%	0.0%	6.0%	0.0%	3.8%	0.0%
	2	0.5%	0.2%	2.3%	0.5%	0.8%	0.0%	4.0%	0.0%	0.0%	1.6%	2.0%
	3	3.2%	3.4%	1.9%	1.6%	7.6%	2.6%	0.0%	0.0%	7.8%	10.8%	0.0%
	4	1.2%	1.4%	0.0%	2.3%	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%
	8	0.3%	0.0%	1.9%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	1.4%	0.0%
	10	0.5%	0.6%	0.0%	0.0%	0.0%	2.6%	0.0%	0.0%	3.6%	0.0%	0.0%
	12	0.6%	0.7%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	4.1%	0.0%	0.0%
	15	1.0%	1.1%	0.0%	0.0%	2.0%	2.3%	0.0%	0.0%	3.2%	2.5%	0.0%
	20	0.8%	0.6%	1.9%	0.5%	0.0%	2.6%	0.0%	0.0%	3.6%	1.4%	0.0%
	100	0.3%	0.0%	2.4%	0.0%	0.0%	1.6%	0.0%	0.0%	0.0%	1.7%	0.0%

		gender		ethnicity				riskgroup				
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/IDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
Country of origin	United States	80.8%	80.6%	82.6%	93.3%	93.2%	47.0%	63.0%	78.2%	90.5%	98.8%	71.7%
	Mexico	8.0%	8.3%	5.7%	0.0%	2.3%	29.8%	0.0%	9.4%	3.2%	0.0%	11.2%
	South or Central America	5.5%	5.1%	9.5%	3.2%	0.0%	15.4%	0.0%	5.5%	3.2%	0.0%	14.4%
	Asia	0.9%	0.9%	1.0%	0.0%	0.0%	0.0%	37.0%	1.1%	0.0%	0.0%	1.2%
	Other	4.7%	5.1%	1.2%	3.5%	4.5%	7.7%	0.0%	5.8%	3.2%	1.2%	1.4%
Citizenship status	U.S. Citizen	84.7%	84.8%	83.7%	95.5%	97.1%	57.0%	100.0%	83.4%	93.0%	100.0%	71.7%
	Visa	5.2%	5.0%	7.0%	4.5%	0.0%	10.7%	0.0%	5.8%	0.0%	0.0%	11.2%
	Legal Refugee or asylum staus	1.6%	1.5%	2.3%	0.0%	0.0%	5.5%	0.0%	1.4%	3.5%	0.0%	2.6%
	Undocumented	8.5%	8.6%	7.0%	0.0%	2.9%	26.8%	0.0%	9.4%	3.5%	0.0%	14.5%

			stage					outcare			
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	outcarhx	
	N=	213	53	48	26	81	58	57	12	53	
Serostatus	HIV w/ symptoms	62.9%	0.0%	100.0%	0.0%	100.0%	58.8%	57.2%	69.5%	62.0%	
	HIV no symptoms	36.6%	100.0%	0.0%	100.0%	0.0%	38.3%	40.5%	30.5%	36.0%	
	HIV negative	0.5%	0.0%	0.0%	0.0%	0.0%	2.9%	2.4%	0.0%	1.9%	
stage	HIV asymp	22.7%	100.0%	0.0%	0.0%	0.0%	20.2%	24.9%	30.5%	15.3%	
	HIV symp	16.7%	0.0%	100.0%	0.0%	0.0%	27.6%	13.9%	7.3%	16.6%	
	AIDS asymp	14.1%	0.0%	0.0%	100.0%	0.0%	19.2%	16.6%	0.0%	21.4%	
	AIDS symp	46.5%	0.0%	0.0%	0.0%	100.0%	33.0%	44.7%	62.2%	46.6%	
riskgrp	MSM	72.0%	74.2%	57.1%	72.5%	76.1%	33.1%	57.1%	85.9%	32.7%	
	MSMIDU	8.7%	5.9%	9.0%	11.2%	8.8%	17.0%	11.7%	0.0%	6.3%	
	IDU	10.3%	8.5%	14.3%	10.2%	9.9%	31.9%	21.9%	3.3%	7.2%	
	Hetero	9.0%	11.4%	19.5%	6.1%	5.2%	18.0%	9.3%	10.8%	6.4%	
age (mean)		44.0	39.9	42.1	42.3	46.9	41.5	41.9	43.6	44.0	
agegroup	13-19	0.8%	3.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	25-54	88.1%	91.3%	95.3%	94.4%	81.4%	94.8%	95.9%	100.0%	45.0%	
	55+	11.1%	5.3%	4.7%	5.6%	18.6%	5.2%	4.1%	0.0%	4.0%	
Gender	male	88.7%	88.7%	75.4%	92.0%	92.5%	78.9%	84.5%	87.5%	85.0%	
	female	10.5%	11.3%	21.7%	6.9%	7.2%	20.2%	14.7%	12.5%	13.8%	
	transgender (MTF)	0.5%	0.0%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	transgender (FTM)	0.3%	0.0%	0.0%	1.1%	0.3%	0.9%	0.8%	0.0%	1.3%	
Ethnicity	African American (Black)	20.7%	19.1%	38.0%	18.5%	15.7%	39.2%	28.1%	21.2%	22.5%	
	Other non-Hispanic Black	0.5%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%	
	Latino/Hispanic	24.7%	30.9%	33.5%	22.7%	18.4%	14.3%	21.5%	47.2%	26.7%	
	Asian Pacific Islander (API)	1.1%	1.8%	0.7%	2.9%	0.3%	0.0%	0.0%	0.0%	1.6%	
	Native American	0.9%	3.6%	0.0%	0.0%	0.1%	2.6%	4.0%	0.5%	0.1%	
	White/Caucasion (non-Hispanic)	51.6%	42.8%	27.7%	55.1%	64.4%	43.9%	46.3%	31.1%	49.0%	
	Mixed Race	0.4%	1.8%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	
	Other	0.1%	0.0%	0.0%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	
Sexual Orientation	Heterosexual/Straight	18.1%	15.5%	35.8%	12.0%	15.1%	45.5%	32.6%	7.7%	22.2%	
	Homosexual/Gay male	67.9%	64.3%	51.4%	76.5%	74.9%	27.0%	44.1%	85.9%	59.9%	
	Homosexual/Lesbian	2.1%	3.8%	1.9%	1.7%	1.6%	6.2%	3.3%	6.4%	5.2%	
	Bisexual	10.1%	14.6%	10.8%	4.9%	6.9%	18.8%	18.1%	0.0%	10.2%	
	Other	1.7%	1.8%	0.0%	4.9%	1.4%	2.4%	1.9%	0.0%	2.6%	
Highest level of education	Grade school or less	9.9%	12.4%	5.6%	0.9%	12.9%	3.7%	16.7%	13.6%	8.7%	
	Some high school	18.5%	20.0%	43.6%	11.3%	11.4%	28.9%	30.7%	28.4%	31.3%	
	Graduated high school/GED/trade school	21.2%	6.6%	19.8%	37.6%	24.5%	33.9%	20.0%	7.7%	22.0%	
	Some college/2 year college degree	31.2%	42.7%	30.5%	38.3%	23.6%	28.2%	20.9%	8.4%	25.6%	
	Completed 4 year college	12.0%	12.2%	0.6%	6.3%	16.5%	2.8%	5.2%	28.3%	8.6%	
	Graduate level or professional study	7.2%	6.1%	0.0%	5.5%	11.1%	2.5%	6.5%	13.6%	3.8%	

			stage				outcare			
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	outcarhx
		N=	53	48	26	81	58	57	12	53
Where do you currently live?	apt/house own	5.2%	3.4%	4.0%	5.5%	6.5%	0.9%	2.6%	0.0%	2.5%
	apt/house rent	55.3%	66.1%	46.0%	77.3%	48.1%	20.6%	20.9%	75.1%	52.9%
	parent's/relative's apt/house	3.1%	0.0%	0.0%	2.9%	4.8%	3.6%	2.3%	0.0%	3.5%
	living/crashing w/ someone not paying rent	3.0%	10.6%	0.0%	0.0%	1.4%	13.4%	8.3%	0.0%	2.0%
	single room occupancy	1.7%	0.0%	0.6%	0.0%	3.5%	0.2%	0.1%	2.1%	0.1%
	supportive/assis. living facility	10.8%	1.1%	15.4%	0.0%	17.5%	4.9%	11.7%	0.0%	12.6%
	group home/residence	11.9%	10.4%	24.7%	7.1%	8.3%	37.5%	26.5%	5.6%	15.6%
	half-way/transitional housing	1.1%	1.8%	1.3%	0.0%	1.1%	2.9%	4.2%	0.0%	0.5%
	homeless (street/car)	0.9%	2.0%	0.0%	3.1%	0.0%	4.0%	4.2%	0.0%	0.0%
	homeless shelter	1.5%	0.0%	2.6%	0.0%	2.1%	3.8%	7.3%	17.2%	3.1%
	hospice/nursing facility	1.8%	1.1%	1.6%	1.7%	2.3%	1.4%	6.0%	0.0%	3.1%
	other	3.7%	3.5%	3.8%	2.3%	4.4%	6.8%	5.9%	0.0%	4.1%
Living situation...	safe	92.0%	98.0%	93.0%	89.0%	89.6%	90.0%	84.4%	78.2%	90.6%
	clean	90.2%	94.9%	81.7%	93.5%	90.3%	88.2%	79.5%	82.8%	76.0%
	stable	85.1%	84.4%	91.2%	93.4%	81.1%	74.0%	67.4%	80.1%	80.2%
Live alone		31.9%	39.7%	14.6%	35.9%	34.0%	9.6%	18.1%	36.7%	27.7%
Live with other adults		65.2%	58.8%	78.5%	64.0%	63.0%	88.1%	76.3%	59.7%	67.9%
Live with children		6.2%	4.2%	14.1%	4.8%	4.9%	9.4%	5.8%	3.6%	5.6%
Time in half-way/transitional housing	never	82.9%	79.0%	87.4%	84.4%	82.1%	68.1%	68.0%	88.7%	79.9%
	less than a month	2.1%	4.1%	1.6%	5.2%	0.5%	5.9%	4.6%	0.0%	2.2%
	1-3 months	1.0%	2.1%	1.0%	0.0%	0.8%	0.8%	2.3%	0.0%	1.5%
	4 months to 1 yr.	8.8%	6.6%	7.7%	10.4%	10.0%	21.9%	21.2%	0.0%	13.2%
	more than 1 yr.	5.2%	8.2%	2.3%	0.0%	6.5%	3.3%	3.8%	11.3%	3.1%
Time in drug or psychiatric treatment facility	never	78.1%	83.0%	75.5%	71.0%	79.8%	38.5%	37.8%	90.3%	70.0%
	less than a month	6.8%	2.3%	6.8%	13.4%	7.2%	20.2%	22.6%	6.9%	11.5%
	1-3 months	3.9%	2.5%	5.0%	0.0%	3.8%	6.5%	10.5%	2.8%	3.6%
	4 months to 1 yr.	6.8%	2.6%	10.7%	13.5%	5.7%	28.0%	14.3%	0.0%	7.8%
	more than 1 yr.	4.4%	9.7%	2.0%	2.1%	3.6%	6.8%	14.7%	0.0%	7.1%
Time homeless (on the streets/in car)	never	82.2%	77.9%	90.3%	76.8%	85.5%	37.5%	13.7%	91.1%	76.7%
	less than a month	5.7%	6.6%	1.0%	14.7%	4.3%	17.5%	27.4%	0.0%	1.6%
	1-3 months	4.2%	9.6%	1.0%	1.7%	1.6%	15.4%	20.3%	3.3%	0.8%
	4 months to 1 yr.	5.9%	3.7%	3.3%	6.8%	6.7%	19.3%	28.3%	5.6%	18.7%
	more than 1 yr.	2.1%	2.3%	4.4%	0.0%	2.0%	10.3%	10.2%	0.0%	2.2%

		stage						outcare		
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	outcarhx
N=		213	53	48	26	81	58	57	12	53
Time in a homeless shelter	never	90.9%	96.6%	87.5%	95.7%	88.6%	74.9%	56.0%	97.2%	84.1%
	less than a month	4.8%	0.0%	5.2%	0.0%	8.6%	6.1%	23.3%	2.8%	9.1%
	1-3 months	0.3%	0.4%	0.6%	1.1%	0.0%	1.5%	1.7%	0.0%	0.7%
	4 months to 1 yr.	2.7%	1.9%	3.8%	3.1%	1.7%	12.0%	13.2%	0.0%	5.2%
	more than 1 yr.	1.2%	1.2%	2.9%	0.0%	1.1%	5.5%	5.9%	0.0%	1.0%
Time in a jail or correctional facility	never	83.4%	85.5%	73.5%	78.1%	88.6%	0.0%	46.0%	90.3%	78.8%
	less than a month	4.5%	2.4%	1.8%	12.7%	3.5%	26.9%	16.3%	6.4%	8.3%
	1-3 months	2.8%	1.3%	6.9%	0.0%	2.0%	17.0%	11.3%	2.8%	4.3%
	4 months to 1 yr.	4.6%	9.1%	2.8%	6.5%	2.7%	27.7%	14.9%	0.0%	2.9%
	more than 1 yr.	4.7%	1.8%	15.0%	2.8%	3.2%	28.5%	11.5%	0.5%	5.7%
Time in other living situation	never	85.4%	91.9%	78.5%	71.8%	90.2%	82.0%	87.5%	100.0%	88.8%
	less than a month	1.9%	0.0%	2.6%	0.0%	3.2%	4.4%	4.1%	0.0%	1.0%
	1-3 months	0.3%	0.0%	0.0%	0.0%	0.7%	2.1%	0.0%	0.0%	1.5%
	4 months to 1 yr.	1.7%	4.7%	5.0%	0.0%	0.0%	3.4%	0.9%	0.0%	0.0%
	more than 1 yr.	10.6%	3.4%	13.9%	28.2%	5.9%	8.1%	7.5%	0.0%	8.7%
Homeless		19.8%	21.6%	16.3%	23.2%	16.8%	66.4%	95.3%	8.9%	27.0%
Transit		28.5%	28.9%	28.7%	29.0%	27.5%	66.0%	67.3%	18.1%	35.5%
Current work situation	Employed full-time	11.5%	29.9%	10.2%	12.6%	2.5%	4.9%	3.1%	0.0%	5.3%
	Employed part-time	6.8%	1.9%	7.4%	27.3%	3.1%	8.4%	2.4%	0.0%	10.1%
	Not working - but looking	16.2%	30.7%	10.0%	18.7%	9.9%	17.1%	28.8%	69.5%	27.4%
	Not working - student/homemaker	7.5%	7.6%	10.4%	14.2%	4.6%	7.7%	3.1%	14.0%	13.9%
	Not working - not looking	23.0%	16.9%	17.3%	5.3%	32.6%	32.1%	35.1%	14.8%	27.9%
	Retired	11.3%	3.4%	4.8%	7.6%	19.0%	2.5%	2.0%	0.0%	0.0%
	Other	23.5%	9.7%	39.9%	14.3%	28.2%	27.3%	25.6%	1.6%	15.5%
Individual yearly income estimate	\$0 - \$8600	42.5%	42.3%	46.6%	37.8%	40.5%	65.4%	74.3%	84.8%	59.6%
	\$8601 to \$11600	32.7%	27.1%	39.7%	19.6%	38.2%	18.7%	10.4%	15.2%	32.7%
	\$11601 to \$16500	10.8%	19.4%	5.4%	14.4%	7.9%	11.5%	10.2%	0.0%	3.7%
	\$16501 to \$23200	8.7%	7.5%	1.3%	13.6%	10.7%	1.8%	1.5%	0.0%	1.2%
	\$23201 to \$26000	2.2%	2.8%	5.0%	5.5%	0.0%	2.5%	2.1%	0.0%	0.8%
	\$26001 to \$35000	1.0%	1.0%	0.0%	3.4%	0.7%	0.0%	1.5%	0.0%	0.0%
	Greater than \$35001	2.1%	0.0%	2.1%	5.5%	2.1%	0.0%	0.0%	0.0%	2.0%

		stage							outcare	
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	outcarhx
N=		213	53	48	26	81	58	57	12	53
Receive following benefits	food stamps	12.4%	13.2%	21.5%	5.7%	9.0%	17.6%	31.0%	0.5%	4.3%
	long term disability	25.3%	12.2%	38.0%	24.4%	28.4%	25.8%	19.5%	3.6%	22.2%
	short term disability	2.5%	7.4%	2.7%	0.0%	0.3%	2.7%	0.0%	0.0%	2.2%
	Supplemental Security Income (SSI)	30.5%	23.9%	30.1%	33.8%	33.9%	33.7%	24.7%	12.0%	26.7%
	Public Health Service, Bureau of Indian Affairs (BIA)	1.6%	0.0%	0.0%	0.0%	3.6%	0.0%	8.0%	0.0%	6.8%
	SDI	14.7%	14.4%	14.9%	14.4%	15.4%	13.3%	17.7%	8.4%	22.4%
	SSDI	32.1%	11.3%	24.5%	29.0%	46.5%	13.1%	6.3%	5.2%	27.7%
	VA Benefits	5.6%	1.1%	10.1%	0.0%	8.3%	4.3%	3.3%	0.0%	6.7%
	CHAMPUS	0.2%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Worker's Comp	1.0%	0.0%	1.5%	0.0%	1.7%	0.0%	0.0%	0.0%	1.0%
	Annuity/Life insurance payments	0.4%	0.0%	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%	1.7%
	Retirement	4.7%	2.6%	0.0%	5.5%	7.3%	2.6%	2.0%	0.0%	0.0%
	Rent Supplement	8.6%	9.4%	0.0%	7.7%	12.1%	4.2%	6.8%	0.0%	10.5%
	subsidized hsing	21.3%	16.0%	18.9%	42.3%	19.0%	13.4%	6.9%	0.0%	19.4%
	General Assistance	9.0%	8.1%	9.9%	5.0%	7.8%	17.9%	27.2%	2.8%	8.5%
	Emergency Financial Assist.	0.8%	0.0%	1.5%	2.1%	0.7%	1.9%	1.5%	0.0%	2.2%
	WIC	0.5%	0.0%	2.3%	0.0%	0.3%	0.0%	0.0%	0.0%	1.0%
	TANF/CalWorks	1.5%	0.8%	5.3%	0.0%	1.0%	2.1%	0.6%	0.0%	1.9%
Not eligible for benefit		4.2%	1.0%	5.9%	0.0%	6.6%	4.7%	3.2%	3.2%	5.3%
Type of insurance	Private insurance through work	6.1%	1.8%	11.5%	10.1%	4.5%	3.0%	0.8%	0.0%	3.4%
	COBRA or OBRA (insur thru last employer)	2.2%	0.0%	10.5%	0.0%	1.2%	0.0%	0.0%	0.0%	0.0%
	Private insurance not through work	6.8%	1.0%	9.0%	4.0%	9.6%	5.2%	1.5%	0.0%	5.0%
	Medicare	28.8%	18.8%	14.2%	30.3%	38.8%	10.2%	3.5%	0.0%	15.0%
	Medicaid/MediCal	56.1%	26.5%	54.4%	68.8%	67.6%	50.5%	45.9%	61.2%	67.3%
Have insurance		79.6%	53.3%	79.1%	79.2%	93.0%	65.7%	77.2%	61.2%	83.3%
Have private insurance		11.8%	2.8%	19.0%	14.1%	12.7%	5.7%	2.2%	0.0%	6.9%
Length of HIV	Less than 1 year	8.6%	22.9%	7.6%	3.2%	3.8%	20.1%	20.2%	0.0%	1.0%
	1 to 3 years	10.8%	19.2%	8.2%	17.2%	4.0%	10.9%	18.5%	16.4%	4.4%
	3 to 8 years	24.6%	32.8%	26.4%	12.4%	23.6%	20.6%	28.8%	33.2%	25.4%
	More than 8 years	56.0%	25.1%	57.9%	67.2%	68.6%	48.4%	32.4%	50.4%	69.1%
Most likely way infected w/ HIV	Having sex with a man	64.7%	72.9%	63.7%	69.3%	61.2%	30.2%	31.9%	62.0%	59.8%
	Having sex with a woman	10.3%	7.5%	5.3%	13.1%	11.2%	20.0%	23.0%	18.0%	12.4%
	Sharing needles	9.8%	6.7%	8.8%	10.7%	11.4%	29.8%	21.9%	2.8%	10.9%
	Blood products/Transfusion	1.9%	0.0%	1.0%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%
	Other	5.6%	1.5%	18.9%	1.8%	3.3%	11.0%	7.8%	3.6%	6.7%
AIDS diagnosis		61.6%	0.0%	0.0%	100.0%	100.0%	56.4%	65.7%	62.3%	69.1%
Length of AIDS	Less than 3 years	19.3%	0.0%	2.3%	31.7%	16.2%	38.8%	40.2%	22.0%	20.0%
	3 to 6 years	27.1%	13.8%	0.0%	13.0%	36.2%	10.9%	26.3%	72.2%	46.5%
	6 to 12 years	41.3%	81.0%	44.9%	37.3%	40.1%	28.2%	18.7%	0.0%	23.7%
	More than 12 years	12.2%	5.1%	52.8%	18.0%	7.5%	22.0%	14.8%	5.8%	9.8%

			stage					outcare		
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	outcarhx
	N=	213	53	48	26	81	58	57	12	53
t-cells ever below	500	75.2%	55.5%	50.3%	85.3%	89.5%	59.7%	66.4%	83.8%	85.5%
	350	67.7%	41.5%	32.9%	87.0%	86.3%	57.6%	58.6%	64.8%	74.1%
	200	53.8%	14.0%	12.5%	81.8%	77.0%	45.3%	54.0%	54.5%	66.4%
t-cells now below	350	38.9%	32.2%	9.6%	25.4%	56.9%	32.9%	36.7%	62.9%	55.3%
	200	24.5%	7.9%	7.0%	8.7%	43.6%	25.5%	27.9%	52.6%	32.8%
t-cell ever rose above	30000	54.6%	26.7%	36.6%	60.3%	71.7%	42.1%	48.2%	21.8%	55.6%
	10000	60.6%	51.3%	28.9%	56.8%	77.2%	48.5%	56.7%	27.7%	50.9%
t-cells currently above	10000	34.1%	21.9%	28.8%	43.1%	39.9%	35.7%	30.1%	4.6%	21.2%
Physical health now...	Poor	10.1%	3.9%	5.9%	1.1%	18.0%	11.7%	13.3%	8.4%	18.8%
	Fair	36.0%	13.0%	51.2%	4.3%	51.4%	34.8%	47.9%	61.1%	45.9%
	Good	37.9%	71.3%	26.8%	49.6%	21.9%	30.1%	22.1%	26.0%	32.2%
	Excellent	15.9%	11.9%	16.1%	45.0%	8.8%	23.5%	16.7%	4.4%	3.1%
Compare physical health	Much worse	6.8%	0.0%	1.0%	0.0%	14.7%	7.4%	10.6%	0.0%	14.0%
	A little worse	13.6%	3.2%	28.4%	2.1%	17.2%	25.4%	16.7%	3.3%	10.4%
	About the same	21.1%	37.0%	29.4%	29.0%	8.2%	17.6%	13.9%	39.5%	23.2%
	A little better	18.2%	24.3%	4.5%	0.7%	25.3%	20.6%	28.0%	17.2%	11.9%
	Much better	40.3%	35.5%	36.6%	68.2%	34.6%	28.9%	30.8%	40.0%	40.5%
Emotional health now...	Poor	8.9%	9.7%	7.7%	0.0%	12.0%	18.2%	22.5%	0.0%	10.9%
	Fair	40.5%	30.6%	46.8%	28.1%	46.7%	49.7%	53.9%	26.1%	36.6%
	Good	31.5%	34.9%	18.3%	36.8%	33.8%	18.5%	19.4%	51.9%	33.9%
	Excellent	19.1%	24.9%	27.3%	35.1%	7.4%	13.7%	4.2%	22.0%	18.6%
Compare emotional health	Much worse	10.2%	1.2%	0.0%	11.5%	18.3%	14.4%	19.6%	0.0%	9.2%
	A little worse	11.3%	7.6%	18.9%	16.5%	9.2%	12.7%	8.0%	0.5%	9.9%
	About the same	28.4%	40.0%	23.0%	14.4%	29.7%	37.0%	31.8%	53.1%	19.9%
	A little better	19.5%	16.2%	25.2%	8.3%	21.4%	12.6%	26.8%	32.8%	34.6%
	Much better	30.6%	35.0%	32.8%	49.2%	21.4%	23.2%	13.8%	13.6%	26.5%
No doctor	Never seen a doctor since seroconversion	2.0%	4.0%	1.0%	3.1%	0.0%	6.2%	5.0%	13.6%	5.5%
Time w/o medical care	12 months or longer	21.9%	9.0%	24.2%	38.2%	21.5%	32.5%	32.8%	40.6%	88.6%
	6 months or longer	27.3%	20.2%	25.0%	38.6%	28.1%	29.3%	37.0%	62.8%	81.8%
Go back to see doctor?	yes	60.6%	52.0%	55.2%	58.8%	68.7%	72.5%	71.3%	88.5%	89.8%

		stage						outcare		
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	outcarhx
N=		213	53	48	26	81	58	57	12	53
Return b/c	I got sicker	47.6%	20.6%	35.7%	65.2%	62.1%	38.3%	33.2%	71.2%	58.3%
	Change in my income	18.6%	14.6%	15.4%	19.2%	21.0%	11.8%	14.9%	28.8%	12.4%
	Change in my insurance	15.1%	12.3%	11.1%	6.6%	20.3%	6.8%	3.3%	0.9%	5.7%
	Heard about new doctor	16.3%	11.5%	8.7%	6.7%	25.8%	7.5%	3.9%	1.3%	18.1%
	Change in doctor's attitude	9.7%	5.1%	9.8%	0.0%	15.1%	7.7%	5.1%	0.9%	5.2%
	Change in drugs or treatment available	20.6%	8.2%	13.7%	10.4%	33.4%	14.3%	3.9%	8.3%	20.3%
	I had stable housing	35.2%	49.9%	21.7%	26.9%	40.7%	37.2%	36.1%	28.8%	32.9%
	Other reasons	37.3%	38.1%	36.6%	35.2%	37.9%	17.7%	30.8%	15.8%	47.1%
In last yr, been diagnosed w/...	Hepatitis A or B	15.4%	23.9%	7.5%	5.5%	17.2%	27.6%	20.1%	8.9%	13.6%
	Hepatitis C	12.9%	6.7%	14.2%	9.4%	16.8%	27.9%	18.0%	3.3%	15.6%
	Syphilis	3.8%	3.5%	5.8%	7.2%	2.3%	3.8%	1.8%	0.0%	6.6%
	Herpes (genital)	6.1%	10.4%	4.8%	3.0%	5.6%	19.5%	12.7%	13.6%	9.2%
	Gonorrhea	1.2%	0.0%	2.7%	3.0%	0.8%	4.7%	2.7%	2.8%	3.3%
	Chlamydia	2.8%	4.5%	1.9%	3.0%	2.3%	2.7%	3.3%	16.4%	6.1%
	Genital warts	5.7%	11.8%	4.7%	3.0%	4.0%	1.3%	2.0%	0.0%	3.1%
	Yeast infection	4.4%	4.3%	9.2%	2.7%	3.3%	8.9%	5.2%	0.0%	4.2%
Taking the following...	Antiretrovirals and/or protease inhibitor	65.4%	31.7%	41.8%	73.8%	88.2%	43.4%	58.9%	74.0%	63.3%
	Antibiotics	29.9%	8.5%	11.9%	14.4%	52.4%	27.3%	30.2%	47.6%	33.9%
	Antifungals	19.6%	3.6%	18.4%	8.9%	33.9%	16.5%	27.9%	41.4%	20.5%
	Steroids	9.6%	4.9%	4.3%	1.6%	19.7%	12.7%	5.8%	0.0%	6.0%
	Antidepressants	38.4%	35.7%	40.1%	44.2%	35.5%	49.9%	42.6%	5.0%	38.2%
	Herbal and/or other supplements	30.3%	39.8%	9.0%	18.1%	41.5%	27.4%	26.9%	40.0%	31.4%
Skipped medications	never/have not skipped	50.6%	51.4%	68.7%	36.7%	48.5%	41.0%	51.4%	18.0%	40.7%
	once or twice a month	23.3%	24.2%	13.1%	31.9%	23.2%	17.6%	15.9%	36.0%	28.1%
	once or twice a week	8.7%	11.9%	3.1%	7.7%	10.0%	2.8%	0.8%	0.0%	5.7%
	more than twice a week	7.8%	0.0%	2.6%	14.4%	11.8%	13.4%	10.1%	28.3%	10.3%
	stopped taking medicine	9.6%	12.4%	12.5%	9.3%	6.5%	25.1%	21.8%	17.6%	15.3%
Skipped b/c...	Side effects	28.3%	31.3%	17.6%	25.5%	30.9%	22.5%	17.3%	0.0%	29.8%
	Schedule	15.1%	6.2%	10.0%	24.4%	15.5%	17.1%	16.9%	0.0%	20.4%
	Didn't want others to see	12.6%	15.4%	12.1%	5.3%	14.7%	9.2%	7.2%	0.0%	5.8%
	Didn't understand directions	2.5%	0.0%	0.0%	0.0%	5.2%	4.6%	7.8%	14.7%	5.9%
	Did not work	5.0%	1.2%	8.4%	4.8%	5.5%	6.1%	9.4%	14.2%	13.1%
	Affordability	8.5%	4.0%	1.8%	12.2%	11.7%	12.2%	17.7%	17.6%	11.6%
	Forgot	41.5%	55.0%	20.1%	29.3%	50.0%	31.2%	25.5%	37.7%	42.7%
	Ran out	18.4%	7.8%	4.2%	17.3%	28.8%	18.9%	20.6%	33.0%	22.2%
	Coordinate with food	16.3%	5.4%	9.8%	28.9%	19.6%	10.2%	6.9%	0.5%	18.9%
	Didn't want to take	22.5%	6.9%	20.6%	38.4%	25.2%	17.5%	19.9%	5.9%	23.3%
	Homeless	10.1%	1.4%	8.4%	34.1%	6.7%	38.2%	40.5%	2.9%	15.2%
	Felt no longer needed	5.7%	0.0%	5.5%	4.9%	8.5%	7.7%	7.1%	2.9%	3.2%
	MD's advice	14.2%	24.5%	13.3%	32.4%	5.4%	14.5%	13.7%	8.8%	11.4%

		Total	stage				recinc	homeless	outcare	
			HIV asymp	HIV symp	AIDS asymp	AIDS symp			6 months +	outcarhx
	N=	213	53	48	26	81	58	57	12	53
Receive mental health counseling		67.4%	66.6%	72.0%	52.8%	70.8%	70.8%	70.2%	27.7%	57.9%
	Inpatient (in hospital at least overnight)	22.6%	17.8%	17.9%	47.7%	20.5%	38.1%	29.8%	16.2%	20.8%
	Individual counseling/therapy	73.6%	74.5%	64.8%	79.2%	75.9%	70.4%	63.5%	19.1%	62.8%
	Group counseling/therapy	56.0%	47.7%	51.9%	67.3%	59.0%	62.4%	73.1%	45.0%	56.6%
	Medication for pyschological/behavior problems	57.0%	49.3%	53.2%	70.4%	58.3%	67.8%	64.4%	35.8%	56.2%
In last two years, diagnosed with...	Anxiety	46.3%	36.4%	60.0%	48.1%	44.6%	49.1%	49.3%	17.9%	41.9%
	Bipolar Disorder	14.8%	18.3%	9.2%	32.2%	9.7%	38.1%	34.5%	0.0%	15.3%
	Dementia	6.3%	2.0%	3.0%	2.1%	11.2%	7.5%	8.6%	13.8%	9.3%
	Depression	60.8%	62.3%	57.9%	56.9%	60.7%	69.5%	67.3%	22.8%	58.0%
	Other	9.6%	1.1%	11.6%	6.3%	13.6%	16.2%	11.0%	0.8%	9.5%
# of Partners	None	35.5%	30.5%	26.7%	7.5%	50.6%	36.8%	33.5%	30.4%	34.7%
	mona	34.8%	32.4%	41.7%	49.9%	28.9%	22.1%	28.4%	50.4%	44.4%
	2-4	16.5%	22.3%	19.1%	11.2%	13.2%	17.2%	19.0%	16.4%	14.1%
	5 or more	13.1%	14.8%	12.5%	31.4%	7.4%	24.0%	19.2%	2.8%	6.8%
Type of relationship	monogamous	36.1%	34.2%	49.5%	55.0%	26.4%	24.0%	25.1%	46.8%	44.1%
	open relationship	9.4%	6.0%	8.8%	17.0%	9.2%	20.5%	25.6%	20.0%	10.8%
	in relationship but have multiple partners	3.2%	5.2%	8.0%	2.1%	0.9%	7.8%	5.7%	0.0%	3.7%
	single relationship with multiple partners	17.5%	36.7%	8.2%	17.8%	10.3%	22.2%	18.8%	2.8%	8.6%
	no sexual relationship in past year	33.8%	18.0%	25.4%	8.2%	53.1%	25.5%	24.8%	30.4%	32.8%
Sexual behavior...	high risk	13.5%	17.6%	16.4%	3.8%	13.5%	11.9%	13.4%	42.1%	17.9%
	moderate risk	6.2%	0.6%	13.2%	1.9%	8.7%	14.0%	10.2%	5.7%	8.5%
	low risk	23.4%	39.7%	7.6%	28.0%	19.3%	18.2%	22.2%	23.7%	25.2%
	no risk	24.8%	14.8%	24.0%	55.7%	18.5%	27.7%	27.0%	12.1%	19.5%
	am not sexually active	32.1%	27.3%	38.8%	10.6%	40.0%	28.3%	27.3%	16.5%	28.9%
Use condom w/ regular partner	never	12.0%	12.5%	3.8%	25.3%	8.4%	6.2%	4.1%	0.0%	9.5%
	rarely	4.3%	6.1%	3.1%	2.3%	5.1%	5.0%	5.7%	4.1%	6.7%
	some of the time	7.2%	1.6%	14.8%	14.3%	4.1%	10.9%	10.7%	0.0%	9.5%
	most of the time	14.8%	29.7%	11.4%	14.3%	4.7%	20.5%	30.9%	19.5%	8.7%
	every time	61.7%	50.1%	66.9%	43.9%	77.6%	57.4%	48.7%	76.4%	65.7%
Use condom w/ casual partner	never	3.8%	5.4%	1.6%	0.0%	5.0%	2.6%	4.3%	0.0%	4.0%
	rarely	1.9%	0.0%	10.9%	0.0%	0.8%	0.0%	0.0%	0.0%	6.3%
	some of the time	11.7%	29.7%	5.5%	10.3%	1.5%	24.2%	20.8%	0.0%	14.7%
	most of the time	24.0%	8.3%	43.4%	47.2%	20.1%	14.1%	3.5%	5.1%	31.7%
	every time	58.6%	56.6%	38.7%	42.4%	72.5%	59.1%	71.4%	94.9%	43.2%

		stage							outcare	
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	outcarhx
N=		213	53	48	26	81	58	57	12	53
Who usually bring a condom?	nobody	12.2%	15.2%	4.6%	13.8%	13.2%	15.1%	12.5%	0.0%	2.6%
	you bring up using a condom	71.3%	68.6%	67.7%	62.3%	78.0%	78.3%	77.4%	88.1%	87.9%
	my regular partner	9.4%	8.7%	17.4%	5.9%	8.3%	3.8%	6.6%	11.9%	8.0%
	my casual partner	7.1%	7.5%	10.3%	18.0%	0.5%	2.8%	3.5%	0.0%	1.5%
Sources of info - talking w/ experts	not important at all	10.8%	10.7%	2.9%	6.1%	15.7%	1.4%	0.8%	31.1%	11.6%
	not very important	3.7%	2.7%	0.8%	0.0%	6.6%	5.5%	2.2%	0.0%	6.5%
	somewhat important	23.4%	15.3%	25.0%	46.2%	18.9%	22.6%	39.6%	14.8%	23.1%
	very important	62.0%	71.3%	71.4%	47.6%	58.7%	70.5%	57.4%	54.0%	58.9%
Sources of info - peer group sessions	not important at all	10.7%	13.3%	1.0%	7.3%	14.3%	2.3%	4.8%	36.7%	17.2%
	not very important	11.3%	5.5%	2.6%	8.7%	18.6%	8.1%	12.8%	13.6%	16.5%
	somewhat important	18.2%	8.4%	31.5%	38.1%	12.1%	24.6%	14.2%	9.2%	16.1%
	very important	59.9%	72.8%	64.9%	46.0%	55.0%	65.0%	68.2%	40.4%	50.2%
Sources of info - tv, radio, ads	not important at all	9.0%	9.5%	6.0%	6.1%	11.1%	5.1%	0.0%	0.0%	5.4%
	not very important	19.2%	17.0%	20.0%	23.5%	18.8%	23.6%	31.9%	38.4%	33.8%
	somewhat important	31.5%	18.9%	35.9%	33.0%	35.0%	22.1%	28.3%	33.5%	25.7%
	very important	40.3%	54.7%	38.1%	37.4%	35.2%	49.3%	39.8%	28.1%	35.2%
Sources of info - dr./medical provider	not important at all	2.7%	0.6%	1.0%	5.2%	3.6%	1.4%	0.0%	0.0%	1.4%
	not very important	1.4%	0.7%	2.5%	0.0%	1.1%	4.8%	1.5%	0.0%	2.4%
	somewhat important	6.4%	7.8%	10.2%	2.1%	5.9%	8.5%	11.5%	2.8%	10.2%
	very important	89.5%	91.0%	86.3%	92.7%	89.3%	85.3%	86.9%	97.2%	86.0%
Sources of info - friends	not important at all	4.7%	5.8%	1.9%	6.1%	4.8%	1.4%	1.5%	0.0%	2.6%
	not very important	6.0%	2.6%	1.7%	1.8%	10.2%	6.6%	1.6%	28.3%	11.9%
	somewhat important	24.8%	21.0%	40.5%	32.6%	17.2%	32.7%	37.7%	0.5%	25.4%
	very important	64.5%	70.5%	55.8%	59.5%	67.8%	59.3%	59.1%	71.2%	60.2%
Sources of info - from experts	not important at all	5.0%	4.0%	3.5%	6.1%	5.9%	1.4%	0.0%	0.0%	2.6%
	not very important	7.2%	11.2%	2.5%	11.5%	5.1%	14.7%	14.5%	28.3%	9.6%
	somewhat important	12.9%	9.9%	19.1%	16.8%	11.3%	14.3%	17.0%	6.9%	19.7%
	very important	74.9%	74.9%	74.9%	65.6%	77.7%	69.6%	68.4%	64.8%	68.1%
Sources of info - internet, on-line	not important at all	24.1%	27.3%	11.1%	35.3%	24.3%	25.6%	26.8%	16.4%	21.8%
	not very important	11.3%	10.8%	12.4%	4.0%	12.9%	14.3%	12.5%	16.9%	9.2%
	somewhat important	19.0%	23.5%	31.0%	22.6%	12.2%	19.9%	15.2%	12.0%	17.0%
	very important	45.6%	38.4%	45.5%	38.1%	50.6%	40.2%	45.4%	54.7%	52.0%

			stage						outcare	
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	outcarhx
		N=	53	48	26	81	58	57	12	53
Sources of info - other	not important at all	52.2%	59.2%	48.0%	70.1%	47.5%	40.6%	51.5%	52.3%	57.7%
	not very important	7.8%	1.5%	7.3%	0.0%	10.4%	19.2%	10.3%	0.0%	4.7%
	somewhat important	8.5%	9.7%	17.5%	0.0%	5.5%	8.0%	9.7%	6.0%	5.8%
	very important	31.5%	29.6%	27.1%	29.9%	36.6%	32.1%	28.5%	41.7%	31.8%
Feel that....	getting too much info and services	6.8%	4.8%	15.1%	2.0%	7.1%	11.0%	11.0%	0.0%	10.2%
	have enough info and services	50.5%	43.5%	32.2%	77.2%	51.3%	27.3%	29.9%	100.0%	46.1%
	need more info and services	42.7%	51.7%	52.6%	20.8%	41.6%	61.8%	59.1%	0.0%	43.7%
Used Alcohol	not used in last year	40.1%	40.4%	54.3%	16.1%	43.4%	46.0%	42.4%	55.2%	41.3%
	used in the past 6 months	20.0%	24.4%	15.5%	5.7%	22.7%	8.7%	21.2%	39.2%	26.4%
	used less than once a month	8.9%	13.7%	1.8%	19.0%	6.3%	13.7%	14.7%	0.0%	5.2%
	used at least once a month	12.7%	8.4%	14.5%	21.8%	12.0%	5.2%	3.6%	0.0%	8.3%
	used once a week or more	18.2%	13.1%	13.8%	37.3%	15.6%	26.5%	18.1%	5.6%	18.8%
Used Marijuana or hash	not used in last year	66.2%	69.8%	74.9%	35.0%	71.9%	63.3%	69.4%	81.9%	59.9%
	used in the past 6 months	15.6%	25.3%	17.1%	0.0%	13.2%	11.5%	10.4%	12.5%	16.3%
	used less than once a month	3.0%	0.4%	0.0%	17.5%	1.1%	5.0%	4.3%	0.0%	3.2%
	used at least once a month	3.1%	4.1%	4.6%	5.7%	1.5%	4.1%	2.2%	0.0%	4.2%
	used once a week or more	12.0%	0.4%	3.4%	41.8%	12.3%	16.2%	13.7%	5.6%	16.4%
Used Crack / cocaine	not used in last year	87.7%	91.8%	81.8%	79.5%	90.7%	71.2%	81.7%	90.8%	86.6%
	used in the past 6 months	5.5%	4.1%	8.2%	15.3%	2.3%	10.5%	6.8%	3.6%	3.3%
	used less than once a month	1.6%	0.4%	2.8%	1.7%	1.7%	4.1%	4.2%	0.0%	4.1%
	used at least once a month	0.5%	0.7%	1.1%	0.0%	0.3%	2.1%	1.7%	2.8%	1.3%
	used once a week or more	4.7%	3.0%	6.2%	3.4%	5.0%	12.0%	5.6%	2.8%	4.7%
Used Heroin	not used in last year	95.3%	100.0%	92.6%	94.6%	94.9%	87.4%	91.2%	100.0%	96.5%
	used in the past 6 months	1.6%	0.0%	2.4%	3.2%	1.6%	5.6%	6.0%	0.0%	2.3%
	used once a week or more	3.1%	0.0%	5.0%	2.2%	3.5%	7.0%	2.7%	0.0%	1.2%
Used Crystal Meth or Methamphetamine	not used in last year	80.1%	43.4%	27.5%	16.1%	78.6%	25.3%	24.2%	11.2%	37.1%
	used in the past 6 months	5.3%	0.5%	0.9%	2.5%	5.1%	1.3%	7.9%	0.4%	5.8%
	used at least once a month	5.0%	0.0%	0.0%	3.4%	7.1%	0.0%	3.4%	0.0%	0.3%
	used once a week or more	9.7%	2.3%	5.2%	6.7%	5.2%	7.3%	7.8%	0.3%	9.3%
Used Speedball	not used in last year	95.3%	44.3%	32.7%	27.5%	91.9%	31.2%	38.8%	12.0%	48.6%
	used in the past 6 months	1.7%	1.6%	0.3%	0.6%	1.1%	2.0%	2.0%	0.0%	2.0%
	used less than once a month	0.3%	0.0%	0.6%	0.0%	0.0%	0.0%	0.6%	0.0%	0.6%
	used at least once a month	0.2%	0.3%	0.0%	0.0%	0.0%	0.3%	0.3%	0.0%	0.3%
	used once a week or more	2.5%	0.5%	0.0%	0.6%	3.4%	0.6%	0.5%	0.0%	0.6%

		stage						outcare		
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	outcarhx
N=		213	53	48	26	81	58	57	12	53
Used GHB - Gamma Hydroxybutrate	not used in last year	95.9%	45.9%	32.2%	26.9%	92.0%	31.1%	38.6%	12.0%	48.8%
	used in the past 6 months	0.7%	0.0%	0.3%	0.6%	0.6%	1.5%	1.5%	0.0%	1.5%
	used less than once a month	0.3%	0.0%	0.6%	0.0%	0.0%	0.0%	0.6%	0.0%	0.6%
	used at least once a month	0.3%	0.0%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.5%
	used once a week or more	2.8%	0.5%	0.5%	0.6%	3.4%	0.6%	0.5%	0.0%	0.6%
Used Poppers	not used in last year	85.8%	41.9%	30.6%	21.7%	81.5%	28.2%	33.0%	12.0%	45.0%
	used in the past 6 months	7.2%	2.5%	1.9%	5.0%	5.6%	4.3%	7.7%	0.0%	4.3%
	used less than once a month	0.5%	0.0%	0.6%	0.0%	0.5%	0.5%	1.1%	0.0%	1.1%
	used at least once a month	1.1%	0.9%	0.0%	1.4%	0.0%	0.0%	0.0%	0.0%	1.4%
	used once a week or more	5.4%	1.6%	0.0%	0.6%	8.4%	0.6%	1.6%	0.0%	0.6%
Used Ecstasy	not used in last year	95.9%	46.2%	32.7%	26.7%	91.5%	31.5%	40.7%	12.0%	49.4%
	used in the past 6 months	1.4%	0.0%	0.9%	1.3%	0.6%	0.9%	1.5%	0.0%	2.4%
	used at least once a month	0.1%	0.0%	0.0%	0.0%	0.3%	0.3%	0.3%	0.0%	0.0%
	used once a week or more	2.6%	0.5%	0.0%	0.6%	3.7%	0.9%	0.8%	0.0%	0.6%
Used Pills not perscribed by dr.	not used in last year	93.1%	41.0%	28.2%	25.4%	88.0%	27.3%	38.3%	11.7%	46.2%
	used in the past 6 months	1.5%	0.9%	0.6%	0.5%	0.9%	1.5%	1.5%	0.3%	2.9%
	used less than once a month	0.3%	0.0%	0.6%	0.0%	0.0%	0.0%	0.6%	0.0%	0.6%
	used at least once a month	0.8%	0.0%	0.0%	0.0%	1.5%	1.5%	0.5%	0.0%	0.5%
	used once a week or more	4.3%	3.7%	0.0%	0.6%	3.7%	0.6%	0.0%	0.0%	1.0%
Injected substance history		18.9%	14.5%	26.4%	21.4%	17.4%	50.3%	34.4%	3.3%	26.2%
# of times shared needles in last year	0	87.5%	85.7%	85.4%	67.8%	95.3%	61.5%	67.7%	100.0%	90.8%
	1	4.1%	4.9%	0.0%	22.1%	0.0%	15.2%	12.9%	0.0%	0.0%
	2	0.5%	0.0%	1.1%	0.0%	0.6%	0.8%	0.8%	0.0%	0.9%
	3	3.2%	7.7%	4.0%	6.0%	0.6%	8.3%	7.9%	0.0%	1.8%
	4	1.2%	0.0%	2.7%	0.0%	1.3%	2.4%	4.1%	0.0%	1.8%
	8	0.3%	1.7%	0.0%	0.0%	0.0%	1.0%	0.9%	0.0%	0.7%
	10	0.5%	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	12	0.6%	0.0%	0.0%	4.0%	0.0%	2.4%	2.1%	0.0%	1.8%
	15	1.0%	0.0%	2.1%	0.0%	1.0%	3.8%	1.6%	0.0%	1.4%
	20	0.8%	0.0%	2.4%	0.0%	0.6%	3.2%	0.9%	0.0%	0.0%
	100	0.3%	0.0%	0.0%	0.0%	0.7%	1.3%	1.1%	0.0%	1.0%

			stage					outcare			
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	outcarhx	
		N=	213	53	48	26	81	58	57	12	53
Country of origin	United States	80.8%	79.8%	74.1%	85.5%	81.6%	94.2%	86.0%	58.1%	78.0%	
	Mexico	8.0%	11.4%	11.4%	4.2%	6.6%	0.8%	1.3%	28.0%	10.5%	
	South or Central America	5.5%	3.0%	2.5%	5.5%	8.2%	2.0%	10.4%	14.0%	6.3%	
	Asia	0.9%	1.8%	0.7%	2.9%	0.0%	0.0%	0.0%	0.0%	1.7%	
	Other	4.7%	4.1%	11.3%	1.8%	3.6%	2.9%	2.3%	0.0%	3.5%	
Citizenship status	U.S. Citizen	84.7%	80.3%	82.3%	93.6%	83.7%	96.2%	87.0%	41.8%	74.5%	
	Visa	5.2%	3.5%	8.3%	0.0%	7.1%	0.0%	0.0%	0.0%	5.1%	
	Legal Refugee or asylum staus	1.6%	0.0%	8.3%	2.0%	0.0%	1.7%	1.2%	0.0%	1.5%	
	Undocumented	8.5%	16.3%	1.1%	4.5%	9.2%	2.1%	11.8%	58.2%	18.9%	

	Total	gender		ethnicity				riskgroup			
		Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
N=	213	190	23	110	45	53	5	153	18	22	19
Outpatient medical care	83.3%	84.7%	72.6%	86.9%	70.6%	85.1%	99.0%	87.2%	72.8%	71.5%	77.8%
Case Manager	77.5%	79.2%	63.9%	80.5%	80.0%	66.6%	100.0%	78.7%	89.9%	71.8%	62.9%
Dental care	74.1%	73.5%	79.1%	77.9%	68.2%	71.9%	67.4%	73.2%	85.0%	68.7%	77.5%
Nutritional education & counseling	69.5%	70.6%	61.0%	72.4%	69.6%	63.2%	73.8%	71.7%	69.1%	57.7%	66.1%
"Independent" housing	61.4%	61.8%	58.9%	68.6%	66.8%	41.5%	63.0%	59.0%	66.9%	78.6%	55.4%
Taxi vouchers or bus tokens	59.4%	58.8%	64.4%	57.9%	75.4%	50.2%	49.0%	56.0%	66.4%	73.9%	63.2%
Medical CM/adherence support	58.4%	60.1%	44.3%	60.9%	56.5%	54.6%	58.5%	60.3%	63.5%	55.5%	41.6%
Medication programs including ADAP	57.0%	58.8%	42.2%	62.4%	33.1%	64.5%	74.9%	61.7%	45.1%	54.0%	34.4%
Food vouchers	56.8%	55.2%	69.4%	55.7%	70.5%	46.6%	59.8%	54.2%	70.9%	55.4%	63.9%
Food pantry or food bank	56.4%	55.3%	64.9%	57.8%	67.2%	42.8%	66.3%	50.1%	75.8%	71.6%	68.7%
Individual/groups mental health therapy	55.5%	55.5%	55.6%	55.9%	57.5%	48.9%	94.5%	54.9%	60.9%	51.8%	59.9%
Medical care by a specialist	53.0%	51.5%	65.0%	64.7%	37.6%	39.3%	67.4%	53.4%	50.4%	44.5%	62.7%
Housing information services	51.2%	50.4%	57.6%	43.7%	70.0%	48.5%	67.3%	46.4%	56.8%	69.5%	61.3%
Emergency financial assistance	46.7%	47.0%	44.1%	61.4%	34.2%	25.9%	56.5%	48.2%	43.7%	38.6%	47.0%
Rental subsidy (NOT emergency financial assistance)	43.4%	45.4%	26.6%	45.5%	46.2%	33.8%	67.4%	45.9%	36.6%	48.4%	24.2%
Peer counseling	41.1%	39.9%	51.1%	38.3%	54.3%	32.5%	71.7%	35.8%	55.5%	59.0%	49.4%
Prevention information and education	32.9%	31.8%	41.1%	26.7%	44.1%	33.3%	56.5%	30.0%	34.4%	44.2%	40.8%
Home delivered meals	32.5%	33.7%	22.5%	35.7%	36.0%	23.8%	23.8%	30.1%	31.7%	52.0%	28.7%
Legal services	32.2%	31.6%	36.7%	39.1%	28.0%	22.9%	17.4%	34.0%	22.4%	28.4%	31.7%
Home health care	30.2%	30.9%	24.4%	36.6%	21.0%	26.6%	7.5%	33.2%	26.9%	21.2%	19.4%
Van transportation	29.9%	28.5%	40.8%	23.8%	33.4%	40.1%	17.4%	28.2%	25.1%	44.5%	30.5%
Employment Assistance	25.4%	25.5%	24.4%	23.8%	31.9%	17.0%	82.6%	24.3%	27.9%	30.3%	26.1%
Outpatient substance abuse tx/counseling	23.1%	22.6%	27.1%	26.2%	28.6%	8.7%	50.0%	19.8%	31.0%	38.7%	24.1%
Emergency or transitional housing	22.7%	21.6%	32.0%	19.7%	30.8%	20.7%	36.3%	17.7%	33.1%	43.8%	27.7%
Residential housing or group home	21.6%	21.7%	20.6%	14.7%	29.8%	29.3%	17.4%	19.4%	30.8%	29.1%	20.5%
Residential mental health services	18.4%	18.3%	19.6%	19.4%	20.8%	13.6%	24.9%	17.6%	19.1%	23.1%	18.5%
24 hr residential sub abuse counseling	14.7%	14.4%	17.4%	9.9%	31.8%	7.9%	34.7%	9.1%	28.7%	45.6%	10.6%
Assist w/ health insurance premiums	10.1%	10.4%	7.0%	7.3%	9.6%	13.7%	38.1%	11.8%	3.0%	7.5%	3.9%
Complementary care	9.3%	9.8%	4.9%	11.8%	5.6%	6.4%	17.4%	10.8%	6.2%	9.9%	0.0%
Hospice Services	8.4%	8.2%	10.2%	3.3%	11.4%	17.0%	7.5%	5.6%	23.8%	15.9%	6.9%
Detox and / or methadone maintenance	5.4%	5.2%	6.4%	3.9%	5.4%	9.0%	0.0%	1.7%	19.0%	22.3%	1.4%
Adult day care	5.1%	5.3%	3.1%	4.6%	8.0%	4.1%	0.0%	5.4%	9.4%	1.3%	2.3%
Day care	2.4%	0.9%	14.8%	1.7%	3.0%	3.2%	4.4%	0.7%	3.5%	3.9%	13.5%

		stage						outcare
	Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +
N=	213	53	48	26	81	58	57	12
Outpatient medical care	83.3%	81.8%	74.0%	70.8%	93.0%	69.6%	78.9%	93.0%
Case Manager	77.5%	79.0%	75.3%	51.2%	87.0%	73.0%	73.0%	82.0%
Dental care	74.1%	72.4%	67.0%	71.9%	78.6%	78.7%	71.0%	46.9%
Nutritional education & counseling	69.5%	69.9%	66.9%	69.5%	70.9%	71.4%	67.3%	38.1%
"Independent" housing	61.4%	42.0%	60.8%	69.5%	68.3%	80.8%	81.4%	39.6%
Taxi vouchers or bus tokens	59.4%	49.5%	71.9%	44.8%	64.0%	78.8%	87.4%	32.1%
Medical case management/adherence support	58.4%	54.3%	50.5%	34.2%	71.5%	38.8%	54.4%	48.7%
Medication programs including ADAP	57.0%	55.3%	29.1%	44.3%	71.0%	48.1%	63.6%	81.5%
Food vouchers	56.8%	33.0%	66.1%	69.0%	61.0%	78.7%	78.9%	48.1%
Food pantry or food bank	56.4%	42.9%	53.1%	45.2%	66.7%	80.7%	81.5%	45.3%
Individual or groups mental health therapy	55.5%	55.4%	61.6%	51.1%	55.1%	68.4%	77.5%	28.4%
Medical care by a specialist	53.0%	37.9%	58.9%	32.9%	66.4%	41.3%	39.3%	19.7%
Housing information services	51.2%	43.6%	61.3%	30.4%	56.9%	84.6%	93.1%	66.8%
Emergency financial assistance	46.7%	33.7%	52.9%	48.7%	51.0%	66.2%	60.8%	51.6%
Rental subsidy (NOT DEFA)	43.4%	30.0%	35.4%	28.1%	57.5%	56.3%	65.7%	45.8%
Peer counseling	41.1%	43.9%	46.0%	34.0%	41.6%	61.5%	53.8%	11.7%
Prevention information and education	32.9%	37.5%	41.5%	20.2%	32.5%	46.9%	36.3%	27.7%
Home delivered meals	32.5%	21.7%	40.0%	21.7%	38.2%	47.7%	55.3%	6.9%
Legal services	32.2%	12.6%	28.7%	35.2%	43.7%	40.8%	46.7%	23.3%
Home health care	30.2%	11.0%	21.6%	25.9%	44.7%	22.2%	21.9%	6.9%
Van transportation	29.9%	23.3%	33.4%	13.5%	36.8%	27.5%	60.6%	25.6%
Employment Assistance	25.4%	31.6%	29.0%	25.0%	20.8%	38.0%	31.0%	48.0%
Outpatient substance abuse tx/counseling	23.1%	25.4%	28.3%	18.4%	21.3%	51.3%	50.1%	6.9%
Emergency or transitional housing	22.7%	18.2%	28.6%	23.2%	20.4%	68.3%	74.1%	23.3%
Residential housing or group home	21.6%	5.2%	37.3%	12.8%	27.1%	29.2%	49.2%	20.4%
Residential mental health services	18.4%	14.4%	28.4%	26.3%	12.7%	30.7%	33.0%	0.5%
24 hr residential substance abuse counseling	14.7%	13.3%	25.2%	20.8%	8.4%	38.5%	31.3%	3.3%
Assist w/ health insurance premiums	10.1%	5.1%	22.4%	9.2%	8.6%	5.9%	7.4%	0.6%
Complementary care	9.3%	2.4%	9.7%	17.4%	10.5%	6.8%	3.0%	0.5%
Hospice Services	8.4%	5.0%	13.8%	0.0%	11.0%	7.0%	12.5%	22.5%
Detox and / or methadone maintenance	5.4%	5.8%	11.5%	2.1%	4.1%	11.0%	11.1%	16.4%
Adult day care	5.1%	0.6%	7.5%	3.4%	7.2%	6.8%	6.9%	3.6%
Day care	2.4%	2.2%	9.3%	1.5%	0.4%	1.8%	3.6%	2.8%

		gender		ethnicity				riskgroup				
	Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero	
N=	213	190	23	110	45	53	5	153	18	22	19	
Outpatient medical care	74.0%	74.8%	68.1%	78.7%	63.5%	70.5%	99.0%	76.6%	73.9%	58.8%	72.1%	
Case Manager	71.8%	73.8%	55.7%	75.0%	72.7%	61.5%	100.0%	73.1%	80.3%	67.8%	57.9%	
Dental care	62.5%	61.1%	73.4%	69.8%	62.5%	48.8%	46.6%	57.6%	84.4%	69.1%	73.1%	
Nutritional education & counseling	57.9%	59.0%	49.4%	62.3%	54.0%	52.4%	56.5%	58.7%	65.7%	49.5%	54.7%	
Taxi vouchers or bus tokens	54.8%	55.0%	52.6%	56.3%	65.8%	42.9%	50.0%	53.0%	56.8%	63.0%	57.3%	
Individual or groups mental health therapy support	52.8%	53.6%	46.4%	56.5%	51.2%	44.3%	78.2%	54.3%	52.8%	44.7%	50.4%	
Medication programs including ADAP	49.1%	50.2%	39.7%	52.9%	31.9%	53.2%	74.9%	51.0%	44.3%	46.9%	40.4%	
Food pantry or food bank	49.0%	48.0%	57.0%	53.5%	56.2%	35.0%	33.7%	43.8%	60.3%	68.2%	56.6%	
“Independent” housing	48.1%	47.8%	51.2%	50.5%	57.1%	35.6%	46.6%	45.5%	54.1%	60.9%	48.2%	
Medical care by a specialist	47.7%	47.7%	47.7%	61.5%	35.7%	27.1%	66.3%	49.3%	50.5%	36.2%	46.2%	
Food vouchers	44.7%	43.0%	58.2%	47.0%	56.5%	31.7%	27.2%	43.2%	51.4%	43.3%	51.7%	
Housing information services	40.2%	39.2%	48.7%	33.9%	52.1%	41.7%	51.0%	35.5%	56.1%	47.1%	53.6%	
Emergency financial assistance	36.4%	37.9%	23.6%	47.5%	26.2%	21.6%	38.1%	40.4%	35.5%	19.4%	25.5%	
Peer counseling	33.6%	32.2%	46.1%	28.0%	42.7%	36.9%	39.1%	28.6%	49.5%	44.8%	47.0%	
Rental subsidy (NOT DEFA)	31.7%	33.9%	14.1%	33.4%	34.6%	24.3%	46.6%	33.2%	36.0%	33.6%	13.7%	
Prevention information and education	27.9%	26.3%	39.8%	22.2%	38.8%	26.8%	57.5%	22.5%	30.9%	48.1%	42.3%	
Van transportation	27.2%	25.4%	40.7%	24.4%	21.9%	38.1%	18.4%	26.0%	20.7%	33.3%	34.9%	
Home health care	26.6%	27.6%	18.5%	32.5%	17.7%	24.2%	7.5%	30.6%	22.4%	7.9%	20.1%	
Home delivered meals	22.1%	22.7%	17.3%	21.5%	33.7%	14.8%	6.5%	18.9%	26.6%	37.9%	23.3%	
Residential mental health services	19.9%	19.9%	19.6%	24.1%	21.7%	9.4%	24.9%	19.7%	18.4%	23.1%	19.0%	
Legal services	19.2%	18.8%	22.3%	21.7%	18.3%	15.3%	16.3%	19.5%	23.2%	13.0%	20.3%	
Residential housing or group home	19.2%	19.4%	17.5%	14.4%	24.5%	24.6%	17.4%	18.2%	25.2%	21.3%	18.7%	
Employment Assistance	18.7%	19.2%	14.7%	16.9%	25.7%	13.1%	48.9%	17.7%	22.3%	24.3%	16.5%	
Emergency or transitional housing	17.3%	16.8%	20.7%	16.4%	19.5%	15.3%	36.3%	12.6%	34.3%	29.1%	22.6%	
tx/counseling	15.9%	15.4%	19.8%	13.0%	26.2%	9.3%	50.0%	11.1%	26.8%	34.0%	23.1%	
24 hr residential sub abuse counseling	12.2%	12.1%	12.8%	5.9%	27.5%	9.5%	34.7%	6.3%	24.4%	44.3%	10.6%	
Assist w/ health insurance premiums	10.3%	10.8%	5.4%	7.3%	9.4%	14.4%	37.4%	12.4%	0.0%	5.4%	6.1%	
Hospice Services	8.0%	7.8%	10.1%	3.2%	8.8%	17.6%	6.5%	5.1%	25.9%	12.2%	10.2%	
Complementary care	5.7%	6.1%	2.7%	4.5%	8.0%	7.0%	0.0%	6.5%	0.0%	6.0%	4.4%	
Adult day care	4.8%	5.1%	1.9%	4.4%	7.0%	4.1%	0.0%	5.5%	7.0%	0.0%	2.3%	
Detox and / or methadone maintenance	4.5%	4.3%	5.4%	3.3%	3.1%	8.6%	0.0%	1.1%	16.8%	21.1%	0.0%	
Day care	2.3%	0.9%	13.3%	1.5%	3.9%	2.4%	4.4%	0.7%	3.6%	2.7%	13.2%	

		stage						outcare
	Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +
N=	213	53	48	26	81	58	57	12
Outpatient medical care	74.0%	61.5%	74.5%	60.6%	85.3%	65.7%	79.1%	67.5%
Case Manager	71.8%	67.4%	72.1%	34.6%	85.0%	57.1%	59.7%	73.6%
Dental care	62.5%	50.5%	52.9%	46.5%	77.0%	65.6%	70.1%	38.5%
Nutritional education & counseling	57.9%	60.8%	46.1%	51.1%	63.1%	63.2%	59.8%	29.2%
Taxi vouchers or bus tokens	54.8%	49.1%	65.0%	39.1%	59.0%	67.3%	77.5%	29.7%
Individual or groups mental health therapy	52.8%	53.5%	52.8%	42.5%	55.9%	56.3%	75.5%	44.8%
Medical case management/adherence support	51.3%	44.0%	44.6%	26.8%	64.4%	36.7%	43.9%	48.7%
Medication programs including ADAP	49.1%	47.6%	29.4%	40.9%	60.8%	50.2%	45.6%	67.9%
Food pantry or food bank	49.0%	36.0%	48.0%	45.5%	59.0%	67.9%	70.5%	34.5%
"Independent" housing	48.1%	27.2%	51.3%	52.4%	56.3%	44.7%	52.6%	11.3%
Medical care by a specialist	47.7%	29.6%	45.6%	35.7%	63.3%	32.4%	27.6%	12.8%
Food vouchers	44.7%	26.4%	55.9%	42.3%	52.7%	52.1%	51.4%	34.5%
Housing information services	40.2%	26.9%	53.2%	28.9%	45.1%	55.6%	71.7%	38.5%
Emergency financial assistance	36.4%	27.6%	47.3%	45.8%	35.3%	46.9%	53.3%	17.2%
Peer counseling	33.6%	28.9%	29.3%	34.7%	38.5%	42.9%	39.0%	15.2%
Rental subsidy (NOT DEFA)	31.7%	15.1%	28.7%	25.5%	44.0%	36.2%	42.6%	11.3%
Prevention information and education	27.9%	25.3%	41.1%	26.3%	26.4%	34.9%	26.3%	8.4%
Van transportation	27.2%	21.9%	28.1%	10.2%	34.7%	19.6%	51.1%	23.3%
Home health care	26.6%	8.7%	15.6%	29.1%	39.8%	17.5%	19.7%	6.9%
Home delivered meals	22.1%	17.2%	33.2%	11.8%	22.5%	28.9%	28.1%	5.6%
Residential mental health services	19.9%	20.9%	29.4%	15.2%	15.5%	33.1%	44.3%	0.5%
Legal services	19.2%	4.1%	13.4%	22.4%	28.9%	18.9%	24.8%	16.4%
Residential housing or group home	19.2%	3.7%	27.6%	8.7%	27.1%	18.4%	42.0%	20.4%
Employment Assistance	18.7%	20.4%	27.2%	19.7%	15.2%	21.1%	14.3%	16.4%
Emergency or transitional housing	17.3%	9.0%	23.3%	21.3%	18.8%	43.3%	51.9%	23.3%
Outpatient substance abuse tx/counseling	15.9%	17.8%	17.6%	3.8%	18.5%	34.1%	35.6%	4.0%
24 hr residential substance abuse counseling	12.2%	13.3%	21.4%	7.6%	8.2%	34.8%	28.1%	0.5%
Assist w/ health insurance premiums	10.3%	3.8%	22.7%	7.7%	10.3%	7.2%	7.4%	0.0%
Hospice Services	8.0%	5.1%	13.9%	0.0%	10.1%	5.9%	12.2%	22.0%
Complementary care	5.7%	0.0%	0.6%	18.0%	7.1%	6.2%	1.7%	0.0%
Adult day care	4.8%	0.0%	7.8%	3.5%	6.7%	9.0%	8.6%	3.6%
Detox and / or methadone maintenance	4.5%	4.7%	8.6%	0.0%	4.3%	8.8%	9.4%	16.4%
Day care	2.3%	1.4%	9.6%	1.5%	0.4%	1.0%	3.0%	2.8%

	gender		ethnicity				riskgroup				
	Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
N=	213	190	23	110	45	53	5	153	18	22	19
Outpatient medical care	85.1%	87.2%	67.6%	91.5%	74.6%	79.3%	99.0%	88.7%	87.2%	66.6%	75.4%
Case Manager	71.9%	75.1%	45.6%	76.2%	69.8%	62.6%	95.6%	74.2%	93.0%	61.9%	44.9%
Nutritional education & counseling	62.9%	65.1%	45.2%	67.1%	57.1%	59.9%	56.5%	66.5%	61.0%	44.4%	58.5%
Dental care	56.1%	56.7%	50.9%	59.7%	48.2%	56.2%	43.5%	55.8%	72.0%	47.5%	53.7%
Med case manage/adherence support	55.7%	58.1%	36.2%	58.1%	56.1%	52.0%	40.2%	57.5%	68.6%	50.3%	36.0%
Individual or groups mental health therapy	53.2%	54.1%	46.2%	53.5%	52.6%	52.4%	60.9%	54.2%	58.5%	44.1%	50.9%
Medication programs including ADAP	52.4%	54.3%	37.2%	57.4%	35.2%	55.1%	74.9%	55.5%	49.9%	45.3%	38.7%
Taxi vouchers or bus tokens	50.5%	50.7%	48.4%	52.8%	65.5%	34.2%	32.7%	47.6%	59.3%	61.5%	52.2%
Medical care by a specialist	49.4%	50.2%	42.9%	62.2%	35.7%	32.8%	65.3%	51.9%	46.9%	36.6%	46.7%
Prevention information and education	42.1%	41.7%	45.0%	35.7%	44.8%	49.4%	73.8%	38.7%	43.6%	60.0%	46.4%
Food pantry or food bank	41.5%	41.1%	45.0%	43.4%	50.6%	30.8%	32.7%	37.2%	56.5%	57.1%	43.3%
"Independent" housing	34.9%	35.1%	33.6%	39.5%	41.0%	23.1%	7.5%	33.6%	43.3%	40.6%	31.0%
Peer counseling	34.3%	32.8%	46.3%	28.5%	43.9%	39.0%	22.8%	28.3%	49.5%	49.8%	48.7%
Housing information services	28.5%	28.4%	29.2%	22.0%	34.4%	37.7%	16.3%	28.4%	32.0%	25.7%	29.2%
Food vouchers	27.9%	26.3%	41.3%	26.6%	37.6%	24.5%	6.5%	25.3%	35.9%	35.2%	32.7%
Home health care	25.7%	27.0%	15.1%	32.9%	13.7%	23.4%	6.5%	29.9%	22.4%	6.2%	18.1%
Van transportation	21.0%	19.3%	33.5%	18.5%	21.9%	27.2%	0.0%	20.4%	9.9%	28.2%	26.5%
Home delivered meals	18.4%	18.9%	14.4%	17.2%	29.4%	12.6%	6.5%	14.5%	26.3%	36.4%	19.5%
Residential mental health services	18.0%	18.2%	16.7%	21.1%	21.7%	9.5%	6.5%	16.4%	26.9%	20.0%	20.6%
Rental subsidy (NOT DEFA)	17.7%	18.7%	9.4%	17.1%	20.5%	17.8%	7.5%	18.4%	25.1%	16.1%	6.8%
Emergency financial assistance	17.0%	17.2%	15.8%	20.5%	9.3%	14.6%	33.7%	16.1%	30.2%	13.6%	15.7%
Residential housing or group home	16.6%	17.1%	12.1%	10.8%	16.9%	28.6%	16.3%	15.4%	25.2%	19.6%	14.2%
Outpatient sub abuse tx/counseling	15.2%	14.3%	22.0%	13.7%	20.9%	9.7%	48.9%	9.6%	26.8%	36.2%	24.3%
Emergency or transitional housing	14.8%	15.3%	10.3%	15.3%	12.9%	14.8%	18.2%	11.4%	31.9%	27.4%	11.0%
Employment Assistance	13.6%	14.8%	4.6%	12.3%	16.2%	13.8%	16.3%	13.7%	16.5%	16.0%	7.3%
24 hr residential sub abuse counseling	12.2%	11.8%	15.6%	6.2%	27.0%	9.9%	34.7%	5.6%	27.2%	47.1%	10.6%
Legal services	11.5%	11.4%	11.7%	14.9%	6.9%	9.3%	0.0%	11.7%	16.2%	3.9%	13.6%
Assist w/ health insurance premiums	10.8%	11.6%	3.3%	7.3%	9.1%	16.7%	37.4%	13.4%	0.0%	3.2%	6.0%
Hospice Services	8.7%	8.7%	9.2%	3.4%	7.7%	21.0%	6.5%	6.2%	25.9%	11.1%	10.4%
Detox and / or methadone maintenance	4.7%	4.5%	6.6%	3.5%	3.1%	8.8%	0.0%	1.1%	16.8%	22.3%	1.5%
Complementary care	3.0%	2.9%	4.0%	1.8%	5.3%	3.8%	0.0%	2.5%	0.0%	7.2%	5.1%
Adult day care	2.7%	2.6%	3.4%	1.1%	5.5%	4.0%	0.0%	2.4%	7.2%	0.0%	4.1%
Day care	1.0%	0.3%	6.0%	1.1%	0.8%	0.8%	0.0%	0.0%	3.6%	1.2%	6.0%

		stage						outcare
	Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +
N=	213	53	48	26	81	58	57	12
Outpatient medical care	85.1%	89.1%	72.1%	79.4%	90.9%	70.3%	79.2%	91.1%
Case Manager	71.9%	75.8%	66.6%	37.8%	81.7%	60.8%	59.6%	70.8%
Nutritional education & counseling	62.9%	70.8%	46.7%	65.9%	64.7%	56.2%	59.4%	32.0%
Dental care	56.1%	31.2%	53.9%	62.8%	66.6%	53.1%	45.5%	35.2%
Medical case management/adherence support	55.7%	51.6%	47.3%	26.8%	68.5%	35.1%	43.2%	45.5%
Individual or groups mental health therapy	53.2%	44.7%	57.2%	44.2%	59.1%	41.8%	62.8%	39.2%
Medication programs including ADAP	52.4%	53.2%	30.6%	40.9%	62.8%	47.1%	55.9%	67.9%
Taxi vouchers or bus tokens	50.5%	45.2%	63.1%	37.1%	52.7%	69.1%	65.4%	15.7%
Medical care by a specialist	49.4%	32.5%	51.5%	16.9%	68.0%	31.9%	32.5%	10.0%
Prevention information and education	42.1%	49.5%	41.6%	45.5%	37.4%	39.3%	42.3%	30.4%
Food pantry or food bank	41.5%	36.1%	30.9%	34.2%	51.4%	45.3%	51.9%	27.6%
"Independent" housing	34.9%	21.5%	40.4%	52.3%	35.7%	22.3%	18.9%	11.3%
Peer counseling	34.3%	27.3%	26.1%	20.7%	44.4%	37.2%	39.4%	28.8%
Housing information services	28.5%	28.0%	40.1%	5.5%	30.0%	23.4%	40.1%	38.4%
Food vouchers	27.9%	14.7%	28.1%	27.1%	35.7%	23.8%	25.0%	29.7%
Home health care	25.7%	7.9%	16.5%	29.1%	38.2%	11.8%	15.4%	6.4%
Van transportation	21.0%	17.6%	22.1%	6.6%	26.2%	13.0%	38.6%	22.8%
Home delivered meals	18.4%	17.2%	21.3%	13.7%	19.8%	26.7%	30.4%	5.6%
Residential mental health services	18.0%	19.7%	31.3%	15.1%	11.3%	30.2%	34.0%	0.0%
Rental subsidy (NOT DEFA)	17.7%	7.3%	21.3%	6.8%	24.9%	8.6%	7.4%	4.5%
Emergency financial assistance	17.0%	20.5%	10.9%	15.4%	18.6%	14.5%	14.7%	13.6%
Residential housing or group home	16.6%	3.6%	25.5%	8.7%	22.0%	12.2%	28.8%	13.6%
Outpatient substance abuse tx/counseling	15.2%	19.0%	11.8%	3.8%	18.4%	31.9%	34.8%	3.6%
Emergency or transitional housing	14.8%	6.2%	14.4%	21.3%	17.8%	33.6%	44.2%	16.4%
Employment Assistance	13.6%	16.8%	6.4%	15.0%	13.1%	7.1%	13.2%	13.6%
24 hr residential substance abuse counseling	12.2%	13.4%	18.5%	7.6%	9.3%	35.6%	28.8%	0.5%
Legal services	11.5%	1.3%	6.4%	17.4%	16.8%	7.8%	6.9%	13.6%
Assist w/ health insurance premiums	10.8%	3.7%	19.4%	13.6%	11.1%	2.2%	3.4%	0.0%
Hospice Services	8.7%	5.1%	13.9%	5.8%	9.8%	6.6%	12.8%	22.0%
Detox and / or methadone maintenance	4.7%	5.3%	8.6%	0.0%	4.5%	10.3%	10.6%	16.4%
Complementary care	3.0%	0.6%	0.0%	5.8%	4.6%	7.3%	1.9%	0.0%
Adult day care	2.7%	2.8%	1.8%	3.5%	2.8%	3.1%	4.0%	12.0%
Day care	1.0%	1.4%	2.6%	1.5%	0.0%	0.0%	1.4%	0.0%

		Total	gender		ethnicity				riskgroup			
			Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
	N=	213	190	23	110	45	53	5	153	18	22	19
Not knowing that a service or tx was available to me	very small	8.1%	6.3%	19.7%	2.1%	17.2%	13.8%	1.1%	6.9%	6.3%	13.1%	10.2%
	small	14.1%	14.1%	14.1%	12.3%	12.7%	21.8%	1.1%	11.3%	23.8%	21.5%	13.0%
	moderate	32.2%	33.6%	23.8%	30.1%	40.3%	28.7%	34.1%	32.8%	27.4%	33.6%	30.6%
	big	9.2%	8.8%	11.8%	6.3%	9.3%	11.6%	29.6%	7.7%	19.4%	8.3%	11.6%
	very big	36.4%	37.3%	30.6%	49.2%	20.6%	24.0%	34.1%	41.3%	23.1%	23.5%	34.6%
Not knowing location of the service(s)	very small	19.3%	18.4%	24.3%	20.4%	23.8%	11.0%	27.6%	20.4%	17.9%	11.8%	24.1%
	small	15.4%	15.6%	14.6%	14.1%	14.4%	21.5%	1.6%	14.3%	20.0%	19.5%	13.3%
	moderate	28.5%	29.4%	22.7%	25.5%	41.5%	25.6%	0.0%	26.7%	26.5%	33.2%	33.3%
	big	10.7%	9.5%	18.0%	7.4%	4.3%	21.4%	43.2%	9.2%	13.7%	16.8%	9.0%
	very big	26.1%	27.1%	20.3%	32.6%	16.1%	20.4%	27.6%	29.4%	21.8%	18.6%	20.2%
Physical health	very small	22.4%	22.1%	24.2%	22.3%	31.1%	8.8%	42.5%	22.2%	19.1%	26.5%	20.2%
	small	30.2%	33.1%	12.8%	32.1%	31.8%	29.0%	0.0%	31.4%	34.6%	31.1%	18.4%
	moderate	16.2%	12.8%	36.6%	11.5%	20.2%	20.8%	34.3%	9.6%	15.4%	23.5%	46.9%
	big	10.7%	11.1%	8.1%	12.7%	6.7%	7.6%	21.9%	12.9%	11.8%	3.5%	5.7%
	very big	20.6%	21.0%	18.3%	21.4%	10.2%	33.8%	1.3%	23.8%	19.1%	15.5%	8.9%
Denial	very small	27.8%	26.5%	38.5%	33.7%	37.1%	9.7%	21.7%	25.6%	17.6%	46.8%	41.3%
	small	16.6%	17.2%	11.9%	10.8%	14.7%	31.1%	7.9%	15.7%	34.5%	14.7%	7.9%
	moderate	26.0%	27.4%	14.7%	24.1%	17.3%	32.0%	53.4%	28.0%	24.2%	14.5%	20.6%
	big	9.6%	10.3%	3.8%	13.9%	4.3%	8.0%	0.0%	11.1%	10.4%	0.0%	4.4%
	very big	20.0%	18.6%	31.1%	17.5%	26.6%	19.1%	17.1%	19.6%	13.3%	24.1%	25.8%
Not what medical services I need	very small	34.1%	34.2%	33.5%	45.9%	33.6%	17.3%	8.7%	36.5%	19.6%	38.3%	24.7%
	small	26.4%	29.0%	10.4%	22.5%	18.7%	37.3%	36.2%	29.8%	25.0%	18.4%	16.3%
	moderate	14.8%	13.7%	22.2%	7.4%	16.9%	27.5%	0.0%	13.6%	17.2%	11.3%	25.7%
	big	8.5%	7.7%	13.2%	4.8%	5.8%	14.4%	27.6%	6.0%	18.7%	7.9%	17.0%
	very big	16.2%	15.5%	20.7%	19.5%	25.0%	3.5%	27.6%	14.1%	19.6%	24.1%	16.3%
State of mind	very small	22.2%	22.4%	20.0%	26.8%	18.5%	18.2%	0.0%	22.1%	26.1%	26.1%	13.2%
	small	16.8%	17.6%	10.1%	12.9%	13.3%	28.8%	23.9%	20.2%	3.2%	9.2%	12.9%
	moderate	26.2%	25.4%	32.2%	22.5%	27.0%	32.4%	39.8%	24.4%	29.4%	21.6%	43.4%
	big	15.0%	14.5%	18.4%	16.5%	18.8%	6.5%	18.2%	16.0%	9.2%	12.2%	15.8%
	very big	19.9%	20.0%	19.3%	21.3%	22.5%	14.1%	18.2%	17.2%	32.0%	30.9%	14.7%
Not understanding the instructions	very small	17.7%	16.4%	24.5%	21.2%	20.3%	4.7%	35.2%	15.7%	32.6%	16.9%	17.8%
	small	29.3%	31.8%	14.7%	33.9%	16.1%	35.0%	24.9%	39.6%	16.6%	8.9%	11.1%
	moderate	24.8%	24.2%	28.3%	11.1%	41.0%	37.9%	4.6%	18.1%	6.3%	52.6%	36.8%
	big	11.6%	10.8%	15.9%	11.8%	12.8%	12.3%	0.0%	8.3%	17.4%	15.8%	19.1%
	very big	16.7%	16.8%	16.4%	21.9%	9.9%	10.2%	35.2%	18.4%	27.0%	5.8%	15.2%
Not knowing who to ask for help	very small	17.2%	15.3%	30.4%	20.6%	14.8%	8.5%	32.6%	16.7%	13.6%	10.2%	30.7%
	small	20.7%	21.8%	12.8%	24.2%	17.3%	18.6%	5.5%	24.6%	7.6%	12.8%	14.1%
	moderate	15.4%	15.3%	16.2%	6.6%	32.2%	19.9%	22.8%	9.3%	36.4%	34.6%	18.2%
	big	16.4%	17.2%	10.9%	15.8%	17.6%	18.9%	5.5%	15.7%	21.3%	21.2%	12.1%
	very big	30.2%	30.3%	29.7%	32.8%	18.1%	34.0%	33.7%	33.7%	21.0%	21.3%	24.9%

		gender			ethnicity				riskgroup			
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
	N=	213	190	23	110	45	53	5	153	18	22	19
Sensitivity to my issues & concerns	very small	21.9%	20.8%	28.7%	27.2%	24.5%	11.2%	18.2%	20.5%	26.0%	19.2%	30.9%
	small	15.0%	15.6%	11.3%	12.0%	11.7%	19.4%	35.2%	15.6%	13.9%	14.0%	13.8%
	moderate	30.3%	30.5%	29.0%	30.1%	33.6%	28.9%	23.9%	29.0%	38.5%	33.8%	27.6%
	big	10.0%	9.2%	15.3%	4.3%	15.2%	15.9%	5.7%	7.9%	13.9%	15.9%	11.9%
	very big	22.7%	23.9%	15.8%	26.4%	15.1%	24.5%	17.1%	26.9%	7.8%	17.1%	15.8%
Discrimination by provider	very small	22.4%	20.8%	32.1%	24.9%	20.0%	20.1%	25.3%	21.1%	16.0%	22.6%	34.0%
	small	22.9%	24.3%	14.7%	24.4%	20.1%	27.0%	0.0%	21.4%	33.7%	26.0%	19.8%
	moderate	31.9%	32.6%	27.9%	37.5%	31.6%	17.2%	67.2%	32.7%	29.2%	38.0%	23.4%
	big	5.8%	5.4%	7.8%	0.0%	8.5%	12.3%	7.5%	4.7%	13.2%	3.7%	8.2%
	very big	17.0%	16.9%	17.5%	13.2%	19.8%	23.4%	0.0%	20.1%	8.0%	9.7%	14.6%
Experience or expertise of provider	very small	17.3%	15.2%	29.8%	20.0%	16.2%	9.2%	25.3%	13.5%	21.2%	26.1%	25.8%
	small	25.1%	26.4%	17.4%	23.6%	19.5%	36.2%	23.8%	26.5%	32.1%	19.8%	18.1%
	moderate	31.4%	31.2%	32.8%	32.5%	42.4%	11.9%	50.9%	31.8%	20.6%	36.6%	31.1%
	big	4.6%	4.4%	5.6%	0.0%	8.8%	14.0%	0.0%	4.1%	12.2%	0.0%	7.5%
	very big	21.6%	22.8%	14.4%	23.9%	13.2%	28.7%	0.0%	24.2%	13.9%	17.4%	17.4%
Wait for an appointment	very small	20.8%	18.5%	35.3%	22.7%	16.7%	19.0%	28.2%	17.8%	20.9%	26.9%	32.3%
	small	19.4%	20.6%	11.6%	19.9%	17.7%	19.4%	22.5%	20.3%	28.9%	5.9%	19.7%
	moderate	20.3%	19.6%	24.5%	18.4%	19.9%	23.8%	26.8%	18.6%	15.9%	32.9%	21.3%
	big	13.8%	14.6%	8.4%	12.5%	9.0%	22.5%	1.3%	13.8%	24.4%	11.3%	7.3%
	very big	25.8%	26.7%	20.3%	26.5%	36.7%	15.4%	21.1%	29.6%	9.9%	22.9%	19.5%
Feel like a number	very small	16.9%	13.7%	36.2%	20.6%	17.6%	7.6%	24.2%	15.1%	7.0%	17.3%	36.1%
	small	22.1%	24.1%	9.6%	27.7%	18.1%	14.8%	24.2%	19.6%	49.8%	23.7%	12.0%
	moderate	29.9%	29.6%	31.7%	22.5%	24.1%	46.1%	51.6%	33.1%	15.0%	30.6%	21.3%
	big	4.5%	4.7%	3.6%	0.0%	11.5%	7.0%	0.0%	1.8%	13.3%	12.5%	4.7%
	very big	26.6%	27.9%	19.0%	29.2%	28.7%	24.5%	0.0%	30.4%	15.0%	15.9%	25.8%
Don't get along with providers	very small	44.0%	42.7%	51.1%	53.9%	39.6%	29.9%	39.3%	44.9%	19.9%	42.5%	57.1%
	small	21.0%	23.3%	8.3%	13.2%	24.3%	31.0%	31.3%	22.8%	39.4%	1.1%	9.8%
	moderate	18.0%	17.5%	20.7%	16.7%	18.1%	18.3%	29.4%	17.1%	11.1%	38.8%	15.4%
	big	8.0%	8.6%	4.4%	11.2%	3.1%	8.1%	0.0%	7.3%	18.5%	0.0%	9.0%
	very big	9.0%	7.8%	15.6%	4.9%	14.9%	12.8%	0.0%	7.9%	11.1%	17.7%	8.7%
Barrier regarding a criminal justice matter	very small	31.2%	31.0%	31.9%	26.3%	20.8%	48.9%	33.3%	36.5%	8.1%	13.6%	41.6%
	small	26.3%	26.7%	23.6%	18.0%	44.1%	29.0%	0.0%	26.1%	54.0%	7.1%	22.7%
	moderate	16.6%	17.1%	13.5%	26.0%	6.2%	6.6%	33.3%	11.4%	10.4%	54.2%	10.1%
	big	7.9%	5.9%	19.6%	0.0%	12.6%	13.1%	33.3%	5.0%	9.1%	16.6%	14.2%
	very big	18.1%	19.2%	11.4%	29.8%	16.3%	2.3%	0.0%	21.0%	18.4%	8.5%	11.4%

		Total	gender		ethnicity				riskgroup			
			Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
	N=	213	190	23	110	45	53	5	153	18	22	19
Ability to communicate or interact w/ provider	very small	21.2%	21.1%	21.6%	23.3%	25.2%	7.6%	37.8%	23.2%	18.4%	5.1%	25.8%
	small	17.2%	17.9%	13.1%	20.4%	11.0%	21.6%	0.0%	19.0%	17.2%	14.3%	9.1%
	moderate	31.6%	31.4%	33.3%	28.5%	34.4%	28.8%	54.9%	28.2%	35.6%	45.3%	36.8%
	big	8.7%	7.0%	19.0%	1.8%	17.2%	15.7%	6.1%	7.3%	10.4%	7.4%	16.9%
	very big	21.3%	22.7%	12.9%	26.0%	12.2%	26.3%	1.2%	22.3%	18.4%	27.9%	11.4%
Provider is not helpful	very small	36.8%	39.0%	23.6%	45.8%	19.9%	35.9%	33.2%	38.4%	34.3%	39.3%	26.5%
	small	17.2%	14.2%	35.6%	0.7%	48.0%	18.6%	29.4%	14.7%	22.0%	20.1%	26.5%
	moderate	20.5%	20.1%	23.1%	23.3%	17.7%	14.1%	37.4%	16.8%	24.9%	31.4%	28.2%
	big	9.4%	10.3%	4.1%	10.6%	5.4%	13.1%	0.0%	11.7%	9.4%	0.0%	5.3%
	very big	16.0%	16.3%	13.6%	19.6%	9.1%	18.3%	0.0%	18.4%	9.4%	9.2%	13.5%
Not provided proper referrals	very small	31.5%	33.6%	19.0%	38.9%	20.3%	27.0%	45.8%	33.2%	28.5%	32.4%	22.0%
	small	21.5%	20.5%	27.5%	17.4%	23.6%	30.0%	0.0%	22.7%	6.3%	26.6%	21.2%
	moderate	26.0%	25.6%	27.9%	23.9%	38.7%	17.9%	11.0%	21.6%	49.1%	36.9%	21.7%
	big	9.5%	10.4%	3.7%	11.4%	5.6%	10.6%	0.0%	10.5%	16.1%	0.0%	7.3%
	very big	11.6%	9.9%	22.0%	8.4%	11.8%	14.5%	43.2%	12.0%	0.0%	4.0%	27.9%
Navigate the system	very small	23.9%	23.6%	26.8%	29.8%	11.8%	18.6%	30.5%	23.8%	30.5%	14.1%	29.5%
	small	17.2%	17.3%	16.6%	7.4%	33.2%	27.1%	20.9%	19.3%	7.1%	8.3%	18.7%
	moderate	23.9%	22.8%	33.4%	26.8%	38.8%	7.8%	5.6%	22.4%	17.2%	36.7%	29.9%
	big	13.8%	14.7%	6.0%	15.4%	5.1%	12.4%	41.7%	12.1%	39.7%	8.3%	9.5%
	very big	21.2%	21.6%	17.2%	20.6%	11.2%	34.1%	1.3%	22.5%	5.5%	32.6%	12.5%
No specialist available	very small	37.8%	38.1%	35.7%	40.4%	29.3%	39.7%	46.9%	40.9%	32.2%	20.2%	34.6%
	small	19.7%	19.9%	18.4%	14.8%	30.7%	22.4%	0.0%	19.4%	25.4%	16.0%	19.9%
	moderate	22.9%	21.5%	33.3%	30.3%	19.2%	10.5%	22.7%	23.6%	0.0%	27.2%	32.4%
	big	10.8%	12.4%	0.0%	13.8%	7.7%	5.0%	22.7%	9.5%	42.5%	0.0%	2.7%
	very big	8.7%	8.2%	12.6%	0.7%	13.1%	22.5%	7.6%	6.6%	0.0%	36.6%	10.4%
Lack of confidentiality	very small	24.1%	25.3%	16.2%	37.2%	7.8%	20.7%	0.0%	25.8%	33.0%	9.2%	27.0%
	small	21.7%	23.4%	11.1%	33.5%	13.0%	7.8%	30.0%	27.9%	7.5%	9.6%	11.7%
	moderate	13.8%	12.2%	24.1%	12.2%	20.1%	6.5%	38.1%	12.3%	0.0%	25.8%	15.9%
	big	15.5%	16.0%	12.4%	14.6%	15.5%	19.3%	0.0%	11.9%	44.4%	22.0%	10.4%
	very big	24.9%	23.1%	36.2%	2.6%	43.6%	45.8%	31.9%	22.1%	15.0%	33.4%	35.1%
Fear being reported to authorities	very small	38.8%	39.2%	36.8%	84.9%	31.3%	12.8%	50.0%	44.5%	11.2%	34.3%	41.0%
	small	6.9%	4.9%	17.0%	2.7%	8.5%	9.3%	0.0%	0.0%	23.8%	16.4%	12.1%
	moderate	10.3%	9.5%	14.2%	6.2%	15.5%	10.7%	0.0%	4.7%	38.1%	0.0%	17.9%
	big	11.6%	11.2%	13.9%	0.0%	19.2%	15.7%	0.0%	12.2%	12.6%	11.1%	9.6%
	very big	32.4%	35.3%	18.2%	6.2%	25.5%	51.5%	50.0%	38.6%	14.3%	38.2%	19.4%
No transportation	very small	21.4%	22.3%	16.0%	16.9%	11.5%	31.2%	59.0%	23.5%	11.0%	19.2%	23.0%
	small	13.8%	13.0%	18.2%	15.6%	1.9%	22.6%	6.7%	14.2%	14.2%	10.2%	15.4%
	moderate	26.5%	25.4%	32.7%	28.8%	38.0%	15.7%	6.7%	21.0%	43.3%	35.1%	28.5%
	big	19.0%	19.9%	13.6%	13.8%	25.4%	20.7%	27.7%	22.5%	26.0%	4.2%	11.6%
	very big	19.3%	19.3%	19.4%	24.9%	23.3%	9.8%	0.0%	18.8%	5.5%	31.2%	21.4%

		Total	gender		ethnicity				riskgroup			
			Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
	N=	213	190	23	110	45	53	5	153	18	22	19
No childcare	very small	54.3%	60.4%	33.4%	65.5%	46.9%	29.5%	78.7%	64.1%	43.6%	49.5%	36.1%
	small	4.9%	3.6%	9.2%	0.0%	10.4%	5.7%	21.3%	0.0%	12.8%	0.0%	16.5%
	moderate	10.8%	7.9%	20.9%	7.2%	6.5%	30.6%	0.0%	0.0%	30.8%	31.4%	15.2%
	big	18.0%	23.3%	0.0%	25.4%	19.0%	0.0%	0.0%	29.2%	12.8%	0.0%	0.0%
	very big	12.0%	4.8%	36.5%	2.0%	17.1%	34.2%	0.0%	6.7%	0.0%	19.0%	32.1%
Not eligible for the service	very small	18.8%	19.5%	13.1%	16.8%	29.9%	10.5%	44.8%	19.1%	25.9%	12.4%	16.0%
	small	18.3%	17.2%	28.7%	11.3%	19.6%	33.4%	29.9%	13.8%	20.2%	38.1%	35.1%
	moderate	19.4%	18.3%	29.9%	22.2%	18.8%	11.8%	23.8%	17.4%	25.7%	26.6%	22.8%
	big	11.6%	11.8%	9.1%	10.5%	19.3%	10.2%	1.4%	10.2%	21.8%	12.2%	12.1%
	very big	31.9%	33.2%	19.2%	39.2%	12.5%	34.1%	0.0%	39.5%	6.4%	10.8%	14.2%
Red tape	very small	18.8%	16.2%	35.6%	13.7%	25.5%	23.3%	22.5%	13.6%	19.3%	33.7%	30.6%
	small	12.3%	12.4%	12.0%	11.2%	11.4%	12.8%	26.8%	11.9%	12.4%	9.8%	16.9%
	moderate	28.3%	28.9%	24.2%	37.5%	9.2%	20.8%	48.0%	29.2%	23.9%	24.2%	30.6%
	big	15.6%	15.7%	14.8%	13.9%	21.8%	16.5%	1.3%	13.9%	33.0%	15.1%	10.7%
	very big	25.1%	26.9%	13.4%	23.7%	32.0%	26.7%	1.3%	31.3%	11.5%	17.2%	11.2%
Cost of the service	very small	24.9%	23.4%	36.3%	29.9%	23.1%	11.4%	43.6%	25.3%	9.2%	23.7%	33.9%
	small	11.6%	10.8%	17.1%	9.7%	14.5%	11.5%	21.1%	10.1%	14.4%	12.1%	19.5%
	moderate	32.8%	34.2%	22.4%	33.2%	34.5%	31.8%	26.8%	34.2%	42.9%	25.0%	23.1%
	big	7.2%	7.4%	5.7%	3.4%	14.0%	10.0%	7.1%	5.3%	17.3%	12.7%	7.9%
	very big	23.6%	24.2%	18.5%	23.8%	14.0%	35.2%	1.3%	25.0%	16.1%	26.5%	15.6%
Rules and regulations	very small	22.7%	22.6%	23.2%	26.8%	17.2%	10.8%	69.7%	23.7%	22.4%	17.5%	20.5%
	small	20.2%	19.2%	27.7%	18.4%	23.5%	24.7%	0.0%	17.6%	12.6%	32.6%	33.0%
	moderate	18.4%	19.5%	10.2%	15.4%	26.3%	21.2%	0.0%	16.5%	29.5%	32.2%	11.3%
	big	14.0%	12.7%	23.7%	8.7%	21.8%	15.7%	30.3%	12.2%	28.5%	11.2%	17.1%
	very big	24.7%	26.0%	15.1%	30.7%	11.2%	27.6%	0.0%	30.0%	7.1%	6.6%	18.1%
Lack of, or inadequate, insurance coverage	very small	14.5%	13.4%	23.1%	16.4%	15.5%	5.1%	51.6%	15.7%	4.8%	0.0%	32.0%
	small	10.6%	10.1%	14.4%	7.1%	5.9%	21.0%	0.0%	5.4%	28.4%	24.8%	11.9%
	moderate	30.7%	31.6%	22.5%	38.1%	32.4%	17.7%	22.7%	34.1%	28.4%	24.0%	15.9%
	big	11.8%	10.8%	20.6%	4.9%	31.9%	11.6%	22.7%	7.4%	28.4%	20.4%	14.9%
	very big	32.4%	34.0%	19.4%	33.6%	14.4%	44.6%	2.9%	37.4%	10.1%	30.8%	25.3%
Been terminated or suspended from seeking services	very small	53.5%	57.5%	34.0%	59.5%	29.4%	65.0%	64.0%	68.2%	21.8%	11.7%	46.8%
	small	20.6%	21.5%	15.8%	25.8%	21.2%	4.9%	32.0%	20.2%	21.8%	24.3%	18.6%
	moderate	8.7%	7.3%	15.4%	3.2%	10.0%	21.5%	2.0%	0.0%	44.3%	24.6%	4.6%
	big	5.9%	4.7%	11.8%	4.9%	9.9%	4.9%	2.0%	3.9%	12.2%	1.2%	13.0%
	very big	11.3%	8.9%	23.0%	6.7%	29.6%	3.8%	0.0%	7.7%	0.0%	38.1%	17.0%

		stage							outcare	
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	
N=		213	53	48	26	81	58	57	12	
Not knowing that a service or tx was available to me	very small	8.1%	12.4%	7.3%	3.3%	8.3%	6.6%	13.8%	22.4%	
	small	14.1%	8.8%	19.3%	6.9%	16.8%	11.5%	11.4%	4.5%	
	moderate	32.2%	33.5%	19.0%	36.6%	33.8%	29.6%	31.9%	23.6%	
	big	9.2%	8.7%	8.8%	14.3%	8.5%	1.9%	1.5%	0.0%	
	very big	36.4%	36.6%	45.6%	38.9%	32.5%	50.4%	41.5%	49.5%	
Not knowing location of the service(s)	very small	19.3%	36.8%	17.2%	5.8%	16.0%	10.5%	13.6%	5.2%	
	small	15.4%	14.8%	30.4%	9.6%	12.9%	6.0%	10.7%	21.6%	
	moderate	28.5%	16.3%	22.0%	56.8%	29.5%	29.6%	28.2%	19.1%	
	big	10.7%	9.4%	2.1%	24.1%	8.3%	21.4%	21.8%	4.5%	
	very big	26.1%	22.6%	28.4%	3.8%	33.3%	32.5%	25.6%	49.5%	
Physical health	very small	22.4%	35.9%	10.7%	20.4%	23.3%	30.9%	17.2%	0.0%	
	small	30.2%	13.4%	47.2%	52.7%	25.9%	34.9%	32.8%	0.0%	
	moderate	16.2%	33.4%	17.7%	13.0%	10.6%	18.3%	8.7%	34.0%	
	big	10.7%	4.3%	17.9%	9.0%	7.9%	6.3%	10.2%	1.0%	
	very big	20.6%	13.0%	6.4%	4.9%	32.4%	9.5%	31.2%	65.0%	
Denial	very small	27.8%	46.1%	17.2%	3.5%	31.0%	15.9%	22.8%	0.0%	
	small	16.6%	9.5%	27.1%	13.9%	17.7%	24.0%	21.5%	41.4%	
	moderate	26.0%	23.1%	29.5%	43.6%	21.4%	11.6%	12.8%	13.4%	
	big	9.6%	0.0%	6.9%	32.7%	7.3%	22.7%	14.5%	0.0%	
	very big	20.0%	21.3%	19.3%	6.2%	22.7%	25.9%	28.4%	45.2%	
Not what medical services I need	very small	34.1%	38.4%	20.6%	38.4%	36.4%	14.0%	20.6%	0.0%	
	small	26.4%	17.5%	23.9%	41.9%	23.4%	34.1%	31.4%	17.9%	
	moderate	14.8%	10.6%	9.0%	11.8%	20.4%	9.6%	18.2%	32.8%	
	big	8.5%	5.2%	26.4%	3.0%	7.2%	9.9%	8.4%	17.9%	
	very big	16.2%	28.4%	20.1%	4.9%	12.7%	32.4%	21.4%	31.4%	
State of mind	very small	22.2%	20.3%	14.4%	6.5%	30.9%	12.6%	10.2%	27.4%	
	small	16.8%	9.7%	14.1%	45.6%	12.9%	14.0%	10.7%	0.0%	
	moderate	26.2%	34.1%	21.2%	34.2%	20.4%	29.9%	30.3%	20.0%	
	big	15.0%	8.3%	31.0%	10.0%	14.8%	4.5%	13.0%	4.7%	
	very big	19.9%	27.6%	19.2%	3.8%	21.0%	39.0%	35.9%	48.0%	
Not understanding the instructions	very small	17.7%	31.2%	9.8%	33.0%	9.0%	10.1%	6.1%	8.1%	
	small	29.3%	11.5%	38.2%	35.4%	32.9%	26.2%	33.3%	47.6%	
	moderate	24.8%	21.6%	32.2%	24.4%	20.2%	21.9%	22.6%	34.8%	
	big	11.6%	6.2%	9.8%	3.4%	19.7%	9.6%	3.1%	8.2%	
	very big	16.7%	29.4%	9.9%	3.9%	18.2%	32.2%	35.0%	1.3%	
Not knowing who to ask for help	very small	17.2%	39.5%	7.5%	23.8%	9.1%	9.8%	6.6%	4.5%	
	small	20.7%	11.6%	31.0%	25.5%	20.7%	8.7%	18.2%	0.0%	
	moderate	15.4%	14.4%	8.6%	10.8%	20.3%	19.9%	21.2%	49.7%	
	big	16.4%	3.6%	35.2%	4.0%	19.5%	13.8%	5.5%	0.7%	
	very big	30.2%	30.9%	17.8%	35.9%	30.4%	47.8%	48.4%	45.1%	

		Total	stage				recinc	homeless	outcare 6 months +
			HIV asymp	HIV symp	AIDS asymp	AIDS symp			
	N=	213	53	48	26	81	58	57	12
Sensitivity to my issues & concerns	very small	21.9%	31.5%	15.6%	30.7%	18.6%	9.4%	7.7%	36.3%
	small	15.0%	10.3%	16.8%	14.3%	17.4%	18.1%	24.9%	0.0%
	moderate	30.3%	43.5%	21.3%	38.0%	27.0%	47.9%	38.9%	56.5%
	big	10.0%	2.0%	28.5%	4.7%	5.0%	10.5%	9.0%	7.2%
	very big	22.7%	12.6%	17.8%	12.2%	32.0%	14.2%	19.4%	0.0%
Discrimination by provider	very small	22.4%	18.0%	16.2%	0.0%	33.1%	11.1%	36.4%	32.0%
	small	22.9%	19.1%	28.3%	38.4%	20.2%	44.1%	28.4%	6.6%
	moderate	31.9%	45.6%	30.4%	43.1%	26.0%	28.5%	15.2%	60.3%
	big	5.8%	3.2%	9.4%	0.0%	6.8%	7.2%	6.8%	1.1%
	very big	17.0%	14.2%	15.7%	18.4%	13.8%	9.2%	13.2%	0.0%
Experience or expertise of provider	very small	17.3%	37.3%	7.0%	8.6%	16.9%	15.1%	25.3%	1.6%
	small	25.1%	21.7%	19.9%	32.8%	26.9%	20.5%	22.7%	56.8%
	moderate	31.4%	24.3%	50.4%	45.2%	25.5%	45.5%	23.4%	41.6%
	big	4.6%	2.6%	9.3%	0.0%	5.1%	2.4%	0.0%	0.0%
	very big	21.6%	14.1%	13.4%	13.3%	25.6%	16.5%	28.6%	0.0%
Wait for an appointment	very small	20.8%	38.5%	12.9%	19.0%	18.6%	19.8%	18.8%	54.2%
	small	19.4%	19.0%	41.5%	12.5%	13.7%	17.6%	14.3%	8.8%
	moderate	20.3%	19.5%	16.2%	35.0%	18.3%	19.4%	5.1%	26.6%
	big	13.8%	9.1%	7.6%	21.8%	12.9%	24.2%	37.1%	10.4%
	very big	25.8%	13.9%	21.8%	11.7%	36.6%	19.0%	24.6%	0.0%
Feel like a number	very small	16.9%	34.0%	11.0%	11.9%	14.2%	15.4%	6.5%	0.0%
	small	22.1%	19.6%	29.2%	35.7%	17.1%	30.6%	22.4%	18.9%
	moderate	29.9%	31.9%	21.3%	8.8%	36.6%	14.6%	23.0%	81.1%
	big	4.5%	2.5%	6.0%	4.3%	5.3%	4.6%	0.0%	0.0%
	very big	26.6%	12.0%	32.6%	39.3%	26.7%	34.8%	48.1%	0.0%
Don't get along with providers	very small	44.0%	47.0%	22.5%	36.4%	55.0%	25.8%	38.7%	43.6%
	small	21.0%	22.6%	50.8%	10.9%	12.6%	23.8%	25.2%	8.9%
	moderate	18.0%	15.7%	12.1%	5.8%	26.8%	11.3%	5.8%	47.5%
	big	8.0%	3.7%	0.0%	31.7%	4.3%	25.3%	22.0%	0.0%
	very big	9.0%	11.0%	14.5%	15.2%	1.2%	13.8%	8.4%	0.0%
Barrier re a criminal justice matter	very small	31.2%	41.8%	27.7%	0.0%	35.4%	5.7%	12.2%	0.0%
	small	26.3%	17.8%	33.3%	90.2%	10.3%	34.5%	39.2%	71.9%
	moderate	16.6%	8.0%	13.3%	0.0%	29.4%	18.9%	19.3%	0.0%
	big	7.9%	11.1%	6.4%	9.8%	5.8%	11.9%	8.0%	28.1%
	very big	18.1%	21.3%	19.3%	0.0%	18.9%	28.9%	21.2%	0.0%
Ability to communicate or interact w/ provider	very small	21.2%	34.9%	17.0%	23.8%	17.2%	5.2%	17.4%	12.1%
	small	17.2%	5.9%	13.8%	5.2%	26.8%	14.7%	7.3%	0.0%
	moderate	31.6%	44.8%	48.3%	65.0%	10.6%	58.6%	48.8%	27.5%
	big	8.7%	7.7%	5.0%	6.0%	11.4%	4.7%	0.2%	1.9%
	very big	21.3%	6.8%	16.0%	0.0%	34.0%	16.8%	26.2%	58.5%

		Total	stage				recinc	homeless	outcare	
			HIV asymp	HIV symp	AIDS asymp	AIDS symp			6 months +	
	N=	213	53	48	26	81	58	57	12	
Provider is not helpful	very small	36.8%	43.5%	16.4%	36.0%	46.6%	26.8%	25.5%	60.4%	
	small	17.2%	27.6%	28.5%	9.3%	6.7%	24.6%	28.6%	12.0%	
	moderate	20.5%	17.5%	34.1%	3.1%	22.4%	20.6%	14.4%	27.6%	
	big	9.4%	8.0%	12.7%	36.7%	0.0%	17.7%	13.2%	0.0%	
	very big	16.0%	3.4%	8.3%	14.9%	24.3%	10.3%	18.4%	0.0%	
Not provided proper referrals	very small	31.5%	44.1%	14.9%	45.2%	29.6%	9.8%	21.0%	12.6%	
	small	21.5%	7.0%	22.2%	8.4%	28.6%	20.5%	21.9%	73.6%	
	moderate	26.0%	34.5%	40.2%	13.4%	22.7%	36.3%	28.1%	13.8%	
	big	9.5%	6.3%	4.3%	5.1%	13.1%	3.7%	6.5%	0.0%	
	very big	11.6%	8.1%	18.3%	27.9%	6.0%	29.7%	22.4%	0.0%	
Navigate the system	very small	23.9%	39.2%	25.4%	0.0%	24.1%	6.8%	2.1%	11.1%	
	small	17.2%	17.9%	15.9%	12.8%	19.1%	14.4%	22.7%	74.9%	
	moderate	23.9%	4.6%	14.6%	38.8%	31.7%	20.6%	20.2%	14.0%	
	big	13.8%	17.0%	24.6%	9.1%	9.9%	13.5%	8.0%	0.0%	
	very big	21.2%	21.3%	19.6%	39.4%	15.2%	44.7%	47.1%	0.0%	
No specialist available	very small	37.8%	34.6%	49.1%	12.4%	44.6%	8.6%	27.9%	72.0%	
	small	19.7%	18.0%	21.8%	18.5%	20.5%	21.2%	20.8%	12.2%	
	moderate	22.9%	30.4%	8.1%	64.0%	11.0%	48.8%	36.9%	15.7%	
	big	10.8%	14.1%	0.0%	5.1%	13.9%	9.3%	7.8%	0.0%	
	very big	8.7%	2.8%	21.0%	0.0%	10.1%	12.2%	6.5%	0.0%	
Lack of confidentiality	very small	24.1%	28.4%	7.4%	31.3%	28.7%	21.9%	26.6%	15.8%	
	small	21.7%	25.1%	16.2%	27.0%	21.5%	11.0%	14.6%	12.2%	
	moderate	13.8%	28.1%	3.5%	4.1%	14.1%	24.0%	16.7%	0.0%	
	big	15.5%	8.3%	21.1%	9.3%	16.8%	17.1%	14.4%	72.0%	
	very big	24.9%	10.1%	51.8%	28.3%	18.9%	26.1%	27.7%	0.0%	
Fear being reported to authorities	very small	38.8%	53.7%	36.7%	0.0%	36.0%	36.8%	41.7%	10.7%	
	small	6.9%	3.9%	20.1%	25.4%	1.6%	18.3%	2.5%	8.3%	
	moderate	10.3%	4.9%	0.0%	49.2%	13.3%	5.7%	9.5%	0.0%	
	big	11.6%	9.0%	5.2%	25.4%	14.6%	7.1%	4.4%	40.5%	
	very big	32.4%	28.6%	38.0%	0.0%	34.6%	32.1%	41.9%	40.5%	
No transportation	very small	21.4%	13.5%	10.4%	35.0%	29.7%	19.2%	24.5%	9.8%	
	small	13.8%	32.2%	4.0%	0.0%	6.2%	23.7%	24.2%	10.5%	
	moderate	26.5%	17.9%	44.3%	40.0%	23.2%	20.9%	13.7%	0.0%	
	big	19.0%	15.6%	12.3%	25.0%	22.3%	14.7%	15.5%	79.7%	
	very big	19.3%	20.8%	29.0%	0.0%	18.7%	21.5%	22.2%	0.0%	

		Total	stage				recinc	homeless	outcare	
			HIV asymp	HIV symp	AIDS asymp	AIDS symp			6 months +	
	N=	213	53	48	26	81	58	57	12	
No childcare	very small	54.3%	59.1%	48.1%	10.9%	77.0%	34.1%	41.0%	0.0%	
	small	4.9%	0.0%	19.3%	0.0%	3.3%	8.4%	3.2%	100.0%	
	moderate	10.8%	22.7%	0.0%	12.4%	6.3%	4.9%	5.2%	0.0%	
	big	18.0%	12.7%	0.0%	68.0%	6.0%	39.6%	37.5%	0.0%	
	very big	12.0%	5.4%	32.6%	8.6%	7.4%	13.0%	13.0%	0.0%	
Not eligible for the service	very small	18.8%	50.9%	11.0%	6.5%	10.6%	12.5%	18.0%	49.4%	
	small	18.3%	11.9%	21.9%	4.7%	24.3%	19.6%	8.5%	49.2%	
	moderate	19.4%	10.0%	11.5%	68.7%	12.2%	29.7%	18.2%	0.0%	
	big	11.6%	5.9%	21.9%	0.0%	12.8%	11.6%	3.2%	1.4%	
	very big	31.9%	21.3%	33.7%	20.1%	40.1%	26.6%	52.0%	0.0%	
Red tape	very small	18.8%	28.2%	39.7%	3.5%	11.7%	10.5%	8.8%	44.6%	
	small	12.3%	20.8%	8.9%	10.2%	11.6%	27.1%	20.9%	44.4%	
	moderate	28.3%	16.8%	13.9%	40.6%	37.0%	18.2%	21.5%	0.0%	
	big	15.6%	28.0%	21.2%	3.8%	11.2%	20.5%	8.1%	11.0%	
	very big	25.1%	6.2%	16.3%	41.9%	28.5%	23.7%	40.7%	0.0%	
Cost of the service	very small	24.9%	6.8%	0.9%	1.9%	13.6%	2.5%	2.3%	0.0%	
	small	11.6%	1.3%	1.1%	0.0%	8.4%	1.9%	3.3%	2.0%	
	moderate	32.8%	3.2%	7.2%	6.8%	13.2%	8.1%	11.4%	0.4%	
	big	7.2%	1.2%	4.3%	0.5%	0.0%	2.1%	0.6%	0.1%	
	very big	23.6%	4.1%	2.1%	4.9%	10.8%	7.4%	10.6%	0.0%	
Rules and regulations	very small	22.7%	6.0%	1.8%	2.0%	10.7%	2.2%	7.3%	0.0%	
	small	20.2%	4.2%	4.2%	0.0%	9.6%	3.2%	5.8%	2.7%	
	moderate	18.4%	1.0%	1.5%	2.7%	11.5%	4.0%	7.2%	1.6%	
	big	14.0%	2.2%	2.8%	4.5%	2.5%	2.7%	1.6%	0.1%	
	very big	24.7%	3.6%	4.3%	5.0%	7.8%	9.1%	10.1%	0.0%	
Lack of, or inadequate, insurance coverage	very small	14.5%	4.9%	1.1%	1.3%	5.5%	0.7%	0.0%	0.0%	
	small	10.6%	0.9%	0.9%	1.6%	5.6%	2.4%	3.7%	2.3%	
	moderate	30.7%	4.1%	6.1%	4.5%	11.3%	3.0%	4.4%	0.4%	
	big	11.8%	2.1%	4.0%	0.5%	3.2%	4.7%	3.3%	2.0%	
	very big	32.4%	4.6%	4.4%	0.5%	17.4%	8.3%	16.2%	0.1%	
Been terminated or suspended from seeking services	very small	53.5%	8.1%	1.3%	0.0%	12.8%	3.1%	5.4%	0.0%	
	small	20.6%	4.7%	2.2%	0.0%	1.7%	5.3%	4.6%	0.3%	
	moderate	8.7%	0.5%	0.1%	2.2%	0.8%	0.0%	0.6%	0.0%	
	big	5.9%	1.0%	0.3%	0.0%	0.4%	1.4%	0.8%	0.8%	
	very big	11.3%	1.0%	3.1%	0.0%	0.6%	3.3%	2.4%	0.0%	

		Total	gender		ethnicity			riskgroup					
			Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/ IDU	IDU	Hetero	
		N=	213	190	23	110	45	53	5	153	18	22	19
It is my responsibility to inform my sexual partner(s) that I am HIV positive.	strongly disagree	1.8%	1.5%	4.4%	0.6%	6.5%	0.5%	0.0%	0.7%	3.4%	4.2%	6.7%	
	disagree somewhat	0.6%	0.3%	2.9%	0.0%	0.7%	1.7%	0.0%	0.0%	2.9%	1.5%	1.8%	
	agree somewhat	12.1%	13.1%	4.1%	13.2%	4.1%	16.6%	16.3%	15.6%	6.0%	2.7%	1.8%	
	strongly agree	85.5%	85.1%	88.6%	86.3%	88.7%	81.1%	83.7%	83.8%	87.7%	91.5%	89.8%	
It is the responsibility of the person I am having sex with to protect themselves from HIV infection.	strongly disagree	17.7%	18.8%	9.2%	20.3%	17.3%	12.4%	20.7%	17.2%	20.8%	22.6%	13.2%	
	disagree somewhat	3.2%	2.9%	5.6%	1.1%	7.5%	4.3%	0.0%	2.4%	8.9%	1.2%	6.3%	
	agree somewhat	8.5%	8.1%	11.8%	8.1%	9.6%	5.2%	40.2%	7.3%	11.2%	12.6%	10.7%	
	strongly agree	70.5%	70.1%	73.5%	70.5%	65.6%	78.1%	39.1%	73.0%	59.0%	63.6%	69.7%	
When I have unprotected sex with another HIV positive person, it presents no health risk for either of us.	strongly disagree	68.1%	70.8%	46.5%	75.9%	54.5%	62.0%	83.7%	71.8%	67.5%	58.2%	50.1%	
	disagree somewhat	6.2%	4.4%	20.8%	5.9%	9.0%	4.9%	0.0%	3.6%	13.0%	7.0%	19.4%	
	agree somewhat	9.5%	8.7%	16.3%	3.7%	10.4%	20.4%	16.3%	8.8%	11.6%	11.2%	10.8%	
	strongly agree	16.2%	16.2%	16.4%	14.5%	26.0%	12.7%	0.0%	15.8%	7.9%	23.5%	19.8%	
Sex is better without using a condom.	strongly disagree	36.6%	37.6%	28.5%	33.1%	41.9%	40.1%	29.3%	38.8%	29.1%	30.0%	33.9%	
	disagree somewhat	7.0%	6.6%	10.5%	2.5%	17.9%	6.1%	16.3%	6.3%	12.7%	3.9%	10.5%	
	agree somewhat	12.7%	10.8%	28.5%	9.9%	7.9%	22.6%	17.4%	10.4%	19.0%	13.4%	23.9%	
	strongly agree	43.7%	45.1%	32.6%	54.5%	32.4%	31.2%	37.0%	44.5%	39.1%	52.7%	31.7%	
When I am "turned on" putting on a condom ruins the moment.	strongly disagree	41.5%	41.7%	40.4%	39.8%	54.3%	37.2%	11.9%	43.9%	31.2%	33.5%	41.3%	
	disagree somewhat	23.5%	23.3%	25.7%	22.8%	19.7%	23.5%	70.7%	23.9%	24.3%	25.0%	18.3%	
	agree somewhat	14.1%	12.8%	25.4%	11.3%	8.0%	25.2%	16.3%	10.5%	29.1%	12.7%	31.8%	
	strongly agree	20.8%	22.2%	8.5%	26.0%	18.0%	14.1%	1.0%	21.7%	15.5%	28.8%	8.6%	
I am not in the habit of using a condom when I have sex.	strongly disagree	50.3%	51.2%	43.0%	46.8%	56.1%	54.2%	33.7%	50.0%	53.3%	59.2%	39.7%	
	disagree somewhat	9.7%	8.9%	16.7%	4.8%	16.6%	13.1%	16.3%	9.2%	12.6%	6.9%	14.8%	
	agree somewhat	20.5%	20.4%	21.8%	26.7%	10.7%	15.3%	32.6%	20.5%	25.6%	12.9%	24.7%	
	strongly agree	19.4%	19.5%	18.5%	21.7%	16.6%	17.4%	17.4%	20.3%	8.5%	21.0%	20.8%	
When I have sex I am usually high on alcohol and/or drugs.	strongly disagree	68.5%	68.9%	65.6%	67.7%	66.7%	74.4%	43.5%	73.9%	54.0%	47.9%	61.7%	
	disagree somewhat	14.1%	14.5%	10.3%	19.3%	6.5%	7.9%	32.6%	15.1%	10.5%	13.6%	9.4%	
	agree somewhat	8.9%	8.2%	14.5%	5.9%	13.6%	9.6%	22.8%	5.9%	20.4%	12.3%	18.3%	
	strongly agree	8.5%	8.4%	9.5%	7.1%	13.2%	8.1%	1.0%	5.1%	15.1%	26.1%	10.5%	

		Total	gender		ethnicity			riskgroup				
			Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM/ IDU	IDU	Hetero
	N=	213	190	23	110	45	53	5	153	18	22	19
When I am high on drugs I don't think much about transmission of HIV infection to others.	strongly disagree	62.8%	62.7%	63.9%	67.8%	54.3%	64.1%	26.2%	66.2%	46.6%	52.5%	63.7%
	disagree somewhat	9.4%	9.9%	5.3%	9.8%	11.6%	2.4%	50.0%	9.4%	6.4%	12.7%	8.8%
	agree somewhat	11.1%	11.1%	11.3%	11.9%	6.1%	12.7%	22.8%	10.8%	21.3%	6.6%	9.2%
	strongly agree	16.7%	16.3%	19.4%	10.5%	28.0%	20.8%	1.0%	13.6%	25.7%	28.3%	18.4%
I know when my partner is infected with HIV.	strongly disagree	50.5%	47.8%	71.9%	48.5%	60.4%	47.3%	33.7%	48.2%	35.5%	59.9%	71.1%
	disagree somewhat	13.8%	14.4%	9.0%	16.5%	10.3%	7.8%	48.9%	13.8%	19.6%	15.2%	6.6%
	agree somewhat	11.3%	11.6%	9.1%	15.0%	0.7%	14.4%	0.0%	12.9%	10.0%	6.2%	6.4%
	strongly agree	24.4%	26.2%	10.0%	20.0%	28.6%	30.4%	17.4%	25.1%	34.8%	18.7%	15.9%
I am embarrassed to suggest using a condom with a partner.	strongly disagree	73.7%	75.3%	60.9%	78.8%	72.6%	66.6%	50.0%	78.5%	56.0%	61.2%	67.7%
	disagree somewhat	7.6%	7.2%	10.2%	2.7%	11.9%	11.2%	32.6%	5.5%	18.5%	14.8%	5.5%
	agree somewhat	11.0%	10.7%	13.2%	14.3%	8.0%	6.1%	16.3%	9.3%	19.7%	13.2%	13.4%
	strongly agree	7.7%	6.7%	15.7%	4.1%	7.6%	16.1%	1.0%	6.8%	5.8%	10.8%	13.4%
Sex with a condom isn't real sex.	strongly disagree	66.4%	66.8%	63.4%	67.1%	73.3%	60.5%	51.1%	67.8%	68.3%	60.2%	60.3%
	disagree somewhat	10.6%	10.2%	13.6%	6.1%	12.1%	14.8%	48.9%	8.5%	19.3%	13.2%	15.8%
	agree somewhat	13.0%	12.6%	15.9%	19.2%	6.1%	7.2%	0.0%	13.0%	9.7%	13.6%	15.3%
	strongly agree	10.0%	10.3%	7.1%	7.5%	8.5%	17.5%	0.0%	10.6%	2.7%	13.1%	8.6%
Using a condom will be interpreted by my partner as me being unfaithful.	strongly disagree	79.4%	80.7%	68.5%	89.7%	71.7%	65.6%	65.9%	82.9%	68.8%	79.3%	61.1%
	disagree somewhat	7.5%	7.6%	6.5%	4.3%	14.3%	9.3%	0.0%	7.1%	15.5%	2.2%	10.0%
	agree somewhat	5.0%	4.1%	12.7%	2.4%	6.3%	6.6%	34.1%	2.9%	12.7%	7.6%	12.1%
	strongly agree	8.1%	7.6%	12.3%	3.7%	7.7%	18.5%	0.0%	7.2%	3.0%	10.9%	16.8%
I want to have kids and condoms are a type of birth control.	strongly disagree	70.7%	71.5%	64.5%	81.1%	62.0%	59.4%	45.6%	75.4%	55.2%	64.8%	54.7%
	disagree somewhat	5.3%	4.9%	9.0%	1.5%	12.3%	7.9%	0.0%	3.2%	15.9%	5.4%	12.9%
	agree somewhat	7.3%	7.5%	5.9%	4.7%	7.8%	10.7%	20.7%	5.8%	12.9%	10.8%	9.9%
	strongly agree	16.7%	16.2%	20.6%	12.7%	17.9%	22.0%	33.7%	15.7%	16.0%	18.9%	22.5%
Not using condoms or sharing needles is exciting -- it tempts fate.	strongly disagree	75.4%	75.4%	75.2%	83.7%	69.0%	64.1%	67.4%	74.7%	71.0%	85.5%	72.9%
	disagree somewhat	4.9%	4.5%	8.3%	3.9%	7.7%	5.1%	0.0%	4.7%	6.5%	3.5%	6.9%
	agree somewhat	3.2%	3.3%	2.7%	4.5%	3.0%	1.1%	0.0%	2.9%	10.0%	1.2%	1.8%
	strongly agree	16.4%	16.8%	13.9%	7.9%	20.3%	29.7%	32.6%	17.7%	12.4%	9.8%	18.4%
My partner insists on having sex without using a condom.	strongly disagree	60.9%	61.3%	57.6%	59.8%	60.9%	66.6%	29.3%	61.9%	54.1%	57.2%	63.6%
	disagree somewhat	15.9%	15.7%	17.7%	17.0%	14.9%	12.6%	32.6%	16.1%	13.2%	17.8%	14.5%
	agree somewhat	10.5%	10.5%	10.4%	11.8%	4.1%	12.0%	21.8%	8.3%	32.8%	7.5%	9.6%
	strongly agree	12.8%	12.6%	14.4%	11.4%	20.1%	8.8%	16.3%	13.7%	0.0%	17.5%	12.3%

			stage							outcare
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	
	N=	213	53	48	26	81	58	57	12	
It is my responsibility to inform my sexual partner(s) that I am HIV positive.	strongly disagree	1.8%	0.0%	5.5%	5.5%	0.3%	4.5%	3.6%	2.8%	
	disagree somewhat	0.6%	0.0%	1.0%	1.8%	0.3%	1.0%	0.8%	0.0%	
	agree somewhat	12.1%	12.9%	12.1%	20.0%	9.3%	1.8%	3.0%	16.4%	
	strongly agree	85.5%	87.1%	81.5%	72.7%	90.1%	92.8%	92.6%	80.8%	
It is the responsibility of the person I am having sex with to protect themselves from HIV infection.	strongly disagree	17.7%	26.4%	15.8%	28.3%	10.2%	20.4%	20.3%	36.7%	
	disagree somewhat	3.2%	1.1%	1.5%	7.4%	3.0%	6.9%	0.4%	0.0%	
	agree somewhat	8.5%	4.8%	17.2%	6.0%	8.2%	12.2%	19.4%	5.6%	
	strongly agree	70.5%	67.7%	65.5%	58.3%	78.6%	60.5%	59.9%	57.7%	
When I have unprotected sex with another HIV positive person, it presents no health risk for either of us.	strongly disagree	68.1%	77.5%	64.1%	72.6%	63.2%	55.5%	67.2%	71.6%	
	disagree somewhat	6.2%	5.6%	8.7%	1.5%	6.6%	9.0%	4.7%	3.6%	
	agree somewhat	9.5%	7.2%	6.9%	18.8%	9.1%	19.8%	21.4%	16.4%	
	strongly agree	16.2%	9.7%	20.3%	7.1%	21.2%	15.7%	6.8%	8.4%	
Sex is better without using a condom.	strongly disagree	36.6%	43.6%	47.0%	20.3%	34.7%	38.3%	31.7%	47.2%	
	disagree somewhat	7.0%	6.8%	4.5%	4.1%	8.2%	7.8%	8.9%	6.4%	
	agree somewhat	12.7%	12.2%	9.9%	13.4%	14.2%	16.7%	13.9%	2.8%	
	strongly agree	43.7%	37.3%	38.5%	62.2%	43.0%	37.3%	45.5%	43.6%	
When I am "turned on" putting on a condom ruins the moment.	strongly disagree	41.5%	46.3%	50.5%	40.5%	36.8%	39.9%	32.0%	76.7%	
	disagree somewhat	23.5%	24.9%	25.4%	23.9%	22.1%	28.8%	23.7%	20.0%	
	agree somewhat	14.1%	12.3%	16.4%	12.1%	13.6%	21.4%	23.7%	2.8%	
	strongly agree	20.8%	16.4%	7.6%	23.6%	27.5%	9.8%	20.7%	0.5%	
I am not in the habit of using a condom when I have sex.	strongly disagree	50.3%	44.0%	60.8%	41.6%	53.1%	36.2%	28.9%	74.4%	
	disagree somewhat	9.7%	5.7%	11.1%	4.8%	12.4%	17.1%	11.4%	5.7%	
	agree somewhat	20.5%	35.9%	12.6%	19.0%	15.3%	34.1%	42.4%	20.0%	
	strongly agree	19.4%	14.4%	15.5%	34.6%	19.2%	12.7%	17.4%	0.0%	
When I have sex I am usually high on alcohol and/or drugs.	strongly disagree	68.5%	76.4%	62.9%	56.1%	72.1%	49.4%	60.0%	78.0%	
	disagree somewhat	14.1%	2.5%	14.3%	22.8%	16.8%	15.8%	10.9%	16.4%	
	agree somewhat	8.9%	12.8%	12.7%	15.8%	3.5%	23.8%	15.1%	2.8%	
	strongly agree	8.5%	8.3%	10.2%	5.3%	7.6%	10.9%	14.0%	2.8%	

		Total	stage				recinc	homeless	outcare 6 months +
			HIV asymp	HIV symp	AIDS asymp	AIDS symp			
	N=	213	53	48	26	81	58	57	12
When I am high on drugs I don't think much about transmission of HIV infection to others.	strongly disagree	62.8%	76.4%	62.0%	43.6%	63.9%	43.9%	46.7%	63.1%
	disagree somewhat	9.4%	7.9%	11.2%	7.1%	10.0%	16.1%	10.9%	3.3%
	agree somewhat	11.1%	2.9%	6.7%	28.1%	9.7%	18.3%	26.7%	6.4%
	strongly agree	16.7%	12.8%	20.1%	21.2%	16.5%	21.7%	15.6%	27.2%
I know when my partner is infected with HIV.	strongly disagree	50.5%	57.7%	67.0%	61.7%	36.9%	66.2%	61.5%	52.8%
	disagree somewhat	13.8%	13.0%	19.3%	1.8%	15.9%	13.3%	16.8%	2.8%
	agree somewhat	11.3%	4.1%	5.4%	13.4%	15.3%	6.1%	9.2%	3.6%
	strongly agree	24.4%	25.2%	8.4%	23.1%	31.8%	14.4%	12.6%	40.8%
I am embarrassed to suggest using a condom with a partner.	strongly disagree	73.7%	59.0%	79.7%	79.6%	78.7%	77.6%	69.4%	86.4%
	disagree somewhat	7.6%	6.2%	4.6%	17.0%	5.6%	9.1%	9.4%	0.0%
	agree somewhat	11.0%	18.4%	8.4%	0.0%	12.3%	7.1%	15.0%	0.0%
	strongly agree	7.7%	16.4%	7.3%	3.4%	3.4%	6.1%	6.2%	13.6%
Sex with a condom isn't real sex.	strongly disagree	66.4%	65.3%	77.8%	56.6%	65.5%	62.3%	54.6%	69.2%
	disagree somewhat	10.6%	7.8%	9.7%	13.3%	10.8%	12.6%	13.1%	0.0%
	agree somewhat	13.0%	8.5%	3.5%	30.1%	13.8%	16.6%	22.3%	3.6%
	strongly agree	10.0%	18.4%	8.9%	0.0%	9.9%	8.5%	9.9%	27.2%
Using a condom will be interpreted by my partner as me being unfaithful.	strongly disagree	79.4%	80.5%	81.2%	86.0%	77.8%	79.8%	73.3%	66.4%
	disagree somewhat	7.5%	4.1%	10.0%	12.4%	6.4%	10.6%	9.7%	16.4%
	agree somewhat	5.0%	7.0%	4.9%	1.7%	5.3%	6.9%	7.7%	3.6%
	strongly agree	8.1%	8.4%	3.8%	0.0%	10.5%	2.7%	9.4%	13.6%
I want to have kids and condoms are a type of birth control.	strongly disagree	70.7%	63.3%	61.1%	75.2%	78.2%	44.7%	52.3%	66.4%
	disagree somewhat	5.3%	3.0%	15.0%	1.8%	3.2%	9.0%	4.5%	0.0%
	agree somewhat	7.3%	6.7%	5.6%	3.1%	8.1%	8.7%	14.3%	3.6%
	strongly agree	16.7%	27.0%	18.3%	19.8%	10.6%	37.5%	28.9%	30.0%
Not using condoms or sharing needles is exciting -- it tempts fate.	strongly disagree	75.4%	70.4%	76.3%	78.8%	77.8%	84.5%	68.6%	86.4%
	disagree somewhat	4.9%	5.7%	5.1%	11.5%	2.0%	4.6%	3.4%	0.0%
	agree somewhat	3.2%	0.6%	5.6%	1.8%	4.2%	0.8%	9.7%	0.0%
	strongly agree	16.4%	23.3%	13.0%	7.8%	16.0%	10.1%	18.3%	13.6%
My partner insists on having sex without using a condom.	strongly disagree	60.9%	44.4%	75.6%	59.6%	65.1%	66.6%	66.3%	80.8%
	disagree somewhat	15.9%	5.1%	7.5%	23.3%	20.1%	22.0%	16.8%	0.0%
	agree somewhat	10.5%	21.8%	5.5%	7.5%	8.0%	6.4%	9.1%	0.0%
	strongly agree	12.8%	28.7%	11.3%	9.5%	6.8%	4.9%	7.8%	19.2%

		Total	gender		ethnicity				riskgroup			
			Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
	N=	213	190	23	110	45	53	5	153	18	22	19
I do not have sex with people who I know are infected with HIV, regardless of condom use.	never	54.6%	55.3%	48.7%	62.2%	47.2%	49.7%	6.8%	59.0%	42.6%	37.6%	50.4%
	not frequently	16.0%	15.5%	20.7%	9.5%	26.9%	17.8%	40.9%	13.9%	26.6%	21.8%	16.1%
	some of the time	15.1%	15.6%	10.4%	14.9%	11.9%	14.6%	51.2%	14.8%	24.3%	10.4%	13.9%
	all the time	14.3%	13.7%	20.2%	13.4%	14.0%	17.9%	1.1%	12.3%	6.5%	30.2%	19.6%
I tell all my sexual partners my HIV status before I have sex with them.	never	11.3%	10.4%	18.7%	7.8%	13.6%	16.1%	17.1%	11.4%	10.0%	1.5%	23.4%
	not frequently	9.3%	9.5%	8.1%	6.5%	5.8%	15.9%	34.1%	10.6%	9.1%	5.8%	2.5%
	some of the time	14.1%	14.6%	9.9%	14.8%	13.9%	13.5%	7.9%	12.9%	30.4%	11.1%	12.3%
	all the time	65.3%	65.5%	63.3%	70.9%	66.8%	54.5%	40.9%	65.0%	50.4%	81.6%	61.8%
I tell my HIV status to partners with whom I'm thinking of having a relationship, but not casual sex partners.	never	29.6%	29.4%	31.0%	32.4%	28.9%	25.3%	18.2%	30.5%	29.7%	23.7%	29.1%
	not frequently	7.1%	7.0%	7.1%	7.1%	9.6%	5.5%	0.0%	7.8%	6.5%	3.9%	5.5%
	some of the time	13.0%	12.6%	16.1%	7.3%	12.4%	21.9%	46.6%	11.3%	16.9%	16.7%	18.7%
	all the time	50.4%	50.9%	45.9%	53.1%	49.1%	47.3%	35.2%	50.4%	46.8%	55.8%	46.7%
I only have sex with people of my own HIV status.	never	48.1%	46.6%	60.5%	52.7%	42.4%	47.8%	0.0%	50.9%	12.7%	53.6%	54.5%
	not frequently	16.6%	17.1%	12.0%	19.5%	13.9%	9.0%	53.7%	16.0%	21.7%	18.9%	12.9%
	some of the time	16.7%	17.4%	10.4%	11.3%	25.8%	19.2%	27.3%	13.3%	45.9%	19.9%	11.1%
	all the time	18.7%	18.8%	17.1%	16.5%	17.8%	24.0%	19.0%	19.8%	19.7%	7.6%	21.5%
I don't pay much attention to HIV status when deciding to have sex with someone.	never	41.4%	40.3%	51.1%	37.8%	49.7%	44.2%	19.0%	41.1%	32.1%	41.3%	54.1%
	not frequently	3.0%	2.9%	4.0%	1.2%	6.5%	4.4%	0.0%	1.8%	10.0%	7.2%	2.0%
	some of the time	21.1%	21.9%	13.9%	17.6%	21.4%	22.7%	79.8%	19.2%	42.0%	19.6%	17.7%
	all the time	34.5%	34.9%	31.0%	43.4%	22.5%	28.7%	1.1%	38.0%	15.9%	31.9%	26.3%
I am in control of whether or not I use protected sex.	never	15.1%	14.1%	24.1%	14.2%	19.1%	15.3%	0.0%	14.6%	12.4%	17.8%	19.2%
	not frequently	2.7%	2.5%	4.2%	1.0%	4.5%	5.0%	0.0%	0.7%	11.9%	9.3%	2.4%
	some of the time	9.9%	10.6%	4.2%	10.3%	7.6%	9.6%	23.8%	9.6%	18.6%	11.7%	1.9%
	all the time	72.3%	72.8%	67.6%	74.5%	68.8%	70.1%	76.2%	75.1%	57.2%	61.2%	76.6%
I have made a commitment to myself to only have safe sex.	never	11.3%	10.8%	15.2%	14.1%	8.4%	7.5%	17.4%	12.3%	9.6%	6.5%	10.8%
	not frequently	4.7%	5.0%	2.3%	0.3%	8.5%	7.5%	32.6%	5.4%	3.2%	2.3%	2.7%
	some of the time	15.4%	16.5%	6.4%	17.7%	18.0%	9.4%	7.5%	14.2%	25.2%	19.5%	11.2%
	all the time	68.6%	67.7%	76.1%	68.0%	65.1%	75.7%	42.5%	68.1%	62.0%	71.7%	75.3%

		Total	gender		ethnicity			API and other	riskgroup			
			Male	Female	Anglo	African Am	Latino		MSM	MSMIDU	IDU	Hetero
	N=	213	190	23	110	45	53	5	153	18	22	19
I have made a commitment to other people to only have safe sex.	never	9.5%	9.0%	13.6%	11.3%	9.5%	6.5%	1.1%	9.3%	12.7%	5.2%	13.2%
	not frequently	6.0%	6.4%	2.3%	0.0%	10.3%	10.7%	53.7%	7.1%	5.8%	2.4%	1.1%
	some of the time	16.3%	16.5%	14.9%	17.5%	24.2%	8.2%	7.1%	13.6%	24.0%	29.3%	15.6%
	all the time	68.2%	68.1%	69.2%	71.1%	56.0%	74.6%	38.1%	70.0%	57.5%	63.1%	70.1%
I tell all my drug using partners my HIV status before I share needles with them.	never	42.7%	41.6%	48.0%	33.0%	52.4%	43.2%	0.0%	64.3%	21.4%	22.9%	76.7%
	not frequently	2.9%	2.3%	6.2%	2.6%	0.0%	8.0%	0.0%	0.0%	5.1%	5.6%	0.0%
	some of the time	5.8%	6.2%	3.8%	10.6%	4.6%	0.0%	50.0%	0.0%	17.6%	6.8%	0.0%
	all the time	48.6%	49.8%	42.0%	53.8%	43.0%	48.8%	50.0%	35.7%	55.9%	64.7%	23.3%
I make the decision about whether or not to share needles.	never	39.3%	37.8%	46.9%	33.0%	42.7%	44.4%	0.0%	64.3%	22.6%	14.6%	64.5%
	not frequently	0.8%	0.0%	5.1%	0.0%	0.0%	3.5%	0.0%	0.0%	0.0%	0.0%	9.0%
	some of the time	4.8%	3.9%	9.3%	10.1%	0.0%	3.9%	0.0%	0.0%	12.4%	7.0%	0.0%
	all the time	55.1%	58.3%	38.7%	56.9%	57.3%	48.2%	100.0%	35.7%	65.1%	78.3%	26.4%
I don't pay much attention to HIV status when sharing needles with my drug using partners.	never	68.5%	69.0%	65.8%	79.1%	64.2%	58.7%	0.0%	81.5%	50.3%	59.3%	91.2%
	not frequently	5.8%	6.4%	3.0%	7.3%	0.0%	12.6%	0.0%	8.3%	11.1%	1.5%	0.0%
	some of the time	8.0%	6.9%	13.6%	7.3%	9.5%	7.1%	0.0%	0.0%	15.4%	12.0%	8.8%
	all the time	17.7%	17.7%	17.6%	6.4%	26.4%	21.6%	100.0%	10.2%	23.2%	27.2%	0.0%

		Total	stage				recinc	homeless	outcare	
			HIV asymp	HIV symp	AIDS asymp	AIDS symp			6 months +	
	N=	213	53	48	26	81	58	57	12	
I do not have sex with people who I know are infected with HIV, regardless of condom use.	never	54.6%	47.6%	67.4%	44.3%	55.5%	30.8%	49.3%	70.0%	
	not frequently	16.0%	29.2%	17.2%	5.7%	13.0%	24.9%	22.6%	0.0%	
	some of the time	15.1%	12.2%	7.6%	33.5%	14.0%	25.9%	21.8%	0.0%	
	all the time	14.3%	11.0%	7.9%	16.4%	17.5%	18.4%	6.3%	30.0%	
I tell all my sexual partners my HIV status before I have sex with them.	never	11.3%	17.3%	21.7%	15.7%	2.9%	11.9%	6.6%	0.0%	
	not frequently	9.3%	3.0%	5.7%	24.1%	9.3%	1.2%	10.4%	0.0%	
	some of the time	14.1%	13.3%	15.1%	5.1%	15.7%	11.9%	13.9%	13.6%	
	all the time	65.3%	66.4%	57.4%	55.1%	72.1%	75.0%	69.1%	86.4%	
I tell my HIV status to partners with whom I'm thinking of having a relationship, but not casual sex partners.	never	29.6%	37.4%	41.9%	20.6%	24.1%	31.3%	29.5%	31.1%	
	not frequently	7.1%	4.2%	9.4%	1.9%	9.5%	6.2%	13.8%	2.8%	
	some of the time	13.0%	23.2%	8.6%	12.6%	8.4%	8.0%	15.6%	13.6%	
	all the time	50.4%	35.3%	40.1%	64.9%	58.0%	54.5%	41.1%	52.5%	
I only have sex with people of my own HIV status.	never	48.1%	53.0%	56.6%	42.6%	44.5%	42.3%	41.5%	62.8%	
	not frequently	16.6%	8.0%	10.3%	27.0%	21.0%	32.7%	22.3%	0.0%	
	some of the time	16.7%	26.8%	17.3%	20.0%	8.7%	16.4%	21.0%	3.2%	
	all the time	18.7%	12.2%	15.9%	10.4%	25.9%	8.6%	15.2%	34.0%	
I don't pay much attention to HIV status when deciding to have sex with someone.	never	41.4%	35.7%	47.2%	50.0%	39.8%	46.0%	30.9%	66.7%	
	not frequently	3.0%	3.7%	2.8%	0.0%	3.9%	2.7%	4.6%	0.0%	
	some of the time	21.1%	27.4%	26.3%	19.2%	15.7%	26.0%	38.7%	27.2%	
	all the time	34.5%	33.2%	23.7%	30.9%	40.7%	25.3%	25.7%	6.1%	
I am in control of whether or not I use protected sex.	never	15.1%	22.1%	24.5%	7.3%	11.3%	22.4%	13.4%	18.0%	
	not frequently	2.7%	4.3%	4.4%	0.0%	2.2%	10.2%	8.2%	0.0%	
	some of the time	9.9%	2.0%	7.9%	15.7%	10.7%	4.1%	17.5%	2.8%	
	all the time	72.3%	71.6%	63.1%	77.0%	75.8%	63.3%	61.0%	79.2%	
I have made a commitment to myself to only have safe sex.	never	11.3%	13.7%	9.8%	32.6%	5.2%	8.7%	14.5%	0.5%	
	not frequently	4.7%	3.6%	5.0%	7.2%	4.5%	0.6%	1.7%	0.0%	
	some of the time	15.4%	14.7%	16.2%	11.9%	15.3%	20.8%	23.0%	0.0%	
	all the time	68.6%	67.9%	68.9%	48.2%	75.0%	69.9%	60.7%	99.5%	
I have made a commitment to other people to only have safe sex.	never	9.5%	13.2%	10.2%	27.2%	2.3%	7.9%	3.7%	0.5%	
	not frequently	6.0%	4.9%	4.9%	8.3%	6.3%	2.0%	3.6%	0.0%	
	some of the time	16.3%	17.4%	9.1%	14.1%	17.7%	24.5%	20.8%	3.1%	
	all the time	68.2%	64.4%	75.8%	50.4%	73.7%	65.7%	71.9%	96.4%	

			stage						outcare	
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	
	N=	213	53	48	26	81	58	57	12	
I tell all my drug using partners my HIV status before I share needles with them.	never	42.7%	53.6%	46.4%	59.8%	29.8%	46.3%	40.0%	72.0%	
	not frequently	2.9%	0.0%	7.9%	0.0%	1.3%	2.5%	1.3%	0.0%	
	some of the time	5.8%	16.5%	0.4%	0.0%	4.3%	4.6%	0.3%	0.0%	
	all the time	48.6%	29.9%	45.2%	40.2%	64.6%	46.6%	58.5%	28.0%	
I make the decision about whether or not to share needles.	never	39.3%	49.0%	40.4%	49.6%	31.5%	35.6%	32.4%	72.0%	
	not frequently	0.8%	4.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	some of the time	4.8%	0.0%	3.9%	6.8%	5.5%	7.0%	4.2%	0.0%	
	all the time	55.1%	46.4%	55.8%	43.5%	63.0%	57.4%	63.4%	28.0%	
I don't pay much attention to HIV status when sharing needles with my drug using partners.	never	68.5%	68.8%	56.7%	72.0%	77.7%	63.8%	71.0%	72.0%	
	not frequently	5.8%	0.0%	11.7%	6.8%	3.0%	3.2%	4.2%	0.0%	
	some of the time	8.0%	4.6%	8.0%	10.2%	6.1%	13.0%	11.9%	0.0%	
	all the time	17.7%	26.6%	23.6%	11.0%	13.2%	19.9%	13.0%	28.0%	

AWARE	gender		ethnicity				riskgroup				
	Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
N=	213	190	23	110	45	53	5	153	18	22	19
HIV testing	95.1%	94.6%	98.5%	99.4%	94.7%	85.8%	100.0%	94.4%	96.5%	95.6%	98.2%
Individual counseling	82.9%	82.3%	87.5%	86.5%	83.2%	73.8%	100.0%	84.4%	73.6%	82.4%	80.0%
HIV prevention support groups	80.1%	79.7%	83.6%	89.5%	80.6%	63.9%	44.6%	81.7%	72.2%	77.6%	78.0%
Group educational sessions	70.0%	68.2%	85.1%	74.2%	75.8%	56.0%	72.8%	67.4%	72.2%	75.0%	82.8%
Outreach work	69.6%	69.7%	68.2%	79.4%	76.5%	44.5%	52.0%	69.5%	71.9%	72.5%	64.9%
Internet or web based info	68.1%	68.6%	64.3%	81.5%	60.3%	49.5%	46.7%	72.1%	72.9%	50.0%	53.2%
Forum or community meeting	66.6%	66.5%	68.1%	73.1%	74.1%	50.5%	27.2%	69.1%	61.0%	54.5%	65.8%
Bars/dance clubs -free condoms	61.2%	64.2%	37.6%	71.6%	59.7%	44.8%	27.2%	68.8%	61.1%	39.9%	26.3%
A hotline	60.9%	60.5%	64.4%	69.6%	60.5%	45.0%	42.5%	61.3%	62.5%	56.1%	61.4%
Sermons and events at churches	50.2%	50.5%	48.0%	52.3%	62.8%	35.9%	41.5%	53.3%	46.0%	43.9%	37.0%
Partner notification	46.0%	44.7%	56.9%	42.6%	63.4%	37.7%	50.8%	44.8%	62.2%	39.4%	47.8%
Bleach kits for cleaning used needles	43.7%	43.4%	46.1%	50.2%	59.2%	20.5%	7.8%	41.1%	49.8%	65.5%	33.3%
Post Exposure Prophylaxis	29.6%	28.7%	36.6%	28.9%	37.3%	23.1%	38.1%	29.8%	28.9%	26.8%	32.1%
Needle exchange	28.6%	27.2%	39.4%	29.3%	47.7%	13.1%	7.8%	24.1%	41.6%	47.3%	28.6%

AWARE	Total	stage				recinc	homeless	outcare	
		HIV asymp	HIV symp	AIDS asymp	AIDS symp			6 months +	history
N=	213	53	48	26	81	58	57	12	53
HIV testing	95.1%	100.0%	83.5%	100.0%	95.2%	95.7%	94.0%	100.0%	93.8%
Individual counseling	82.9%	86.5%	74.1%	94.4%	80.3%	76.2%	74.6%	55.3%	76.8%
HIV prevention support groups	80.1%	69.6%	68.0%	97.4%	86.4%	75.2%	73.4%	49.7%	72.7%
Group educational sessions	70.0%	68.8%	66.2%	83.5%	68.8%	73.4%	57.0%	31.7%	48.7%
Outreach work	69.6%	72.7%	55.9%	87.9%	68.4%	77.4%	70.3%	46.9%	55.1%
Internet or web based info	68.1%	67.8%	46.0%	82.6%	71.7%	62.9%	69.1%	70.0%	18.4%
Forum or community meeting	66.6%	60.7%	42.2%	85.5%	73.6%	69.8%	58.9%	30.0%	62.6%
Bars/dance clubs -free condoms	61.2%	65.2%	43.4%	88.3%	57.1%	48.9%	64.1%	22.5%	60.3%
A hotline	60.9%	49.9%	52.2%	63.3%	68.3%	55.5%	64.3%	14.8%	35.2%
Sermons and events at churches	50.2%	59.1%	38.5%	45.0%	49.7%	53.3%	56.1%	22.5%	49.5%
Partner notification	46.0%	40.0%	27.9%	71.2%	47.8%	49.8%	47.3%	41.2%	35.2%
Bleach kits for cleaning used needles	43.7%	27.6%	42.3%	68.2%	43.8%	63.5%	47.5%	14.5%	59.3%
Post Exposure Prophylaxis	29.6%	25.3%	25.5%	42.3%	29.3%	27.1%	22.3%	12.0%	53.4%
Needle exchange	28.6%	24.9%	18.7%	52.7%	27.0%	49.2%	40.3%	14.5%	28.7%

NEED	gender		ethnicity				riskgroup				
	Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
N=	213	190	23	110	45	53	5	153	18	22	19
Forum or community meeting	33.7%	33.8%	32.2%	38.7%	37.5%	18.2%	43.5%	32.3%	42.8%	30.9%	39.1%
HIV prevention support groups	29.1%	27.3%	42.5%	33.1%	29.7%	19.1%	35.1%	24.2%	43.1%	39.9%	41.5%
Group educational sessions	25.9%	24.0%	41.2%	26.7%	23.9%	22.8%	56.5%	23.7%	30.9%	24.9%	39.4%
HIV testing	23.6%	24.1%	19.5%	24.3%	19.5%	23.1%	50.0%	24.2%	22.4%	20.7%	24.2%
Outreach work	22.8%	22.8%	22.6%	25.1%	24.8%	14.5%	34.7%	22.0%	21.5%	29.0%	23.0%
Internet or web based info	22.5%	22.1%	25.7%	25.6%	20.2%	15.8%	38.1%	21.6%	36.1%	10.7%	30.3%
Individual counseling	21.7%	21.6%	22.6%	16.3%	32.7%	18.5%	67.3%	22.4%	24.7%	9.9%	26.8%
Bars/dance clubs -free condoms	20.4%	21.5%	11.0%	17.4%	25.5%	20.4%	40.2%	21.8%	30.9%	11.6%	9.0%
A hotline	17.9%	17.8%	19.0%	18.1%	21.7%	10.9%	50.0%	15.6%	41.4%	8.9%	24.2%
Sermons and events at churches	15.1%	13.9%	24.3%	11.6%	20.8%	12.7%	57.5%	11.5%	28.7%	18.8%	25.6%
Post Exposure Prophylaxis	13.7%	14.5%	7.3%	19.2%	12.1%	1.6%	17.4%	15.8%	14.3%	4.0%	7.6%
Partner notification	12.5%	11.9%	17.4%	10.7%	13.4%	11.5%	50.5%	11.2%	23.2%	3.8%	23.0%
Bleach kits for cleaning used needles	9.1%	9.3%	8.2%	9.2%	9.9%	7.4%	17.4%	8.4%	15.6%	10.7%	6.9%
Needle exchange	8.4%	9.0%	4.1%	7.7%	7.9%	9.3%	17.4%	7.0%	20.3%	12.6%	3.5%

NEED		stage						outcare	outcare
	Total	HIV asyp	HIV symp	AIDS asyp	AIDS symp	recinc	homeless	6 months +	history
N=	213	53	48	26	81	58	57	12	53
Forum or community meeting	33.7%	35.1%	31.2%	29.7%	35.0%	42.8%	41.6%	26.9%	28.3%
HIV prevention support groups	29.1%	38.8%	17.1%	20.0%	31.1%	42.9%	41.7%	18.4%	20.4%
Group educational sessions	25.9%	27.7%	41.6%	8.4%	24.7%	39.2%	31.0%	16.4%	24.9%
HIV testing	23.6%	35.3%	12.9%	21.6%	22.3%	34.5%	26.5%	74.7%	32.9%
Outreach work	22.8%	24.8%	37.8%	9.5%	21.5%	33.1%	34.8%	32.0%	15.2%
Internet or web based info	22.5%	26.9%	22.6%	12.3%	24.3%	28.6%	30.9%	31.1%	6.5%
Individual counseling	21.7%	42.3%	10.0%	7.6%	20.3%	35.7%	37.7%	47.2%	28.5%
Bars/dance clubs -free condoms	20.4%	20.1%	8.8%	30.3%	21.9%	14.3%	27.8%	24.8%	24.9%
A hotline	17.9%	16.9%	13.8%	22.6%	18.4%	22.6%	24.7%	3.2%	7.1%
Sermons and events at churches	15.1%	22.5%	12.1%	4.8%	15.6%	28.6%	22.0%	16.8%	16.3%
Post Exposure Prophylaxis	13.7%	19.4%	6.3%	30.9%	8.3%	28.3%	21.4%	0.0%	14.6%
Partner notification	12.5%	21.0%	15.3%	6.9%	9.2%	25.9%	19.0%	16.5%	30.2%
Bleach kits for cleaning used needles	9.1%	2.7%	22.1%	7.3%	8.2%	14.2%	10.7%	0.0%	22.3%
Needle exchange	8.4%	2.7%	12.4%	11.0%	9.4%	14.2%	12.3%	0.0%	10.2%

USE	gender		ethnicity				riskgroup				
	Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
N=	213	190	23	110	45	53	5	153	18	22	19
HIV testing	31.4%	31.9%	27.8%	29.0%	35.5%	30.6%	55.4%	31.9%	30.3%	22.6%	39.1%
HIV prevention support groups	27.5%	25.6%	43.2%	29.3%	32.6%	20.2%	18.4%	21.0%	49.2%	40.4%	44.0%
Individual counseling	25.4%	25.7%	22.7%	18.4%	30.3%	31.4%	67.3%	24.9%	28.4%	21.0%	31.4%
Forum or community meeting	25.4%	25.5%	23.7%	25.6%	28.9%	21.8%	26.2%	23.8%	31.4%	26.7%	30.6%
Group educational sessions	16.4%	14.4%	32.6%	13.2%	23.5%	15.4%	32.6%	11.4%	21.7%	30.0%	36.0%
Internet or web based info	14.4%	14.6%	13.2%	18.2%	13.3%	6.8%	20.7%	14.2%	20.2%	14.1%	11.1%
Outreach work	12.0%	12.1%	11.0%	11.6%	15.5%	9.4%	17.4%	10.4%	9.4%	23.8%	14.0%
A hotline	12.0%	12.5%	7.8%	10.4%	14.2%	11.5%	32.6%	10.7%	25.8%	13.5%	7.6%
Bars/dance clubs -free condoms	11.8%	12.6%	5.1%	11.9%	18.4%	6.8%	0.0%	12.7%	12.7%	12.9%	1.8%
Sermons and events at churches	5.7%	5.1%	10.6%	1.9%	17.2%	4.0%	1.0%	3.7%	6.0%	15.6%	9.7%
Partner notification	5.1%	4.6%	9.7%	2.2%	10.6%	5.4%	16.3%	2.9%	12.7%	9.9%	10.0%
Needle exchange	3.6%	3.6%	3.4%	3.3%	5.4%	3.1%	0.0%	1.7%	6.7%	17.3%	0.0%
Bleach kits for cleaning used needles	3.4%	3.0%	7.2%	3.2%	7.6%	0.6%	0.0%	1.3%	3.4%	21.3%	0.0%
Post Exposure Prophylaxis	3.2%	3.0%	4.9%	1.1%	7.6%	0.9%	32.6%	2.4%	3.4%	9.9%	1.8%

USE		stage						outcare	outcare
	Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	history
N=	213	53	48	26	81	58	57	12	53
HIV testing	31.4%	62.9%	19.7%	27.4%	20.9%	47.4%	31.3%	80.8%	30.4%
HIV prevention support groups	27.5%	43.4%	19.1%	19.5%	26.2%	33.8%	25.8%	20.8%	24.9%
Individual counseling	25.4%	54.5%	23.4%	14.1%	16.1%	26.4%	21.6%	44.5%	21.0%
Forum or community meeting	25.4%	26.4%	16.8%	27.1%	28.3%	36.4%	24.9%	26.4%	16.5%
Group educational sessions	16.4%	20.0%	16.5%	14.7%	15.7%	24.6%	17.1%	24.8%	6.2%
Internet or web based info	14.4%	11.9%	7.3%	20.0%	17.1%	12.0%	20.2%	28.3%	0.9%
Outreach work	12.0%	13.2%	10.3%	23.5%	9.0%	18.2%	13.4%	14.0%	18.9%
A hotline	12.0%	14.6%	7.8%	14.8%	11.9%	11.0%	9.7%	13.6%	7.9%
Bars/dance clubs -free condoms	11.8%	13.3%	6.5%	15.1%	11.7%	8.2%	12.8%	22.0%	4.7%
Sermons and events at churches	5.7%	4.9%	6.5%	1.2%	7.2%	10.7%	9.1%	14.0%	6.8%
Partner notification	5.1%	4.9%	7.2%	2.1%	5.6%	10.9%	7.6%	13.6%	5.7%
Needle exchange	3.6%	0.0%	6.3%	5.7%	3.9%	10.2%	10.6%	0.0%	21.0%
Bleach kits for cleaning used needles	3.4%	0.0%	6.3%	3.6%	4.2%	10.9%	11.1%	0.0%	8.2%
Post Exposure Prophylaxis	3.2%	5.3%	6.3%	0.0%	2.2%	6.8%	4.4%	0.0%	5.2%

Times Used	gender		ethnicity				riskgroup				
	Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
N=	213	190	23	110	45	53	5	153	18	22	19
HIV prevention support groups	7.8	6.6	17.2	6.0	10.8	11.1	2.3	3.4	21.1	20.6	15.1
Internet or web based info	6.9	5.5	21.3	7.0	14.1	2.4	1.5	5.0	13.3	1.2	24.7
Individual counseling	4.5	2.8	24.8	1.4	5.3	9.8	2.6	2.2	7.4	5.2	22.8
HIV testing	3.7	3.8	2.7	4.3	4.1	2.4	2.2	3.9	4.3	2.4	2.7
Forum or community meeting	3.6	2.0	22.0	1.5	10.3	2.4	5.8	1.1	2.7	6.9	24.7
Outreach work	2.5	2.3	4.8	2.9	3.5	0.4	3.5	0.9	1.0	19.4	4.3
Group educational sessions	2.3	2.0	4.6	1.8	4.6	1.6	2.5	1.2	4.0	6.5	5.9
Bars/dance clubs -free condoms	2.0	2.1	0.3	1.3	4.3	2.1	0.0	1.9	3.4	3.0	0.0
Sermons and events at churches	1.9	1.4	6.8	0.7	6.9	0.4	0.4	0.8	1.3	5.5	8.3
A hotline	1.4	1.4	1.4	1.3	2.4	0.8	3.5	1.4	2.1	1.0	1.0
Bleach kits for cleaning used needles	1.2	0.8	5.1	1.3	2.1	0.0	0.0	0.5	0.0	10.2	0.0
Needle exchange	0.9	1.0	0.1	0.8	2.5	0.1	0.0	0.6	1.3	5.3	0.0
Partner notification	0.7	0.6	1.5	0.2	2.6	0.4	0.0	0.6	1.3	0.1	1.9
Post Exposure Prophylaxis	0.5	0.4	1.1	0.0	2.6	0.0	0.0	0.5	0.3	1.4	0.0

Times Used	Total	stage				recinc	homeless	outcare 6 months +
		HIV asyp	HIV symp	AIDS asyp	AIDS symp			
N=	213	53	48	26	81	58	57	12
HIV prevention support groups	7.8	12.8	5.3	7.7	6.1	19.5	16.2	9.5
Internet or web based info	6.9	4.6	3.0	0.7	10.3	3.4	4.2	10.0
Individual counseling	4.5	5.7	20.1	0.1	1.7	20.5	13.6	9.1
HIV testing	3.7	3.7	4.9	3.3	3.5	3.3	3.5	3.5
Forum or community meeting	3.6	2.0	3.3	1.3	5.1	5.0	2.0	6.6
Outreach work	2.5	1.5	4.4	4.7	1.3	9.3	6.5	1.6
Group educational sessions	2.3	1.6	5.5	0.8	2.1	8.8	3.5	1.8
Bars/dance clubs -free condoms	2.0	3.5	3.0	1.0	1.4	3.9	3.0	2.2
Sermons and events at churches	1.9	1.7	2.7	1.2	2.1	3.7	1.8	2.1
A hotline	1.4	4.3	2.2	0.1	0.7	3.6	2.1	1.0
Bleach kits for cleaning used needles	1.2	0.0	3.3	0.7	1.3	9.1	4.9	0.0
Needle exchange	0.9	0.0	3.7	0.8	0.6	6.5	3.2	0.0
Partner notification	0.7	0.4	3.5	0.1	0.5	4.6	2.0	1.0
Post Exposure Prophylaxis	0.5	0.0	2.4	0.0	0.2	4.3	1.7	0.0

Meet Need	gender		ethnicity				riskgroup				
	Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
N=	213	190	23	110	45	53	5	153	18	22	19
HIV testing	98.7%	98.6%	100.0%	100.0%	100.0%	100.0%	70.6%	98.3%	100.0%	100.0%	100.0%
Group educational sessions	93.5%	96.5%	83.0%	100.0%	81.8%	94.7%	100.0%	100.0%	100.0%	74.8%	88.9%
Outreach work	93.5%	92.6%	100.0%	100.0%	79.8%	100.0%	100.0%	100.0%	56.1%	82.4%	100.0%
Bars/dance clubs -free condoms	91.6%	95.3%	28.6%	100.0%	78.7%	100.0%	100.0%	100.0%	100.0%	49.4%	0.0%
Individual counseling	91.6%	90.5%	100.0%	96.2%	98.6%	78.1%	100.0%	90.1%	86.6%	100.0%	96.8%
HIV prevention support groups	91.5%	89.8%	100.0%	87.2%	98.7%	94.4%	100.0%	88.9%	92.7%	94.3%	97.6%
Internet or web based info	91.2%	93.6%	72.0%	94.2%	76.1%	100.0%	100.0%	100.0%	83.3%	53.7%	84.0%
Forum or community meeting	91.0%	91.2%	89.6%	94.9%	90.4%	83.4%	83.1%	94.8%	78.5%	84.3%	89.8%
Sermons and events at churches	88.1%	90.4%	79.2%	100.0%	81.5%	100.0%	100.0%	100.0%	100.0%	58.2%	100.0%
Partner notification	85.8%	88.3%	77.0%	100.0%	70.2%	100.0%	100.0%	100.0%	100.0%	34.4%	100.0%
A hotline	75.8%	75.4%	81.3%	76.3%	77.3%	63.1%	100.0%	89.0%	39.9%	68.8%	53.7%
Bleach kits for cleaning used needles	72.0%	72.8%	69.0%	82.4%	58.5%	100.0%	100.0%	100.0%	0.0%	69.4%	0.0%
Post Exposure Prophylaxis	62.4%	53.9%	100.0%	100.0%	73.3%	0.0%	0.0%	70.3%	100.0%	35.5%	100.0%
Needle exchange	52.1%	54.1%	34.2%	82.9%	41.4%	0.0%	100.0%	38.2%	50.0%	62.4%	0.0%

Meet Need		stage						outcare	outcare
	Total	HIV asyp	HIV symp	AIDS asyp	AIDS symp	recinc	homeless	6 months +	history
N=	213	53	48	26	81	58	57	12	53
HIV testing	98.7%	100.0%	100.0%	89.4%	100.0%	100.0%	100.0%	100.0%	94.5%
Group educational sessions	93.5%	95.5%	84.1%	100.0%	94.1%	85.5%	87.8%	100.0%	87.5%
Outreach work	93.5%	100.0%	74.3%	86.2%	100.0%	78.1%	84.4%	100.0%	95.4%
Bars/dance clubs -free condoms	91.6%	100.0%	44.5%	100.0%	95.5%	44.5%	77.9%	100.0%	77.3%
Individual counseling	91.6%	93.7%	97.6%	100.0%	80.7%	97.9%	98.0%	69.4%	31.4%
HIV prevention support groups	91.5%	80.9%	97.1%	100.0%	97.5%	94.0%	98.2%	100.0%	0.0%
Internet or web based info	91.2%	100.0%	63.7%	100.0%	91.1%	63.5%	82.7%	100.0%	95.7%
Forum or community meeting	91.0%	94.9%	74.6%	100.0%	91.8%	90.0%	88.6%	38.0%	88.3%
Sermons and events at churches	88.1%	100.0%	59.3%	100.0%	92.8%	75.7%	77.0%	100.0%	100.0%
Partner notification	85.8%	100.0%	63.6%	100.0%	90.7%	76.1%	72.7%	100.0%	100.0%
A hotline	75.8%	90.6%	46.8%	77.3%	73.8%	41.9%	51.5%	0.0%	100.0%
Bleach kits for cleaning used needles	72.0%	100.0%	58.0%	100.0%	72.2%	76.1%	81.2%	0.0%	91.3%
Post Exposure Prophylaxis	62.4%	20.3%	58.0%	0.0%	100.0%	41.8%	52.3%	0.0%	100.0%
Needle exchange	52.1%	100.0%	58.0%	63.0%	44.0%	57.3%	66.9%	0.0%	77.3%

		Total	gender		ethnicity				riskgroup			
			Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
N=		213	190	23	110	45	53	5	153	18	22	19
The HIV/AIDS prevention programs I need are not available.	small problem	52.1%	52.6%	49.3%	64.1%	57.0%	30.1%	30.3%	44.4%	73.2%	66.2%	55.3%
	moderate problem	31.4%	30.3%	37.8%	20.9%	28.4%	47.7%	69.7%	35.8%	26.8%	25.2%	21.6%
	big problem	16.5%	17.1%	12.9%	15.0%	14.6%	22.2%	0.0%	19.7%	0.0%	8.6%	23.1%
I do not have transportation to get from my home to the place where the program is provided.	small problem	46.4%	48.2%	34.0%	40.3%	45.5%	58.5%	92.0%	44.4%	44.5%	62.1%	42.9%
	moderate problem	24.7%	24.6%	25.4%	32.2%	23.7%	10.9%	8.0%	26.3%	39.9%	14.1%	13.9%
	big problem	28.8%	27.2%	40.6%	27.5%	30.8%	30.7%	0.0%	29.4%	15.6%	23.8%	43.2%
I do not know what organizations provide the information or programs that I need.	small problem	43.7%	44.0%	41.5%	49.1%	36.0%	34.2%	75.1%	42.1%	47.8%	46.0%	45.5%
	moderate problem	29.4%	30.5%	22.7%	24.9%	40.6%	25.5%	24.9%	28.3%	47.0%	26.2%	23.2%
	big problem	26.9%	25.5%	35.7%	26.0%	23.5%	40.3%	0.0%	29.7%	5.2%	27.7%	31.4%
Programs are not available at the time that I can get them.	small problem	42.4%	39.8%	59.1%	43.3%	44.1%	36.4%	95.6%	37.1%	47.9%	52.0%	57.9%
	moderate problem	40.5%	43.1%	23.1%	47.9%	31.7%	35.7%	0.0%	45.3%	42.8%	23.7%	26.3%
	big problem	17.2%	17.1%	17.7%	8.8%	24.3%	27.9%	4.4%	17.6%	9.3%	24.3%	15.8%
I cannot find programs in a language that I speak.	small problem	33.2%	31.9%	42.2%	38.1%	43.5%	24.6%	0.0%	29.3%	52.9%	31.2%	41.7%
	moderate problem	36.1%	38.5%	19.5%	35.6%	32.4%	37.9%	100.0%	38.7%	32.8%	34.5%	23.0%
	big problem	30.7%	29.6%	38.3%	26.4%	24.2%	37.5%	0.0%	31.9%	14.4%	34.3%	35.2%
I do not know where to get information.	small problem	50.3%	49.2%	58.1%	49.5%	42.4%	55.6%	65.3%	52.0%	36.9%	38.1%	62.6%
	moderate problem	20.5%	20.3%	21.9%	19.8%	40.7%	2.1%	32.6%	17.3%	45.0%	16.1%	18.8%
	big problem	29.2%	30.5%	20.0%	30.7%	16.9%	42.3%	2.1%	30.6%	18.1%	45.8%	18.7%
I have child care needs that prevent me from getting information.	small problem	28.8%	15.3%	65.5%	20.1%	52.8%	17.7%	0.0%	8.9%	36.0%	44.2%	68.0%
	moderate problem	48.3%	58.3%	21.1%	79.9%	23.8%	45.6%	0.0%	67.8%	36.0%	27.4%	20.1%
	big problem	22.9%	26.3%	13.4%	0.0%	23.4%	36.8%	0.0%	23.3%	28.1%	28.4%	11.9%
I have child care needs that prevent me from getting information.	small problem	46.4%	44.4%	60.7%	39.1%	51.9%	51.5%	96.9%	42.8%	70.8%	36.4%	59.4%
	moderate problem	27.5%	27.9%	25.1%	30.9%	29.0%	23.6%	0.0%	26.0%	20.6%	43.1%	28.1%
	big problem	26.0%	27.7%	14.2%	30.0%	19.1%	24.9%	3.1%	31.2%	8.6%	20.5%	12.4%
The discrimination I felt from people providing information to me.	small problem	59.5%	59.5%	59.9%	77.2%	54.9%	39.1%	50.0%	53.0%	75.6%	68.9%	72.0%
	moderate problem	22.3%	22.0%	23.8%	22.8%	21.7%	18.5%	50.0%	25.1%	24.4%	8.8%	19.4%
	big problem	18.2%	18.5%	16.3%	0.0%	23.4%	42.4%	0.0%	21.9%	0.0%	22.3%	8.6%
The people are not helpful who work at the organization (s) providing programs.	small problem	42.4%	39.5%	58.0%	43.8%	56.7%	29.9%	0.0%	36.7%	57.9%	52.9%	56.6%
	moderate problem	36.4%	37.5%	30.6%	43.0%	29.9%	27.8%	100.0%	39.8%	42.1%	14.6%	31.9%
	big problem	21.2%	23.0%	11.4%	13.2%	13.4%	42.3%	0.0%	23.5%	0.0%	32.5%	11.5%
The cost is too great for information and programs.	small problem	45.2%	41.2%	69.6%	50.9%	29.4%	41.5%	94.0%	36.8%	47.9%	71.4%	65.8%
	moderate problem	31.9%	34.4%	16.6%	27.4%	42.5%	35.5%	6.0%	35.2%	52.1%	11.5%	13.5%
	big problem	22.9%	24.4%	13.8%	21.7%	28.0%	23.0%	0.0%	28.1%	0.0%	17.1%	20.7%

			gender		ethnicity				riskgroup			
		Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
	N=	213	190	23	110	45	53	5	153	18	22	19
The organization providing programs did not answer my questions.	small problem	50.6%	47.4%	78.8%	51.4%	51.3%	51.3%	0.0%	42.7%	68.8%	62.9%	80.8%
	moderate problem	21.2%	22.7%	8.9%	14.4%	37.2%	14.5%	94.0%	23.2%	21.7%	21.7%	7.5%
	big problem	28.1%	30.0%	12.3%	34.2%	11.6%	34.2%	6.0%	34.1%	9.5%	15.4%	11.6%
I fear that someone I know will see me when I go get HIV or STD prevention services.	small problem	51.4%	54.0%	37.2%	65.2%	41.5%	41.7%	0.0%	58.3%	47.3%	35.9%	37.3%
	moderate problem	24.9%	23.1%	34.8%	21.0%	14.0%	36.0%	51.5%	20.3%	43.1%	31.0%	28.4%
	big problem	23.7%	22.9%	28.0%	13.8%	44.5%	22.4%	48.5%	21.4%	9.5%	33.1%	34.3%

			stage		AIDS				outcare
		Total	HIV asymp	HIV symp	asymp	AIDS symp	recinc	homeless	6 months +
	N=	213	53	48	26	81	58	57	12
The HIV/AIDS prevention programs I need are not available.	small problem	52.1%	56.6%	63.0%	78.7%	36.0%	57.0%	41.1%	41.6%
	moderate problem	31.4%	9.6%	22.2%	21.3%	52.3%	17.2%	36.5%	58.4%
	big problem	16.5%	33.8%	14.8%	0.0%	11.7%	25.8%	22.4%	0.0%
I do not have transportation to get from my home to the place where the program is provided.	small problem	46.4%	49.2%	44.5%	80.9%	43.6%	49.1%	25.7%	16.3%
	moderate problem	24.7%	11.2%	35.1%	0.0%	28.1%	11.8%	29.1%	77.1%
	big problem	28.8%	39.6%	20.4%	19.1%	28.3%	39.1%	45.2%	6.6%
I do not know what organizations provide the information or programs that I need.	small problem	43.7%	43.9%	65.9%	27.5%	37.0%	32.6%	32.0%	24.2%
	moderate problem	29.4%	27.2%	13.5%	26.7%	38.6%	21.4%	14.7%	62.0%
	big problem	26.9%	28.9%	20.6%	45.8%	24.5%	46.0%	53.4%	13.8%
Programs are not available at the time that I can get them.	small problem	42.4%	53.1%	56.5%	35.4%	34.8%	47.1%	40.3%	20.6%
	moderate problem	40.5%	22.1%	19.1%	48.9%	53.1%	26.0%	34.0%	69.4%
	big problem	17.2%	24.8%	24.4%	15.7%	12.1%	26.9%	25.8%	9.9%
I cannot find programs in a language that I speak.	small problem	33.2%	43.8%	11.9%	100.0%	31.2%	19.1%	29.1%	23.6%
	moderate problem	36.1%	4.1%	51.1%	0.0%	42.9%	12.4%	19.3%	38.2%
	big problem	30.7%	52.1%	37.1%	0.0%	25.9%	68.5%	51.6%	38.2%
I do not know where to get information.	small problem	50.3%	47.5%	70.5%	45.2%	46.9%	27.4%	26.6%	100.0%
	moderate problem	20.5%	18.9%	10.2%	36.7%	24.6%	16.6%	16.2%	0.0%
	big problem	29.2%	33.6%	19.3%	18.0%	28.5%	56.0%	57.2%	0.0%
I have child care needs that prevent me from getting information.	small problem	28.8%	41.8%	57.5%	100.0%	3.0%	46.5%	6.9%	100.0%
	moderate problem	48.3%	41.2%	16.2%	0.0%	64.4%	17.9%	48.4%	0.0%
	big problem	22.9%	17.0%	26.3%	0.0%	32.6%	35.6%	44.7%	0.0%
I have child care needs that prevent me from getting information.	small problem	46.4%	49.2%	57.0%	51.1%	40.7%	26.7%	25.4%	20.1%
	moderate problem	27.5%	42.7%	34.3%	6.7%	26.3%	43.0%	31.8%	29.4%
	big problem	26.0%	8.2%	8.8%	42.2%	33.0%	30.3%	42.8%	50.6%
The discrimination I felt from people providing information to me.	small problem	59.5%	88.9%	60.8%	30.6%	57.4%	57.5%	43.7%	86.0%
	moderate problem	22.3%	11.1%	23.3%	0.0%	31.1%	22.8%	21.6%	14.0%
	big problem	18.2%	0.0%	15.8%	69.4%	11.6%	19.7%	34.7%	0.0%
The people are not helpful who work at the organization (s) providing programs.	small problem	42.4%	57.4%	28.6%	49.6%	40.6%	35.5%	22.8%	88.5%
	moderate problem	36.4%	31.5%	56.5%	34.0%	27.9%	50.9%	58.8%	11.5%
	big problem	21.2%	11.0%	14.9%	16.3%	31.5%	13.6%	18.5%	0.0%
The cost is too great for information and programs.	small problem	45.2%	44.1%	67.6%	53.0%	31.4%	56.4%	30.0%	100.0%
	moderate problem	31.9%	16.3%	6.1%	47.0%	42.4%	11.6%	23.6%	0.0%
	big problem	22.9%	39.6%	26.2%	0.0%	26.2%	32.0%	46.4%	0.0%

			stage						outcare	
		Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	
	N=	213	53	48	26	81	58	57	12	
The organization providing programs did not answer my questions.	small problem	50.6%	39.8%	72.8%	46.7%	42.3%	35.8%	37.5%	100.0%	
	moderate problem	21.2%	27.4%	17.6%	0.0%	29.1%	14.7%	11.5%	0.0%	
	big problem	28.1%	32.8%	9.6%	53.3%	28.5%	49.5%	51.1%	0.0%	
I fear that someone I know will see me when I go get HIV or STD prevention services.	small problem	51.4%	57.6%	51.0%	48.8%	44.0%	34.6%	39.7%	40.7%	
	moderate problem	24.9%	14.3%	18.1%	51.2%	25.8%	24.6%	23.4%	59.3%	
	big problem	23.7%	28.2%	30.9%	0.0%	30.1%	40.8%	37.0%	0.0%	

		gender		racegrp				riskgrp			
	TOTAL	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSMIDU	IDU	Hetero
N=	213	190	23	110	45	53	5	153	18	22	19
Programs are not available at the time that I can get them.	41.9%	40.7%	52.2%	40.8%	43.9%	44.2%	23.8%	38.2%	56.8%	45.0%	53.8%
I do not know what organizations provide the information or programs that I need.	40.9%	39.5%	52.8%	37.7%	53.6%	33.3%	73.8%	35.8%	50.8%	58.1%	52.9%
I do not have transportation to get from my home to the place where the program is provided.	36.6%	35.9%	41.9%	35.8%	40.7%	37.1%	13.0%	34.7%	38.5%	43.2%	41.9%
I have child care needs that prevent me from getting information.	31.3%	30.7%	36.3%	31.0%	23.5%	38.1%	35.2%	30.2%	30.6%	30.6%	40.9%
The organization providing programs did not answer my questions.	30.6%	30.7%	29.3%	27.1%	36.1%	34.3%	17.4%	30.8%	27.7%	25.9%	37.4%
The HIV/AIDS prevention programs I need are not available.	27.3%	26.0%	38.1%	22.3%	36.6%	30.1%	24.9%	23.3%	32.1%	39.8%	40.6%
I fear that someone I know will see me when I go get HIV or STD prevention services.	27.1%	25.8%	38.0%	24.7%	26.4%	32.2%	33.7%	24.1%	27.6%	32.7%	44.5%
The cost is too great for information and programs.	26.5%	25.6%	34.7%	28.6%	24.3%	25.2%	17.4%	24.3%	34.3%	25.9%	38.3%
The people are not helpful who work at the organization (s) providing programs.	26.5%	25.1%	38.6%	23.5%	31.0%	30.0%	17.4%	25.8%	21.3%	25.1%	39.4%
I do not know where to get information.	25.2%	24.7%	29.4%	24.1%	24.6%	25.5%	50.0%	23.8%	32.5%	21.9%	32.6%
The discrimination I felt from people providing information to me.	22.8%	21.7%	32.2%	18.2%	29.0%	26.2%	32.6%	20.6%	24.6%	27.9%	33.5%
I cannot find programs in a language that I speak.	16.0%	15.7%	18.5%	12.1%	13.9%	27.2%	1.0%	16.0%	18.8%	10.9%	19.2%
I have child care needs that prevent me from getting information.	10.3%	8.5%	25.0%	5.2%	14.7%	19.0%	0.0%	7.6%	9.6%	21.5%	19.8%

	KEY: 1= Small Problem 2= Moderate 3= Big Problem		gender		ethnicity				riskgrp			
	N Size	Total	Male	Female	Anglo	African Am	Latino	API and other	MSM	MSM IDU	IDU	Hetero
The HIV/AIDS prevention programs I need are not available.	N=58	1.6	1.6	1.6	1.5	1.6	1.9	1.7	1.8	1.3	1.4	1.7
I do not have transportation to get from my home to the place where the program is provided.	N=77	1.8	1.8	2.1	1.9	1.9	1.7	1.1	1.8	1.7	1.6	2.0
I do not know what organizations provide the information or programs that I need.	N=86	1.8	1.8	1.9	1.8	1.9	2.1	1.2	1.9	1.6	1.8	1.9
Programs are not available at the time that I can get them.	N=89	1.7	1.8	1.6	1.7	1.8	1.9	1.1	1.8	1.6	1.7	1.6
I cannot find programs in a language that I speak.	N=33	2.0	2.0	2.0	1.9	1.8	2.1	2.0	2.0	1.6	2.0	1.9
I do not know where to get information.	N=53	1.8	1.8	1.6	1.8	1.7	1.9	1.4	1.8	1.8	2.1	1.6
I have child care needs that prevent me from getting information.	N=21	1.9	2.1	1.5	1.8	1.7	2.2		2.1	1.9	1.8	1.4
I have child care needs that prevent me from getting information.	N=66	1.8	1.8	1.5	1.9	1.7	1.7	1.1	1.9	1.4	1.8	1.5
The discrimination I felt from people providing information to me.	N=48	1.6	1.6	1.6	1.2	1.7	2.0	1.5	1.7	1.2	1.5	1.4
The people are not helpful who work at the organization (s) providing programs.	N=56	1.8	1.8	1.5	1.7	1.6	2.1	2.0	1.9	1.4	1.8	1.5
The cost is too great for information and programs.	N=56	1.8	1.8	1.4	1.7	2.0	1.8	1.1	1.9	1.5	1.5	1.5
The organization providing programs did not answer my questions.	N=65	1.8	1.8	1.3	1.8	1.6	1.8	2.1	1.9	1.4	1.5	1.3
I fear that someone I know will see me when I go get HIV or STD prevention services.	N=58	1.7	1.7	1.9	1.5	2.0	1.8	2.5	1.6	1.6	2.0	2.0

KEY	1= Small Problem 2= Moderate 3= Big Problem			stage		recinc		homeless		outcare	
	N Size	Total	HIV asymp	HIV symp	AIDS asymp	AIDS symp	recinc	homeless	6 months +	6 months +	6 months +
The HIV/AIDS prevention programs I need are not available.	N=58	1.6	1.8	1.5	1.2	1.8	1.7	1.8	1.6	1.6	1.6
I do not have transportation to get from my home to the place where the program is provided.	N=77	1.8	1.9	1.8	1.4	1.8	1.9	2.2	1.9	1.9	1.9
I do not know what organizations provide the information or programs that I need.	N=86	1.8	1.9	1.5	2.2	1.9	2.1	2.2	1.9	1.9	1.9
Programs are not available at the time that I can get them.	N=89	1.7	1.7	1.7	1.8	1.8	1.8	1.9	1.9	1.9	1.9
I cannot find programs in a language that I speak.	N=33	2.0	2.1	2.3	1.0	1.9	2.5	2.2	2.1	2.1	2.1
I do not know where to get information.	N=53	1.8	1.9	1.5	1.7	1.8	2.3	2.3	1.0	1.0	1.0
I have child care needs that prevent me from getting information.	N=21	1.9	1.8	1.7	1.0	2.3	1.9	2.4	1.0	1.0	1.0
I have child care needs that prevent me from getting information.	N=66	1.8	1.6	1.5	1.9	1.9	2.0	2.2	2.3	2.3	2.3
The discrimination I felt from people providing information to	N=48	1.6	1.1	1.6	2.4	1.5	1.6	1.9	1.1	1.1	1.1
The people are not helpful who work at the organization (s) providing programs.	N=56	1.8	1.5	1.9	1.7	1.9	1.8	2.0	1.1	1.1	1.1
The cost is too great for information and programs.	N=56	1.8	2.0	1.6	1.5	1.9	1.8	2.2	1.0	1.0	1.0
The organization providing programs did not answer my questions.	N=65	1.8	1.9	1.4	2.1	1.9	2.1	2.1	1.0	1.0	1.0
I fear that someone I know will see me when I go get HIV or STD prevention services.	N=58	1.7	1.7	1.8	1.5	1.9	2.1	2.0	1.6	1.6	1.6